

## Disclaimer

The FDA chose a specific outcome algorithm that met its need for a given medical product-outcome assessment. The use of a specific outcome algorithm in a Sentinel assessment should not be interpreted as an endorsement from FDA to use the algorithm for all safety assessments. Investigators should always consider the objective, study design, analytic approach, and data source of a given medical product safety assessment when choosing the outcome algorithm. The suitability of an outcome algorithm may change when applied to different scenarios. For additional information, please refer to the [Best Practices for Conducting and Reporting Pharmacoepidemiologic Safety Studies Using Electronic Healthcare Data](#) guidance document provided by the FDA.

## Overview

<b>Title</b>	Fracture Algorithm Defined in "Osteoporotic Fractures following Lupron Depot-PED Use: A Multiple Factor Matched Analysis"
<b>Request ID</b>	cder_mpl2p_wp011_nsdv_v01
<b>Description</b>	<p>This report lists International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) diagnosis codes, and algorithms used to define the secondary outcome fractures in this request.</p> <p>For additional information about the algorithm and how it was defined relative to the cohort and exposures of interest in the inferential analysis, see the analysis page here:  <a href="https://www.sentinelinitiative.org/drugs/assessments/osteoporotic-fractures-following-lupron-depot-ped-use-multiple-factor-matched">https://www.sentinelinitiative.org/drugs/assessments/osteoporotic-fractures-following-lupron-depot-ped-use-multiple-factor-matched</a></p>
<b>Outcome</b>	Any fracture
<b>Algorithm to Define Outcome</b>	Evidence of an ICD-9-CM or ICD-10-CM diagnosis code used to define any type of fracture, in any care setting.
<b>Query Period</b>	January 1, 2000 - August 31, 2018
<b>Request Send Date</b>	April 22, 2019

## Glossary

**Care Setting** - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or missing (U)

**Outcome** - outcome of interest (either primary or secondary)

**Principal Diagnosis (PDX)** - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

**Query Period** - period in which the modular program looks for exposures and outcomes of interest

**Request Send Date** - date the request was sent to Sentinel Data Partners

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
733.1	Pathologic fracture	ICD-9-CM	Diagnosis
800	Fracture of vault of skull	ICD-9-CM	Diagnosis
800.0	Closed fracture of vault of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
800.00	Closed fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.01	Closed fracture of vault of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
800.02	Closed fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.03	Closed fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.04	Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.05	Closed fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.06	Closed fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.09	Closed fracture of vault of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
800.1	Closed fracture of vault of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
800.10	Closed fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.11	Closed fracture of vault of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
800.12	Closed fracture of vault of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.13	Closed fracture of vault of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.14	Closed fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.15	Closed fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.16	Closed fracture of vault of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.19	Closed fracture of vault of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
800.2	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
800.20	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.21	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.22	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.23	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.24	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.25	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.26	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.29	Closed fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.3	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
800.30	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.31	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.32	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.33	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.34	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.35	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.36	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.39	Closed fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.4	Closed fracture of vault of skull with intercranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
800.40	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
800.41	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
800.42	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.43	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.44	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.45	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.46	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.49	Closed fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
800.5	Open fracture of vault of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
800.50	Open fracture of vault of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.51	Open fracture of vault of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
800.52	Open fracture of vault of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.53	Open fracture of vault of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.54	Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.55	Open fracture of vault of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.56	Open fracture of vault of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.59	Open fracture of vault of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
800.6	Open fracture of vault of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
800.60	Open fracture of vault of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.61	Open fracture of vault of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
800.62	Open fracture of vault of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
800.63	Open fracture of vault of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.64	Open fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.65	Open fracture of vault of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.66	Open fracture of vault of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.69	Open fracture of vault of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
800.7	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
800.70	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.71	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.72	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.73	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.74	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.75	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.76	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.79	Open fracture of vault of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.8	Open fracture of vault of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
800.80	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.81	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
800.82	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.83	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
800.84	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.85	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.86	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.89	Open fracture of vault of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
800.9	Open fracture of vault of skull with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
800.90	Open fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
800.91	Open fracture of vault of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
800.92	Open fracture of vault of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
800.93	Open fracture of vault of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
800.94	Open fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.95	Open fracture of vault of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
800.96	Open fracture of vault of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
800.99	Open fracture of vault of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
801	Fracture of base of skull	ICD-9-CM	Diagnosis
801.0	Closed fracture of base of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
801.00	Closed fracture of base of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.01	Closed fracture of base of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
801.02	Closed fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.03	Closed fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
801.04	Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.05	Closed fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.06	Closed fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.09	Closed fracture of base of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
801.1	Closed fracture of base of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
801.10	Closed fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.11	Closed fracture of base of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
801.12	Closed fracture of base of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.13	Closed fracture of base of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.14	Closed fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.15	Closed fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.16	Closed fracture of base of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.19	Closed fracture of base of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
801.2	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
801.20	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.21	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.22	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.23	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.24	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
801.25	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.26	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.29	Closed fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.3	Closed fracture of base of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
801.30	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.31	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.32	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.33	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.34	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.35	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.36	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.39	Closed fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.4	Closed fracture of base of skull with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
801.40	Closed fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.41	Closed fracture of base of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
801.42	Closed fracture of base of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.43	Closed fracture of base of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.44	Closed fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
801.45	Closed fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.46	Closed fracture of base of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.49	Closed fracture of base of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
801.5	Open fracture of base of skull without mention of intracranial injury	ICD-9-CM	Diagnosis
801.50	Open fracture of base of skull without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.51	Open fracture of base of skull without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
801.52	Open fracture of base of skull without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.53	Open fracture of base of skull without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.54	Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.55	Open fracture of base of skull without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.56	Open fracture of base of skull without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.59	Open fracture of base of skull without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
801.6	Open fracture of base of skull with cerebral laceration and contusion	ICD-9-CM	Diagnosis
801.60	Open fracture of base of skull with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.61	Open fracture of base of skull with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
801.62	Open fracture of base of skull with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.63	Open fracture of base of skull with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.64	Open fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.65	Open fracture of base of skull with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
801.66	Open fracture of base of skull with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.69	Open fracture of base of skull with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
801.7	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
801.70	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.71	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.72	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.73	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.74	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.75	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.76	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.79	Open fracture of base of skull with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.8	Open fracture of base of skull with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
801.80	Open fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.81	Open fracture of base of skull with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
801.82	Open fracture of base of skull with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.83	Open fracture of base of skull with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.84	Open fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.85	Open fracture of base of skull with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.86	Open fracture of base of skull with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
801.89	Open fracture of base of skull with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
801.9	Open fracture of base of skull with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
801.90	Open fracture of base of skull with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
801.91	Open fracture of base of skull with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
801.92	Open fracture of base of skull with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
801.93	Open fracture of base of skull with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
801.94	Open fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.95	Open fracture of base of skull with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
801.96	Open fracture of base of skull with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
801.99	Open fracture of base of skull with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
802	Fracture of face bones	ICD-9-CM	Diagnosis
802.0	Nasal bones, closed fracture	ICD-9-CM	Diagnosis
802.1	Nasal bones, open fracture	ICD-9-CM	Diagnosis
802.2	Mandible, closed fracture	ICD-9-CM	Diagnosis
802.20	Closed fracture of unspecified site of mandible	ICD-9-CM	Diagnosis
802.21	Closed fracture of condylar process of mandible	ICD-9-CM	Diagnosis
802.22	Closed fracture of subcondylar process of mandible	ICD-9-CM	Diagnosis
802.23	Closed fracture of coronoid process of mandible	ICD-9-CM	Diagnosis
802.24	Closed fracture of unspecified part of ramus of mandible	ICD-9-CM	Diagnosis
802.25	Closed fracture of angle of jaw	ICD-9-CM	Diagnosis
802.26	Closed fracture of symphysis of body of mandible	ICD-9-CM	Diagnosis
802.27	Closed fracture of alveolar border of body of mandible	ICD-9-CM	Diagnosis
802.28	Closed fracture of other and unspecified part of body of mandible	ICD-9-CM	Diagnosis
802.29	Closed fracture of multiple sites of mandible	ICD-9-CM	Diagnosis
802.3	Mandible, open fracture	ICD-9-CM	Diagnosis
802.30	Open fracture of unspecified site of mandible	ICD-9-CM	Diagnosis
802.31	Open fracture of condylar process of mandible	ICD-9-CM	Diagnosis
802.32	Open fracture of subcondylar process of mandible	ICD-9-CM	Diagnosis
802.33	Open fracture of coronoid process of mandible	ICD-9-CM	Diagnosis
802.34	Open fracture of unspecified part of ramus of mandible	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
802.35	Open fracture of angle of jaw	ICD-9-CM	Diagnosis
802.36	Open fracture of symphysis of body of mandible	ICD-9-CM	Diagnosis
802.37	Open fracture of alveolar border of body of mandible	ICD-9-CM	Diagnosis
802.38	Open fracture of other and unspecified part of body of mandible	ICD-9-CM	Diagnosis
802.39	Open fracture of multiple sites of mandible	ICD-9-CM	Diagnosis
802.4	Malar and maxillary bones, closed fracture	ICD-9-CM	Diagnosis
802.5	Malar and maxillary bones, open fracture	ICD-9-CM	Diagnosis
802.6	Orbital floor (blow-out), closed fracture	ICD-9-CM	Diagnosis
802.7	Orbital floor (blow-out), open fracture	ICD-9-CM	Diagnosis
802.8	Other facial bones, closed fracture	ICD-9-CM	Diagnosis
802.9	Other facial bones, open fracture	ICD-9-CM	Diagnosis
803	Other and unqualified skull fractures	ICD-9-CM	Diagnosis
803.0	Other closed skull fracture without mention of intracranial injury	ICD-9-CM	Diagnosis
803.00	Other closed skull fracture without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.01	Other closed skull fracture without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
803.02	Other closed skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.03	Other closed skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.04	Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.05	Other closed skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.06	Other closed skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.09	Other closed skull fracture without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
803.1	Other closed skull fracture with cerebral laceration and contusion	ICD-9-CM	Diagnosis
803.10	Other closed skull fracture with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.11	Other closed skull fracture with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
803.12	Other closed skull fracture with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.13	Other closed skull fracture with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
803.14	Other closed skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.15	Other closed skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.16	Other closed skull fracture with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.19	Other closed skull fracture with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
803.2	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
803.20	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.21	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.22	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.23	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.24	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.25	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.26	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.29	Other closed skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.3	Closed skull fracture with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
803.30	Other closed skull fracture with other and unspecified intracranial hemorrhage, unspecified state of unconsciousness	ICD-9-CM	Diagnosis
803.31	Other closed skull fracture with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.32	Other closed skull fracture with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.33	Other closed skull fracture with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.34	Other closed skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
803.35	Other closed skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.36	Other closed skull fracture with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.39	Other closed skull fracture with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.4	Other closed skull fracture with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
803.40	Other closed skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.41	Other closed skull fracture with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
803.42	Other closed skull fracture with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.43	Other closed skull fracture with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.44	Other closed skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.45	Other closed skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.46	Other closed skull fracture with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.49	Other closed skull fracture with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
803.5	Other open skull fracture without mention of intracranial injury	ICD-9-CM	Diagnosis
803.50	Other open skull fracture without mention of injury, state of consciousness unspecified	ICD-9-CM	Diagnosis
803.51	Other open skull fracture without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
803.52	Other open skull fracture without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.53	Other open skull fracture without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.54	Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.55	Other open skull fracture without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
803.56	Other open skull fracture without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.59	Other open skull fracture without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
803.6	Other open skull fracture with cerebral laceration and contusion	ICD-9-CM	Diagnosis
803.60	Other open skull fracture with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.61	Other open skull fracture with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
803.62	Other open skull fracture with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.63	Other open skull fracture with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.64	Other open skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.65	Other open skull fracture with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.66	Other open skull fracture with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.69	Other open skull fracture with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
803.7	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
803.70	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.71	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.72	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.73	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.74	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.75	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.76	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
803.79	Other open skull fracture with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.8	Other open skull fracture with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
803.80	Other open skull fracture with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.81	Other open skull fracture with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
803.82	Other open skull fracture with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.83	Other open skull fracture with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.84	Other open skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.85	Other open skull fracture with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.86	Other open skull fracture with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.89	Other open skull fracture with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
803.9	Other open skull fracture with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
803.90	Other open skull fracture with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
803.91	Other open skull fracture with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
803.92	Other open skull fracture with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
803.93	Other open skull fracture with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
803.94	Other open skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.95	Other open skull fracture with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
803.96	Other open skull fracture with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
803.99	Other open skull fracture with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
804	Multiple fractures involving skull or face with other bones	ICD-9-CM	Diagnosis
804.0	Closed fractures involving skull or face with other bones, without mention of intracranial injury	ICD-9-CM	Diagnosis
804.00	Closed fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.01	Closed fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
804.02	Closed fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.03	Closed fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.04	Closed fractures involving skull or face with other bones, without mention or intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.05	Closed fractures involving skull of face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.06	Closed fractures involving skull of face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.09	Closed fractures involving skull of face with other bones, without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
804.1	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion	ICD-9-CM	Diagnosis
804.10	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.11	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
804.12	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.13	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.14	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.15	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.16	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.19	Closed fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
804.2	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
804.20	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.21	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.22	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.23	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.24	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.25	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.26	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.29	Closed fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.3	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
804.30	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.31	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.32	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.33	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.34	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to preexisting conscious level	ICD-9-CM	Diagnosis
804.35	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
804.36	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.39	Closed fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.4	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
804.40	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.41	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
804.42	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.43	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.44	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.45	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.46	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.49	Closed fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
804.5	Open fractures involving skull or face with other bones, without mention of intracranial injury	ICD-9-CM	Diagnosis
804.50	Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.51	Open fractures involving skull or face with other bones, without mention of intracranial injury, no loss of consciousness	ICD-9-CM	Diagnosis
804.52	Open fractures involving skull or face with other bones, without mention of intracranial injury, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.53	Open fractures involving skull or face with other bones, without mention of intracranial injury, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.54	Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
804.55	Open fractures involving skull or face with other bones, without mention of intracranial injury, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.56	Open fractures involving skull or face with other bones, without mention of intracranial injury, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.59	Open fractures involving skull or face with other bones, without mention of intracranial injury, unspecified concussion	ICD-9-CM	Diagnosis
804.6	Open fractures involving skull or face with other bones, with cerebral laceration and contusion	ICD-9-CM	Diagnosis
804.60	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.61	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, no loss of consciousness	ICD-9-CM	Diagnosis
804.62	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.63	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.64	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.65	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.66	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.69	Open fractures involving skull or face with other bones, with cerebral laceration and contusion, unspecified concussion	ICD-9-CM	Diagnosis
804.7	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage	ICD-9-CM	Diagnosis
804.70	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.71	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.72	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.73	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.74	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
804.75	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.76	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.79	Open fractures involving skull or face with other bones with subarachnoid, subdural, and extradural hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.8	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage	ICD-9-CM	Diagnosis
804.80	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.81	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, no loss of consciousness	ICD-9-CM	Diagnosis
804.82	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis
804.83	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.84	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.85	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.86	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.89	Open fractures involving skull or face with other bones, with other and unspecified intracranial hemorrhage, unspecified concussion	ICD-9-CM	Diagnosis
804.9	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature	ICD-9-CM	Diagnosis
804.90	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified state of consciousness	ICD-9-CM	Diagnosis
804.91	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, no loss of consciousness	ICD-9-CM	Diagnosis
804.92	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, brief (less than one hour) loss of consciousness	ICD-9-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
804.93	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, moderate (1-24 hours) loss of consciousness	ICD-9-CM	Diagnosis
804.94	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness and return to pre-existing conscious level	ICD-9-CM	Diagnosis
804.95	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, prolonged (more than 24 hours) loss of consciousness, without return to pre-existing level	ICD-9-CM	Diagnosis
804.96	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, loss of consciousness of unspecified duration	ICD-9-CM	Diagnosis
804.99	Open fractures involving skull or face with other bones, with intracranial injury of other and unspecified nature, unspecified concussion	ICD-9-CM	Diagnosis
805	Fracture of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.0	Closed fracture of cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.00	Closed fracture of cervical vertebra, unspecified level without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.01	Closed fracture of first cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.02	Closed fracture of second cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.03	Closed fracture of third cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.04	Closed fracture of fourth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.05	Closed fracture of fifth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.06	Closed fracture of sixth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.07	Closed fracture of seventh cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.08	Closed fracture of multiple cervical vertebrae without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.1	Open fracture of cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.10	Open fracture of cervical vertebra, unspecified level without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.11	Open fracture of first cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.12	Open fracture of second cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.13	Open fracture of third cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
805.14	Open fracture of fourth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.15	Open fracture of fifth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.16	Open fracture of sixth cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.17	Open fracture of seventh cervical vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.18	Open fracture of multiple cervical vertebrae without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.2	Closed fracture of dorsal (thoracic) vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.3	Open fracture of dorsal (thoracic) vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.4	Closed fracture of lumbar vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.5	Open fracture of lumbar vertebra without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.6	Closed fracture of sacrum and coccyx without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.7	Open fracture of sacrum and coccyx without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.8	Closed fracture of unspecified part of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
805.9	Open fracture of unspecified part of vertebral column without mention of spinal cord injury	ICD-9-CM	Diagnosis
806	Fracture of vertebral column with spinal cord injury	ICD-9-CM	Diagnosis
806.0	Closed fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.00	Closed fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.01	Closed fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.02	Closed fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.03	Closed fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.04	Closed fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.05	Closed fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.06	Closed fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.07	Closed fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.08	Closed fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis
806.09	Closed fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.1	Open fracture of cervical vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.10	Open fracture of C1-C4 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.11	Open fracture of C1-C4 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.12	Open fracture of C1-C4 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.13	Open fracture of C1-C4 level with central cord syndrome	ICD-9-CM	Diagnosis
806.14	Open fracture of C1-C4 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.15	Open fracture of C5-C7 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.16	Open fracture of C5-C7 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.17	Open fracture of C5-C7 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.18	Open fracture of C5-C7 level with central cord syndrome	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
806.19	Open fracture of C5-C7 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.2	Closed fracture of dorsal (thoracic) vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.20	Closed fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.21	Closed fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.22	Closed fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.23	Closed fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.24	Closed fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.25	Closed fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.26	Closed fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.27	Closed fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.28	Closed fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.29	Closed fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.3	Open fracture of dorsal vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.30	Open fracture of T1-T6 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.31	Open fracture of T1-T6 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.32	Open fracture of T1-T6 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.33	Open fracture of T1-T6 level with central cord syndrome	ICD-9-CM	Diagnosis
806.34	Open fracture of T1-T6 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.35	Open fracture of T7-T12 level with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.36	Open fracture of T7-T12 level with complete lesion of cord	ICD-9-CM	Diagnosis
806.37	Open fracture of T7-T12 level with anterior cord syndrome	ICD-9-CM	Diagnosis
806.38	Open fracture of T7-T12 level with central cord syndrome	ICD-9-CM	Diagnosis
806.39	Open fracture of T7-T12 level with other specified spinal cord injury	ICD-9-CM	Diagnosis
806.4	Closed fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.5	Open fracture of lumbar spine with spinal cord injury	ICD-9-CM	Diagnosis
806.6	Closed fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.60	Closed fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.61	Closed fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.62	Closed fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.69	Closed fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.7	Open fracture of sacrum and coccyx with spinal cord injury	ICD-9-CM	Diagnosis
806.70	Open fracture of sacrum and coccyx with unspecified spinal cord injury	ICD-9-CM	Diagnosis
806.71	Open fracture of sacrum and coccyx with complete cauda equina lesion	ICD-9-CM	Diagnosis
806.72	Open fracture of sacrum and coccyx with other cauda equina injury	ICD-9-CM	Diagnosis
806.79	Open fracture of sacrum and coccyx with other spinal cord injury	ICD-9-CM	Diagnosis
806.8	Closed fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis
806.9	Open fracture of unspecified vertebra with spinal cord injury	ICD-9-CM	Diagnosis
807	Fracture of rib(s), sternum, larynx, and trachea	ICD-9-CM	Diagnosis
807.0	Closed fracture of rib(s)	ICD-9-CM	Diagnosis
807.00	Closed fracture of rib(s), unspecified	ICD-9-CM	Diagnosis
807.01	Closed fracture of one rib	ICD-9-CM	Diagnosis
807.02	Closed fracture of two ribs	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
807.03	Closed fracture of three ribs	ICD-9-CM	Diagnosis
807.04	Closed fracture of four ribs	ICD-9-CM	Diagnosis
807.05	Closed fracture of five ribs	ICD-9-CM	Diagnosis
807.06	Closed fracture of six ribs	ICD-9-CM	Diagnosis
807.07	Closed fracture of seven ribs	ICD-9-CM	Diagnosis
807.08	Closed fracture of eight or more ribs	ICD-9-CM	Diagnosis
807.09	Closed fracture of multiple ribs, unspecified	ICD-9-CM	Diagnosis
807.1	Open fracture of rib(s)	ICD-9-CM	Diagnosis
807.10	Open fracture of rib(s), unspecified	ICD-9-CM	Diagnosis
807.11	Open fracture of one rib	ICD-9-CM	Diagnosis
807.12	Open fracture of two ribs	ICD-9-CM	Diagnosis
807.13	Open fracture of three ribs	ICD-9-CM	Diagnosis
807.14	Open fracture of four ribs	ICD-9-CM	Diagnosis
807.15	Open fracture of five ribs	ICD-9-CM	Diagnosis
807.16	Open fracture of six ribs	ICD-9-CM	Diagnosis
807.17	Open fracture of seven ribs	ICD-9-CM	Diagnosis
807.18	Open fracture of eight or more ribs	ICD-9-CM	Diagnosis
807.19	Open fracture of multiple ribs, unspecified	ICD-9-CM	Diagnosis
807.2	Closed fracture of sternum	ICD-9-CM	Diagnosis
807.3	Open fracture of sternum	ICD-9-CM	Diagnosis
807.4	Flail chest	ICD-9-CM	Diagnosis
807.5	Closed fracture of larynx and trachea	ICD-9-CM	Diagnosis
807.6	Open fracture of larynx and trachea	ICD-9-CM	Diagnosis
808	Fracture of pelvis	ICD-9-CM	Diagnosis
808.0	Closed fracture of acetabulum	ICD-9-CM	Diagnosis
808.1	Open fracture of acetabulum	ICD-9-CM	Diagnosis
808.2	Closed fracture of pubis	ICD-9-CM	Diagnosis
808.3	Open fracture of pubis	ICD-9-CM	Diagnosis
808.4	Closed fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.41	Closed fracture of ilium	ICD-9-CM	Diagnosis
808.42	Closed fracture of ischium	ICD-9-CM	Diagnosis
808.43	Multiple closed pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.44	Multiple closed pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.49	Closed fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.5	Open fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.51	Open fracture of ilium	ICD-9-CM	Diagnosis
808.52	Open fracture of ischium	ICD-9-CM	Diagnosis
808.53	Multiple open pelvic fractures with disruption of pelvic circle	ICD-9-CM	Diagnosis
808.54	Multiple open pelvic fractures without disruption of pelvic circle	ICD-9-CM	Diagnosis
808.59	Open fracture of other specified part of pelvis	ICD-9-CM	Diagnosis
808.8	Unspecified closed fracture of pelvis	ICD-9-CM	Diagnosis
808.9	Unspecified open fracture of pelvis	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
809	Ill-defined fractures of bones of trunk	ICD-9-CM	Diagnosis
809.0	Fracture of bones of trunk, closed	ICD-9-CM	Diagnosis
809.1	Fracture of bones of trunk, open	ICD-9-CM	Diagnosis
810	Fracture of clavicle	ICD-9-CM	Diagnosis
810.0	Closed fracture of clavicle	ICD-9-CM	Diagnosis
810.00	Unspecified part of closed fracture of clavicle	ICD-9-CM	Diagnosis
810.01	Closed fracture of sternal end of clavicle	ICD-9-CM	Diagnosis
810.02	Closed fracture of shaft of clavicle	ICD-9-CM	Diagnosis
810.03	Closed fracture of acromial end of clavicle	ICD-9-CM	Diagnosis
810.1	Open fracture of clavicle	ICD-9-CM	Diagnosis
810.10	Unspecified part of open fracture of clavicle	ICD-9-CM	Diagnosis
810.11	Open fracture of sternal end of clavicle	ICD-9-CM	Diagnosis
810.12	Open fracture of shaft of clavicle	ICD-9-CM	Diagnosis
810.13	Open fracture of acromial end of clavicle	ICD-9-CM	Diagnosis
811	Fracture of scapula	ICD-9-CM	Diagnosis
811.0	Closed fracture of scapula	ICD-9-CM	Diagnosis
811.00	Closed fracture of unspecified part of scapula	ICD-9-CM	Diagnosis
811.01	Closed fracture of acromial process of scapula	ICD-9-CM	Diagnosis
811.02	Closed fracture of coracoid process of scapula	ICD-9-CM	Diagnosis
811.03	Closed fracture of glenoid cavity and neck of scapula	ICD-9-CM	Diagnosis
811.09	Closed fracture of other part of scapula	ICD-9-CM	Diagnosis
811.1	Open fracture of scapula	ICD-9-CM	Diagnosis
811.10	Open fracture of unspecified part of scapula	ICD-9-CM	Diagnosis
811.11	Open fracture of acromial process of scapula	ICD-9-CM	Diagnosis
811.12	Open fracture of coracoid process	ICD-9-CM	Diagnosis
811.13	Open fracture of glenoid cavity and neck of scapula	ICD-9-CM	Diagnosis
811.19	Open fracture of other part of scapula	ICD-9-CM	Diagnosis
812	Fracture of humerus	ICD-9-CM	Diagnosis
812.0	Closed fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.00	Closed fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.01	Closed fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.02	Closed fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.03	Closed fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.09	Other closed fractures of upper end of humerus	ICD-9-CM	Diagnosis
812.1	Open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.10	Open fracture of unspecified part of upper end of humerus	ICD-9-CM	Diagnosis
812.11	Open fracture of surgical neck of humerus	ICD-9-CM	Diagnosis
812.12	Open fracture of anatomical neck of humerus	ICD-9-CM	Diagnosis
812.13	Open fracture of greater tuberosity of humerus	ICD-9-CM	Diagnosis
812.19	Other open fracture of upper end of humerus	ICD-9-CM	Diagnosis
812.2	Closed fracture of shaft or unspecified part of humerus	ICD-9-CM	Diagnosis
812.20	Closed fracture of unspecified part of humerus	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
812.21	Closed fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.3	Open fracture of shaft or unspecified part of humerus	ICD-9-CM	Diagnosis
812.30	Open fracture of unspecified part of humerus	ICD-9-CM	Diagnosis
812.31	Open fracture of shaft of humerus	ICD-9-CM	Diagnosis
812.4	Closed fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.40	Closed fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis
812.41	Closed fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.42	Closed fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis
812.43	Closed fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.44	Closed fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.49	Other closed fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.5	Open fracture of lower end of humerus	ICD-9-CM	Diagnosis
812.50	Open fracture of unspecified part of lower end of humerus	ICD-9-CM	Diagnosis
812.51	Open fracture of supracondylar humerus	ICD-9-CM	Diagnosis
812.52	Open fracture of lateral condyle of humerus	ICD-9-CM	Diagnosis
812.53	Open fracture of medial condyle of humerus	ICD-9-CM	Diagnosis
812.54	Open fracture of unspecified condyle(s) of humerus	ICD-9-CM	Diagnosis
812.59	Other open fracture of lower end of humerus	ICD-9-CM	Diagnosis
813	Fracture of radius and ulna	ICD-9-CM	Diagnosis
813.0	Closed fracture of upper end of radius and ulna	ICD-9-CM	Diagnosis
813.00	Unspecified fracture of radius and ulna, upper end of forearm, closed	ICD-9-CM	Diagnosis
813.01	Closed fracture of olecranon process of ulna	ICD-9-CM	Diagnosis
813.02	Closed fracture of coronoid process of ulna	ICD-9-CM	Diagnosis
813.03	Closed Monteggia's fracture	ICD-9-CM	Diagnosis
813.04	Other and unspecified closed fractures of proximal end of ulna (alone)	ICD-9-CM	Diagnosis
813.05	Closed fracture of head of radius	ICD-9-CM	Diagnosis
813.06	Closed fracture of neck of radius	ICD-9-CM	Diagnosis
813.07	Other and unspecified closed fractures of proximal end of radius (alone)	ICD-9-CM	Diagnosis
813.08	Closed fracture of radius with ulna, upper end (any part)	ICD-9-CM	Diagnosis
813.1	Open fracture of upper end of radius and ulna	ICD-9-CM	Diagnosis
813.10	Unspecified open fracture of upper end of forearm	ICD-9-CM	Diagnosis
813.11	Open fracture of olecranon process of ulna	ICD-9-CM	Diagnosis
813.12	Open fracture of coronoid process of ulna	ICD-9-CM	Diagnosis
813.13	Open Monteggia's fracture	ICD-9-CM	Diagnosis
813.14	Other and unspecified open fractures of proximal end of ulna (alone)	ICD-9-CM	Diagnosis
813.15	Open fracture of head of radius	ICD-9-CM	Diagnosis
813.16	Open fracture of neck of radius	ICD-9-CM	Diagnosis
813.17	Other and unspecified open fractures of proximal end of radius (alone)	ICD-9-CM	Diagnosis
813.18	Open fracture of radius with ulna, upper end (any part)	ICD-9-CM	Diagnosis
813.2	Closed fracture of shaft of radius and ulna	ICD-9-CM	Diagnosis
813.20	Unspecified closed fracture of shaft of radius or ulna	ICD-9-CM	Diagnosis
813.21	Closed fracture of shaft of radius (alone)	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
813.22	Closed fracture of shaft of ulna (alone)	ICD-9-CM	Diagnosis
813.23	Closed fracture of shaft of radius with ulna	ICD-9-CM	Diagnosis
813.3	Open fracture of shaft of radius and ulna	ICD-9-CM	Diagnosis
813.30	Unspecified open fracture of shaft of radius or ulna	ICD-9-CM	Diagnosis
813.31	Open fracture of shaft of radius (alone)	ICD-9-CM	Diagnosis
813.32	Open fracture of shaft of ulna (alone)	ICD-9-CM	Diagnosis
813.33	Open fracture of shaft of radius with ulna	ICD-9-CM	Diagnosis
813.4	Closed fracture of lower end of radius and ulna	ICD-9-CM	Diagnosis
813.40	Unspecified closed fracture of lower end of forearm	ICD-9-CM	Diagnosis
813.41	Closed Colles' fracture	ICD-9-CM	Diagnosis
813.42	Other closed fractures of distal end of radius (alone)	ICD-9-CM	Diagnosis
813.43	Closed fracture of distal end of ulna (alone)	ICD-9-CM	Diagnosis
813.44	Closed fracture of lower end of radius with ulna	ICD-9-CM	Diagnosis
813.45	Torus fracture of radius (alone)	ICD-9-CM	Diagnosis
813.46	Torus fracture of ulna (alone)	ICD-9-CM	Diagnosis
813.47	Torus fracture of radius and ulna	ICD-9-CM	Diagnosis
813.5	Open fracture of lower end of radius and ulna	ICD-9-CM	Diagnosis
813.50	Unspecified open fracture of lower end of forearm	ICD-9-CM	Diagnosis
813.51	Open Colles' fracture	ICD-9-CM	Diagnosis
813.52	Other open fractures of distal end of radius (alone)	ICD-9-CM	Diagnosis
813.53	Open fracture of distal end of ulna (alone)	ICD-9-CM	Diagnosis
813.54	Open fracture of lower end of radius with ulna	ICD-9-CM	Diagnosis
813.8	Closed fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.80	Closed fracture of unspecified part of forearm	ICD-9-CM	Diagnosis
813.81	Closed fracture of unspecified part of radius (alone)	ICD-9-CM	Diagnosis
813.82	Closed fracture of unspecified part of ulna (alone)	ICD-9-CM	Diagnosis
813.83	Closed fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.9	Open fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
813.90	Open fracture of unspecified part of forearm	ICD-9-CM	Diagnosis
813.91	Open fracture of unspecified part of radius (alone)	ICD-9-CM	Diagnosis
813.92	Open fracture of unspecified part of ulna (alone)	ICD-9-CM	Diagnosis
813.93	Open fracture of unspecified part of radius with ulna	ICD-9-CM	Diagnosis
814	Fracture of carpal bone(s)	ICD-9-CM	Diagnosis
814.0	Closed fractures of carpal bones	ICD-9-CM	Diagnosis
814.00	Unspecified closed fracture of carpal bone	ICD-9-CM	Diagnosis
814.01	Closed fracture of navicular (scaphoid) bone of wrist	ICD-9-CM	Diagnosis
814.02	Closed fracture of lunate (semilunar) bone of wrist	ICD-9-CM	Diagnosis
814.03	Closed fracture of triquetral (cuneiform) bone of wrist	ICD-9-CM	Diagnosis
814.04	Closed fracture of pisiform bone of wrist	ICD-9-CM	Diagnosis
814.05	Closed fracture of trapezium bone (larger multangular) of wrist	ICD-9-CM	Diagnosis
814.06	Closed fracture of trapezoid bone (smaller multangular) of wrist	ICD-9-CM	Diagnosis
814.07	Closed fracture of capitate bone (os magnum) of wrist	ICD-9-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
814.08	Closed fracture of hamate (unciform) bone of wrist	ICD-9-CM	Diagnosis
814.09	Closed fracture of other bone of wrist	ICD-9-CM	Diagnosis
814.1	Open fractures of carpal bones	ICD-9-CM	Diagnosis
814.10	Unspecified open fracture of carpal bone	ICD-9-CM	Diagnosis
814.11	Open fracture of navicular (scaphoid) bone of wrist	ICD-9-CM	Diagnosis
814.12	Open fracture of lunate (semilunar) bone of wrist	ICD-9-CM	Diagnosis
814.13	Open fracture of triquetral (cuneiform) bone of wrist	ICD-9-CM	Diagnosis
814.14	Open fracture of pisiform bone of wrist	ICD-9-CM	Diagnosis
814.15	Open fracture of trapezium bone (larger multangular) of wrist	ICD-9-CM	Diagnosis
814.16	Open fracture of trapezoid bone (smaller multangular) of wrist	ICD-9-CM	Diagnosis
814.17	Open fracture of capitate bone (os magnum) of wrist	ICD-9-CM	Diagnosis
814.18	Open fracture of hamate (unciform) bone of wrist	ICD-9-CM	Diagnosis
814.19	Open fracture of other bone of wrist	ICD-9-CM	Diagnosis
815	Fracture of metacarpal bone(s)	ICD-9-CM	Diagnosis
815.0	Closed fracture of metacarpal bones	ICD-9-CM	Diagnosis
815.00	Closed fracture of metacarpal bone(s), site unspecified	ICD-9-CM	Diagnosis
815.01	Closed fracture of base of thumb (first) metacarpal bone(s)	ICD-9-CM	Diagnosis
815.02	Closed fracture of base of other metacarpal bone(s)	ICD-9-CM	Diagnosis
815.03	Closed fracture of shaft of metacarpal bone(s)	ICD-9-CM	Diagnosis
815.04	Closed fracture of neck of metacarpal bone(s)	ICD-9-CM	Diagnosis
815.09	Closed fracture of multiple sites of metacarpus	ICD-9-CM	Diagnosis
815.1	Open fracture of metacarpal bones	ICD-9-CM	Diagnosis
815.10	Open fracture of metacarpal bone(s), site unspecified	ICD-9-CM	Diagnosis
815.11	Open fracture of base of thumb (first) metacarpal bone(s)	ICD-9-CM	Diagnosis
815.12	Open fracture of base of other metacarpal bone(s)	ICD-9-CM	Diagnosis
815.13	Open fracture of shaft of metacarpal bone(s)	ICD-9-CM	Diagnosis
815.14	Open fracture of neck of metacarpal bone(s)	ICD-9-CM	Diagnosis
815.19	Open fracture of multiple sites of metacarpus	ICD-9-CM	Diagnosis
816	Fracture of one or more phalanges of hand	ICD-9-CM	Diagnosis
816.0	Closed fracture of one or more phalanges of hand	ICD-9-CM	Diagnosis
816.00	Closed fracture of unspecified phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.01	Closed fracture of middle or proximal phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.02	Closed fracture of distal phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.03	Closed fracture of multiple sites of phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.1	Open fracture of one or more phalanges of hand	ICD-9-CM	Diagnosis
816.10	Open fracture of phalanx or phalanges of hand, unspecified	ICD-9-CM	Diagnosis
816.11	Open fracture of middle or proximal phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.12	Open fracture of distal phalanx or phalanges of hand	ICD-9-CM	Diagnosis
816.13	Open fractures of multiple sites of phalanx or phalanges of hand	ICD-9-CM	Diagnosis
817	Multiple fractures of hand bones	ICD-9-CM	Diagnosis
817.0	Multiple closed fractures of hand bones	ICD-9-CM	Diagnosis
817.1	Multiple open fractures of hand bones	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
818	Ill-defined fractures of upper limb	ICD-9-CM	Diagnosis
818.0	Ill-defined closed fractures of upper limb	ICD-9-CM	Diagnosis
818.1	Ill-defined open fractures of upper limb	ICD-9-CM	Diagnosis
819	Multiple fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
819.0	Multiple closed fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
819.1	Multiple open fractures involving both upper limbs, and upper limb with rib(s) and sternum	ICD-9-CM	Diagnosis
820	Fracture of neck of femur	ICD-9-CM	Diagnosis
820.0	Closed transcervical fracture	ICD-9-CM	Diagnosis
820.00	Closed fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.01	Closed fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.02	Closed fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.03	Closed fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.09	Other closed transcervical fracture of femur	ICD-9-CM	Diagnosis
820.1	Open transcervical fracture	ICD-9-CM	Diagnosis
820.10	Open fracture of unspecified intracapsular section of neck of femur	ICD-9-CM	Diagnosis
820.11	Open fracture of epiphysis (separation) (upper) of neck of femur	ICD-9-CM	Diagnosis
820.12	Open fracture of midcervical section of femur	ICD-9-CM	Diagnosis
820.13	Open fracture of base of neck of femur	ICD-9-CM	Diagnosis
820.19	Other open transcervical fracture of femur	ICD-9-CM	Diagnosis
820.2	Closed pertrochanteric fracture of femur	ICD-9-CM	Diagnosis
820.20	Closed fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.21	Closed fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.22	Closed fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.3	Open pertrochanteric fracture of femur	ICD-9-CM	Diagnosis
820.30	Open fracture of unspecified trochanteric section of femur	ICD-9-CM	Diagnosis
820.31	Open fracture of intertrochanteric section of femur	ICD-9-CM	Diagnosis
820.32	Open fracture of subtrochanteric section of femur	ICD-9-CM	Diagnosis
820.8	Closed fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis
820.9	Open fracture of unspecified part of neck of femur	ICD-9-CM	Diagnosis
821	Fracture of other and unspecified parts of femur	ICD-9-CM	Diagnosis
821.0	Closed fracture of shaft or unspecified part of femur	ICD-9-CM	Diagnosis
821.00	Closed fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.01	Closed fracture of shaft of femur	ICD-9-CM	Diagnosis
821.1	Open fracture of shaft or unspecified part of femur	ICD-9-CM	Diagnosis
821.10	Open fracture of unspecified part of femur	ICD-9-CM	Diagnosis
821.11	Open fracture of shaft of femur	ICD-9-CM	Diagnosis
821.2	Closed fracture of lower end of femur	ICD-9-CM	Diagnosis
821.20	Closed fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.21	Closed fracture of femoral condyle	ICD-9-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
821.22	Closed fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.23	Closed supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.29	Other closed fracture of lower end of femur	ICD-9-CM	Diagnosis
821.3	Open fracture of lower end of femur	ICD-9-CM	Diagnosis
821.30	Open fracture of unspecified part of lower end of femur	ICD-9-CM	Diagnosis
821.31	Open fracture of femoral condyle	ICD-9-CM	Diagnosis
821.32	Open fracture of lower epiphysis of femur	ICD-9-CM	Diagnosis
821.33	Open supracondylar fracture of femur	ICD-9-CM	Diagnosis
821.39	Other open fracture of lower end of femur	ICD-9-CM	Diagnosis
822	Fracture of patella	ICD-9-CM	Diagnosis
822.0	Closed fracture of patella	ICD-9-CM	Diagnosis
822.1	Open fracture of patella	ICD-9-CM	Diagnosis
823	Fracture of tibia and fibula	ICD-9-CM	Diagnosis
823.0	Closed fracture of upper end of tibia and fibula	ICD-9-CM	Diagnosis
823.00	Closed fracture of upper end of tibia	ICD-9-CM	Diagnosis
823.01	Closed fracture of upper end of fibula	ICD-9-CM	Diagnosis
823.02	Closed fracture of upper end of fibula with tibia	ICD-9-CM	Diagnosis
823.1	Open fracture of upper end of tibia and fibula	ICD-9-CM	Diagnosis
823.10	Open fracture of upper end of tibia	ICD-9-CM	Diagnosis
823.11	Open fracture of upper end of fibula	ICD-9-CM	Diagnosis
823.12	Open fracture of upper end of fibula with tibia	ICD-9-CM	Diagnosis
823.2	Closed fracture of shaft of tibia and fibula	ICD-9-CM	Diagnosis
823.20	Closed fracture of shaft of tibia	ICD-9-CM	Diagnosis
823.21	Closed fracture of shaft of fibula	ICD-9-CM	Diagnosis
823.22	Closed fracture of shaft of fibula with tibia	ICD-9-CM	Diagnosis
823.3	Open fracture of shaft of tibia and fibula	ICD-9-CM	Diagnosis
823.30	Open fracture of shaft of tibia	ICD-9-CM	Diagnosis
823.31	Open fracture of shaft of fibula	ICD-9-CM	Diagnosis
823.32	Open fracture of shaft of fibula with tibia	ICD-9-CM	Diagnosis
823.4	Torus fracture of tibia and fibula	ICD-9-CM	Diagnosis
823.40	Torus fracture of tibia alone	ICD-9-CM	Diagnosis
823.41	Torus fracture of fibula alone	ICD-9-CM	Diagnosis
823.42	Torus fracture of fibula with tibia	ICD-9-CM	Diagnosis
823.8	Closed fracture of unspecified part of tibia and fibula	ICD-9-CM	Diagnosis
823.80	Closed fracture of unspecified part of tibia	ICD-9-CM	Diagnosis
823.81	Closed fracture of unspecified part of fibula	ICD-9-CM	Diagnosis
823.82	Closed fracture of unspecified part of fibula with tibia	ICD-9-CM	Diagnosis
823.9	Open fracture of unspecified part of tibia and fibula	ICD-9-CM	Diagnosis
823.90	Open fracture of unspecified part of tibia	ICD-9-CM	Diagnosis
823.91	Open fracture of unspecified part of fibula	ICD-9-CM	Diagnosis
823.92	Open fracture of unspecified part of fibula with tibia	ICD-9-CM	Diagnosis
824	Fracture of ankle	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
824.0	Closed fracture of medial malleolus	ICD-9-CM	Diagnosis
824.1	Open fracture of medial malleolus	ICD-9-CM	Diagnosis
824.2	Closed fracture of lateral malleolus	ICD-9-CM	Diagnosis
824.3	Open fracture of lateral malleolus	ICD-9-CM	Diagnosis
824.4	Closed bimalleolar fracture	ICD-9-CM	Diagnosis
824.5	Open bimalleolar fracture	ICD-9-CM	Diagnosis
824.6	Closed trimalleolar fracture	ICD-9-CM	Diagnosis
824.7	Open trimalleolar fracture	ICD-9-CM	Diagnosis
824.8	Unspecified closed fracture of ankle	ICD-9-CM	Diagnosis
824.9	Unspecified open fracture of ankle	ICD-9-CM	Diagnosis
825	Fracture of one or more tarsal and metatarsal bones	ICD-9-CM	Diagnosis
825.0	Closed fracture of calcaneus	ICD-9-CM	Diagnosis
825.1	Open fracture of calcaneus	ICD-9-CM	Diagnosis
825.2	Closed fracture of other tarsal and metatarsal bones	ICD-9-CM	Diagnosis
825.20	Closed fracture of unspecified bone(s) of foot (except toes)	ICD-9-CM	Diagnosis
825.21	Closed fracture of astragalus	ICD-9-CM	Diagnosis
825.22	Closed fracture of navicular (scaphoid) bone of foot	ICD-9-CM	Diagnosis
825.23	Closed fracture of cuboid bone	ICD-9-CM	Diagnosis
825.24	Closed fracture of cuneiform bone of foot	ICD-9-CM	Diagnosis
825.25	Closed fracture of metatarsal bone(s)	ICD-9-CM	Diagnosis
825.29	Other closed fracture of tarsal and metatarsal bones	ICD-9-CM	Diagnosis
825.3	Open fracture of other tarsal and metatarsal bones	ICD-9-CM	Diagnosis
825.30	Open fracture of unspecified bone(s) of foot (except toes)	ICD-9-CM	Diagnosis
825.31	Open fracture of astragalus	ICD-9-CM	Diagnosis
825.32	Open fracture of navicular (scaphoid) bone of foot	ICD-9-CM	Diagnosis
825.33	Open fracture of cuboid bone	ICD-9-CM	Diagnosis
825.34	Open fracture of cuneiform bone of foot,	ICD-9-CM	Diagnosis
825.35	Open fracture of metatarsal bone(s)	ICD-9-CM	Diagnosis
825.39	Other open fractures of tarsal and metatarsal bones	ICD-9-CM	Diagnosis
826	Fracture of one or more phalanges of foot	ICD-9-CM	Diagnosis
826.0	Closed fracture of one or more phalanges of foot	ICD-9-CM	Diagnosis
826.1	Open fracture of one or more phalanges of foot	ICD-9-CM	Diagnosis
827	Other, multiple, and ill-defined fractures of lower limb	ICD-9-CM	Diagnosis
827.0	Other, multiple and ill-defined closed fractures of lower limb	ICD-9-CM	Diagnosis
827.1	Other, multiple and ill-defined open fractures of lower limb	ICD-9-CM	Diagnosis
828	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD-9-CM	Diagnosis
828.0	Multiple closed fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum	ICD-9-CM	Diagnosis
828.1	Multiple fractures involving both lower limbs, lower with upper limb, and lower limb(s) with rib(s) and sternum, open	ICD-9-CM	Diagnosis
829	Fracture of unspecified bones	ICD-9-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
829.0	Closed fracture of unspecified bone	ICD-9-CM	Diagnosis
829.1	Open fracture of unspecified bone	ICD-9-CM	Diagnosis
S02.0XXA	Fracture of vault of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.0XXB	Fracture of vault of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.101A	Fracture of base of skull, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.101B	Fracture of base of skull, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.102A	Fracture of base of skull, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.102B	Fracture of base of skull, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.109A	Fracture of base of skull, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.109B	Fracture of base of skull, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.110A	Type I occipital condyle fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.110B	Type I occipital condyle fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.111A	Type II occipital condyle fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.111B	Type II occipital condyle fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.112A	Type III occipital condyle fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.112B	Type III occipital condyle fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.113A	Unspecified occipital condyle fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.113B	Unspecified occipital condyle fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.118A	Other fracture of occiput, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.118B	Other fracture of occiput, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.119A	Unspecified fracture of occiput, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.119B	Unspecified fracture of occiput, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11AA	Type I occipital condyle fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11AB	Type I occipital condyle fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11BA	Type I occipital condyle fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11BB	Type I occipital condyle fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11CA	Type II occipital condyle fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11CB	Type II occipital condyle fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.11DA	Type II occipital condyle fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11DB	Type II occipital condyle fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11EA	Type III occipital condyle fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11EB	Type III occipital condyle fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11FA	Type III occipital condyle fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11FB	Type III occipital condyle fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11GA	Other fracture of occiput, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11GB	Other fracture of occiput, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.11HA	Other fracture of occiput, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.11HB	Other fracture of occiput, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.19XA	Other fracture of base of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.19XB	Other fracture of base of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.2XXA	Fracture of nasal bones, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.2XXB	Fracture of nasal bones, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.30XA	Fracture of orbital floor, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.30XB	Fracture of orbital floor, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.31XA	Fracture of orbital floor, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.31XB	Fracture of orbital floor, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.32XA	Fracture of orbital floor, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.32XB	Fracture of orbital floor, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.400A	Malar fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.400B	Malar fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.401A	Maxillary fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.401B	Maxillary fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.402A	Zygomatic fracture, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.402B	Zygomatic fracture, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40AA	Malar fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40AB	Malar fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40BA	Malar fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40BB	Malar fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40CA	Maxillary fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40CB	Maxillary fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40DA	Maxillary fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40DB	Maxillary fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.40EA	Zygomatic fracture, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40EB	Zygomatic fracture, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.40FA	Zygomatic fracture, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.40FB	Zygomatic fracture, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.411A	LeFort I fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.411B	LeFort I fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.412A	LeFort II fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.412B	LeFort II fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.413A	LeFort III fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.413B	LeFort III fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.42XA	Fracture of alveolus of maxilla, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.42XB	Fracture of alveolus of maxilla, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.600A	Fracture of unspecified part of body of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.600B	Fracture of unspecified part of body of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.601A	Fracture of unspecified part of body of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.601B	Fracture of unspecified part of body of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.602A	Fracture of unspecified part of body of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.602B	Fracture of unspecified part of body of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.609A	Fracture of mandible, unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.609B	Fracture of mandible, unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.610A	Fracture of condylar process of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.610B	Fracture of condylar process of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.611A	Fracture of condylar process of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.611B	Fracture of condylar process of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.612A	Fracture of condylar process of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.612B	Fracture of condylar process of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.620A	Fracture of subcondylar process of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.620B	Fracture of subcondylar process of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.621A	Fracture of subcondylar process of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.621B	Fracture of subcondylar process of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.622A	Fracture of subcondylar process of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.622B	Fracture of subcondylar process of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.630A	Fracture of coronoid process of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.630B	Fracture of coronoid process of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.631A	Fracture of coronoid process of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.631B	Fracture of coronoid process of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.632A	Fracture of coronoid process of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.632B	Fracture of coronoid process of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.640A	Fracture of ramus of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.640B	Fracture of ramus of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.641A	Fracture of ramus of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.641B	Fracture of ramus of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.642A	Fracture of ramus of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.642B	Fracture of ramus of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.650A	Fracture of angle of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.650B	Fracture of angle of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.651A	Fracture of angle of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.651B	Fracture of angle of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.652A	Fracture of angle of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.652B	Fracture of angle of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.66XA	Fracture of symphysis of mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.66XB	Fracture of symphysis of mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.670A	Fracture of alveolus of mandible, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.670B	Fracture of alveolus of mandible, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.671A	Fracture of alveolus of right mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.671B	Fracture of alveolus of right mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S02.672A	Fracture of alveolus of left mandible, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.672B	Fracture of alveolus of left mandible, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.69XA	Fracture of mandible of other specified site, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.69XB	Fracture of mandible of other specified site, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.80XA	Fracture of other specified skull and facial bones, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.80XB	Fracture of other specified skull and facial bones, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.81XA	Fracture of other specified skull and facial bones, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.81XB	Fracture of other specified skull and facial bones, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.82XA	Fracture of other specified skull and facial bones, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.82XB	Fracture of other specified skull and facial bones, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.91XA	Unspecified fracture of skull, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.91XB	Unspecified fracture of skull, initial encounter for open fracture	ICD-10-CM	Diagnosis
S02.92XA	Unspecified fracture of facial bones, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S02.92XB	Unspecified fracture of facial bones, initial encounter for open fracture	ICD-10-CM	Diagnosis
S06.330A	Contusion and laceration of cerebrum, unspecified, without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.331A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.332A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.333A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.334A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.335A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.336A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.337A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S06.338A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.339A	Contusion and laceration of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.360A	Traumatic hemorrhage of cerebrum, unspecified, without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.361A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.362A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.363A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 1 hours to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.364A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.365A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.366A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.367A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.368A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.369A	Traumatic hemorrhage of cerebrum, unspecified, with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.4X0A	Epidural hemorrhage without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.4X1A	Epidural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.4X2A	Epidural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.4X3A	Epidural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.4X4A	Epidural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.4X5A	Epidural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S06.4X6A	Epidural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.4X7A	Epidural hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.4X8A	Epidural hemorrhage with loss of consciousness of any duration with death due to other causes prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.4X9A	Epidural hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.5X0A	Traumatic subdural hemorrhage without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.5X1A	Traumatic subdural hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.5X2A	Traumatic subdural hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.5X3A	Traumatic subdural hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.5X4A	Traumatic subdural hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.5X5A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.5X6A	Traumatic subdural hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.5X7A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to brain injury before regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.5X8A	Traumatic subdural hemorrhage with loss of consciousness of any duration with death due to other cause before regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.5X9A	Traumatic subdural hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.6X0A	Traumatic subarachnoid hemorrhage without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.6X1A	Traumatic subarachnoid hemorrhage with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.6X2A	Traumatic subarachnoid hemorrhage with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.6X3A	Traumatic subarachnoid hemorrhage with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.6X4A	Traumatic subarachnoid hemorrhage with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S06.6X5A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.6X6A	Traumatic subarachnoid hemorrhage with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.6X7A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.6X8A	Traumatic subarachnoid hemorrhage with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.6X9A	Traumatic subarachnoid hemorrhage with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.890A	Other specified intracranial injury without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.891A	Other specified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.892A	Other specified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.893A	Other specified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.894A	Other specified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.895A	Other specified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.896A	Other specified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.897A	Other specified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.898A	Other specified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.899A	Other specified intracranial injury with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S06.9X0A	Unspecified intracranial injury without loss of consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.9X1A	Unspecified intracranial injury with loss of consciousness of 30 minutes or less, initial encounter	ICD-10-CM	Diagnosis
S06.9X2A	Unspecified intracranial injury with loss of consciousness of 31 minutes to 59 minutes, initial encounter	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S06.9X3A	Unspecified intracranial injury with loss of consciousness of 1 hour to 5 hours 59 minutes, initial encounter	ICD-10-CM	Diagnosis
S06.9X4A	Unspecified intracranial injury with loss of consciousness of 6 hours to 24 hours, initial encounter	ICD-10-CM	Diagnosis
S06.9X5A	Unspecified intracranial injury with loss of consciousness greater than 24 hours with return to pre-existing conscious level, initial encounter	ICD-10-CM	Diagnosis
S06.9X6A	Unspecified intracranial injury with loss of consciousness greater than 24 hours without return to pre-existing conscious level with patient surviving, initial encounter	ICD-10-CM	Diagnosis
S06.9X7A	Unspecified intracranial injury with loss of consciousness of any duration with death due to brain injury prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.9X8A	Unspecified intracranial injury with loss of consciousness of any duration with death due to other cause prior to regaining consciousness, initial encounter	ICD-10-CM	Diagnosis
S06.9X9A	Unspecified intracranial injury with loss of consciousness of unspecified duration, initial encounter	ICD-10-CM	Diagnosis
S12.000A	Unspecified displaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.000B	Unspecified displaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.001A	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.001B	Unspecified nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.01XA	Stable burst fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.01XB	Stable burst fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.02XA	Unstable burst fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.02XB	Unstable burst fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.030A	Displaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.030B	Displaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.031A	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.031B	Nondisplaced posterior arch fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.040A	Displaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.040B	Displaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.041A	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.041B	Nondisplaced lateral mass fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.090A	Other displaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.090B	Other displaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.091A	Other nondisplaced fracture of first cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.091B	Other nondisplaced fracture of first cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.100A	Unspecified displaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.100B	Unspecified displaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.101A	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.101B	Unspecified nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.110A	Anterior displaced Type II dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.110B	Anterior displaced Type II dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.111A	Posterior displaced Type II dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.111B	Posterior displaced Type II dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.112A	Nondisplaced Type II dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.112B	Nondisplaced Type II dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.120A	Other displaced dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.120B	Other displaced dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.121A	Other nondisplaced dens fracture, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.121B	Other nondisplaced dens fracture, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.130A	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.130B	Unspecified traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.131A	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.131B	Unspecified traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.14XA	Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.14XB	Type III traumatic spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.150A	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.150B	Other traumatic displaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.151A	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.151B	Other traumatic nondisplaced spondylolisthesis of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.190A	Other displaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.190B	Other displaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.191A	Other nondisplaced fracture of second cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.191B	Other nondisplaced fracture of second cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.200A	Unspecified displaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.200B	Unspecified displaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.201A	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.201B	Unspecified nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.230A	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.230B	Unspecified traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.231A	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.231B	Unspecified traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.24XA	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.24XB	Type III traumatic spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.250A	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.250B	Other traumatic displaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.251A	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.251B	Other traumatic nondisplaced spondylolisthesis of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.290A	Other displaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.290B	Other displaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.291A	Other nondisplaced fracture of third cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.291B	Other nondisplaced fracture of third cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.300A	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.300B	Unspecified displaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.301A	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.301B	Unspecified nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.330A	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.330B	Unspecified traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.331A	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.331B	Unspecified traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.34XA	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.34XB	Type III traumatic spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.350A	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.350B	Other traumatic displaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.351A	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.351B	Other traumatic nondisplaced spondylolisthesis of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.390A	Other displaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.390B	Other displaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.391A	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.391B	Other nondisplaced fracture of fourth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.400A	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.400B	Unspecified displaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.401A	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.401B	Unspecified nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.430A	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.430B	Unspecified traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.431A	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.431B	Unspecified traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.44XA	Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.44XB	Type III traumatic spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.450A	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.450B	Other traumatic displaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.451A	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.451B	Other traumatic nondisplaced spondylolisthesis of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.490A	Other displaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.490B	Other displaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.491A	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.491B	Other nondisplaced fracture of fifth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.500A	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.500B	Unspecified displaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.501A	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.501B	Unspecified nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.530A	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.530B	Unspecified traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.531A	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.531B	Unspecified traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.54XA	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.54XB	Type III traumatic spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.550A	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.550B	Other traumatic displaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.551A	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.551B	Other traumatic nondisplaced spondylolisthesis of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.590A	Other displaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.590B	Other displaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.591A	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.591B	Other nondisplaced fracture of sixth cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.600A	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.600B	Unspecified displaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S12.601A	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.601B	Unspecified nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.630A	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.630B	Unspecified traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.631A	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.631B	Unspecified traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.64XA	Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.64XB	Type III traumatic spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.650A	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.650B	Other traumatic displaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.651A	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.651B	Other traumatic nondisplaced spondylolisthesis of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.690A	Other displaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.690B	Other displaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.691A	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S12.691B	Other nondisplaced fracture of seventh cervical vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S12.8XXA	Fracture of other parts of neck, initial encounter	ICD-10-CM	Diagnosis
S12.9XXA	Fracture of neck, unspecified, initial encounter	ICD-10-CM	Diagnosis
S14.101A	Unspecified injury at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.102A	Unspecified injury at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.103A	Unspecified injury at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.104A	Unspecified injury at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.105A	Unspecified injury at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.106A	Unspecified injury at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.107A	Unspecified injury at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S14.109A	Unspecified injury at unspecified level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.111A	Complete lesion at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.112A	Complete lesion at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.113A	Complete lesion at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.114A	Complete lesion at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.115A	Complete lesion at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.116A	Complete lesion at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.117A	Complete lesion at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.121A	Central cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.122A	Central cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.123A	Central cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.124A	Central cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.125A	Central cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.126A	Central cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.127A	Central cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.131A	Anterior cord syndrome at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.132A	Anterior cord syndrome at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.133A	Anterior cord syndrome at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.134A	Anterior cord syndrome at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.135A	Anterior cord syndrome at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.136A	Anterior cord syndrome at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.137A	Anterior cord syndrome at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.151A	Other incomplete lesion at C1 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.152A	Other incomplete lesion at C2 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.153A	Other incomplete lesion at C3 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.154A	Other incomplete lesion at C4 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.155A	Other incomplete lesion at C5 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.156A	Other incomplete lesion at C6 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S14.157A	Other incomplete lesion at C7 level of cervical spinal cord, initial encounter	ICD-10-CM	Diagnosis
S22.000A	Wedge compression fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.000B	Wedge compression fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.001A	Stable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.001B	Stable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.002A	Unstable burst fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.002B	Unstable burst fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.008A	Other fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.008B	Other fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.009A	Unspecified fracture of unspecified thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.009B	Unspecified fracture of unspecified thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.010A	Wedge compression fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.010B	Wedge compression fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.011A	Stable burst fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.011B	Stable burst fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.012A	Unstable burst fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.012B	Unstable burst fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.018A	Other fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.018B	Other fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.019A	Unspecified fracture of first thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.019B	Unspecified fracture of first thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.020A	Wedge compression fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.020B	Wedge compression fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.021A	Stable burst fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.021B	Stable burst fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.022A	Unstable burst fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.022B	Unstable burst fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.028A	Other fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.028B	Other fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.029A	Unspecified fracture of second thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.029B	Unspecified fracture of second thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.030A	Wedge compression fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.030B	Wedge compression fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.031A	Stable burst fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.031B	Stable burst fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.032A	Unstable burst fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.032B	Unstable burst fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.038A	Other fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.038B	Other fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.039A	Unspecified fracture of third thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.039B	Unspecified fracture of third thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.040A	Wedge compression fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.040B	Wedge compression fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.041A	Stable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.041B	Stable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.042A	Unstable burst fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.042B	Unstable burst fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.048A	Other fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.048B	Other fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.049A	Unspecified fracture of fourth thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.049B	Unspecified fracture of fourth thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.050A	Wedge compression fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.050B	Wedge compression fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.051A	Stable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.051B	Stable burst fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.052A	Unstable burst fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.052B	Unstable burst fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.058A	Other fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.058B	Other fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.059A	Unspecified fracture of T5-T6 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.059B	Unspecified fracture of T5-T6 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.060A	Wedge compression fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.060B	Wedge compression fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.061A	Stable burst fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.061B	Stable burst fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.062A	Unstable burst fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.062B	Unstable burst fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.068A	Other fracture of T7-T8 thoracic vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.068B	Other fracture of T7-T8 thoracic vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.069A	Unspecified fracture of T7-T8 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.069B	Unspecified fracture of T7-T8 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.070A	Wedge compression fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.070B	Wedge compression fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.071A	Stable burst fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.071B	Stable burst fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.072A	Unstable burst fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.072B	Unstable burst fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.078A	Other fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.078B	Other fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.079A	Unspecified fracture of T9-T10 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.079B	Unspecified fracture of T9-T10 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.080A	Wedge compression fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.080B	Wedge compression fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.081A	Stable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.081B	Stable burst fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.082A	Unstable burst fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.082B	Unstable burst fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.088A	Other fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.088B	Other fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.089A	Unspecified fracture of T11-T12 vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.089B	Unspecified fracture of T11-T12 vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.20XA	Unspecified fracture of sternum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.20XB	Unspecified fracture of sternum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.21XA	Fracture of manubrium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.21XB	Fracture of manubrium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.22XA	Fracture of body of sternum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.22XB	Fracture of body of sternum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.23XA	Sternal manubrial dissociation, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.23XB	Sternal manubrial dissociation, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.24XA	Fracture of xiphoid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.24XB	Fracture of xiphoid process, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.31XA	Fracture of one rib, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.31XB	Fracture of one rib, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.32XA	Fracture of one rib, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.32XB	Fracture of one rib, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.39XA	Fracture of one rib, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.39XB	Fracture of one rib, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.41XA	Multiple fractures of ribs, right side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.41XB	Multiple fractures of ribs, right side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.42XA	Multiple fractures of ribs, left side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.42XB	Multiple fractures of ribs, left side, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.43XA	Multiple fractures of ribs, bilateral, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.43XB	Multiple fractures of ribs, bilateral, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.49XA	Multiple fractures of ribs, unspecified side, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.49XB	Multiple fractures of ribs, unspecified side, initial encounter for open fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S22.5XXA	Flail chest, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.5XXB	Flail chest, initial encounter for open fracture	ICD-10-CM	Diagnosis
S22.9XXA	Fracture of bony thorax, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S22.9XXB	Fracture of bony thorax, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S24.101A	Unspecified injury at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.102A	Unspecified injury at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.103A	Unspecified injury at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.104A	Unspecified injury at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.109A	Unspecified injury at unspecified level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.111A	Complete lesion at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.112A	Complete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.113A	Complete lesion at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.114A	Complete lesion at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.131A	Anterior cord syndrome at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.132A	Anterior cord syndrome at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.133A	Anterior cord syndrome at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.134A	Anterior cord syndrome at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.151A	Other incomplete lesion at T1 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.152A	Other incomplete lesion at T2-T6 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.153A	Other incomplete lesion at T7-T10 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S24.154A	Other incomplete lesion at T11-T12 level of thoracic spinal cord, initial encounter	ICD-10-CM	Diagnosis
S32.000A	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.000B	Wedge compression fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.001A	Stable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.001B	Stable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.002A	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.002B	Unstable burst fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.008A	Other fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.008B	Other fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.009A	Unspecified fracture of unspecified lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.009B	Unspecified fracture of unspecified lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.010A	Wedge compression fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.010B	Wedge compression fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.011A	Stable burst fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.011B	Stable burst fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.012A	Unstable burst fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.012B	Unstable burst fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.018A	Other fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.018B	Other fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.019A	Unspecified fracture of first lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.019B	Unspecified fracture of first lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.020A	Wedge compression fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.020B	Wedge compression fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.021A	Stable burst fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.021B	Stable burst fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.022A	Unstable burst fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.022B	Unstable burst fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.028A	Other fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.028B	Other fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.029A	Unspecified fracture of second lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.029B	Unspecified fracture of second lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.030A	Wedge compression fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.030B	Wedge compression fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.031A	Stable burst fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.031B	Stable burst fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.032A	Unstable burst fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.032B	Unstable burst fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.038A	Other fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.038B	Other fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.039A	Unspecified fracture of third lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.039B	Unspecified fracture of third lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.040A	Wedge compression fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.040B	Wedge compression fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.041A	Stable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.041B	Stable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.042A	Unstable burst fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.042B	Unstable burst fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.048A	Other fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.048B	Other fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.049A	Unspecified fracture of fourth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.049B	Unspecified fracture of fourth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.050A	Wedge compression fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.050B	Wedge compression fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.051A	Stable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.051B	Stable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.052A	Unstable burst fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.052B	Unstable burst fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.058A	Other fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.058B	Other fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.059A	Unspecified fracture of fifth lumbar vertebra, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.059B	Unspecified fracture of fifth lumbar vertebra, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.10XA	Unspecified fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.10XB	Unspecified fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.110A	Nondisplaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.110B	Nondisplaced Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.111A	Minimally displaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.111B	Minimally displaced Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.112A	Severely displaced Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.112B	Severely displaced Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.119A	Unspecified Zone I fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.119B	Unspecified Zone I fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.120A	Nondisplaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.120B	Nondisplaced Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.121A	Minimally displaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.121B	Minimally displaced Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.122A	Severely displaced Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.122B	Severely displaced Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.129A	Unspecified Zone II fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.129B	Unspecified Zone II fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.130A	Nondisplaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.130B	Nondisplaced Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.131A	Minimally displaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.131B	Minimally displaced Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.132A	Severely displaced Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.132B	Severely displaced Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.139A	Unspecified Zone III fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.139B	Unspecified Zone III fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.14XA	Type 1 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.14XB	Type 1 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.15XA	Type 2 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.15XB	Type 2 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.16XA	Type 3 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.16XB	Type 3 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.17XA	Type 4 fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.17XB	Type 4 fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.19XA	Other fracture of sacrum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.19XB	Other fracture of sacrum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.2XXA	Fracture of coccyx, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.2XXB	Fracture of coccyx, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.301A	Unspecified fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.301B	Unspecified fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.302A	Unspecified fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.302B	Unspecified fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.309A	Unspecified fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.309B	Unspecified fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.311A	Displaced avulsion fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.311B	Displaced avulsion fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.312A	Displaced avulsion fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.312B	Displaced avulsion fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.313A	Displaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.313B	Displaced avulsion fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.314A	Nondisplaced avulsion fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.314B	Nondisplaced avulsion fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.315A	Nondisplaced avulsion fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.315B	Nondisplaced avulsion fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.316A	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.316B	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.391A	Other fracture of right ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.391B	Other fracture of right ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.392A	Other fracture of left ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.392B	Other fracture of left ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.399A	Other fracture of unspecified ilium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.399B	Other fracture of unspecified ilium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.401A	Unspecified fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.401B	Unspecified fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.402A	Unspecified fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.402B	Unspecified fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.409A	Unspecified fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.409B	Unspecified fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.411A	Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.411B	Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.412A	Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.412B	Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.413A	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.413B	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.414A	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.414B	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.415A	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.415B	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.416A	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.416B	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.421A	Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.421B	Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.422A	Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.422B	Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.423A	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.423B	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.424A	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.424B	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.425A	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.425B	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.426A	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.426B	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.431A	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.431B	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.432A	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.432B	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.433A	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.433B	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.434A	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.434B	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.435A	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.435B	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.436A	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.436B	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.441A	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.441B	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.442A	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.442B	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.443A	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.443B	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.444A	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.444B	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.445A	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.445B	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.446A	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.446B	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.451A	Displaced transverse fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.451B	Displaced transverse fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.452A	Displaced transverse fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.452B	Displaced transverse fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.453A	Displaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.453B	Displaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.454A	Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.454B	Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.455A	Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.455B	Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.456A	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.456B	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.461A	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.461B	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.462A	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.462B	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.463A	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.463B	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.464A	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.464B	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.465A	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.465B	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.466A	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.466B	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.471A	Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.471B	Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.472A	Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.472B	Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.473A	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.473B	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.474A	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.474B	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.475A	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.475B	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.476A	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.476B	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.481A	Displaced dome fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.481B	Displaced dome fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.482A	Displaced dome fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.482B	Displaced dome fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.483A	Displaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.483B	Displaced dome fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.484A	Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.484B	Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.485A	Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.485B	Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.486A	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.486B	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.491A	Other specified fracture of right acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.491B	Other specified fracture of right acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.492A	Other specified fracture of left acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.492B	Other specified fracture of left acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.499A	Other specified fracture of unspecified acetabulum, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.499B	Other specified fracture of unspecified acetabulum, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.501A	Unspecified fracture of right pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.501B	Unspecified fracture of right pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.502A	Unspecified fracture of left pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.502B	Unspecified fracture of left pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.509A	Unspecified fracture of unspecified pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.509B	Unspecified fracture of unspecified pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.511A	Fracture of superior rim of right pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.511B	Fracture of superior rim of right pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.512A	Fracture of superior rim of left pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.512B	Fracture of superior rim of left pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.519A	Fracture of superior rim of unspecified pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.519B	Fracture of superior rim of unspecified pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.591A	Other specified fracture of right pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.591B	Other specified fracture of right pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.592A	Other specified fracture of left pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.592B	Other specified fracture of left pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.599A	Other specified fracture of unspecified pubis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.599B	Other specified fracture of unspecified pubis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.601A	Unspecified fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.601B	Unspecified fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.602A	Unspecified fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.602B	Unspecified fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.609A	Unspecified fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.609B	Unspecified fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.611A	Displaced avulsion fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.611B	Displaced avulsion fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.612A	Displaced avulsion fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.612B	Displaced avulsion fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.613A	Displaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.613B	Displaced avulsion fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.614A	Nondisplaced avulsion fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.614B	Nondisplaced avulsion fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.615A	Nondisplaced avulsion fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.615B	Nondisplaced avulsion fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.616A	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.616B	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.691A	Other specified fracture of right ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.691B	Other specified fracture of right ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.692A	Other specified fracture of left ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.692B	Other specified fracture of left ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.699A	Other specified fracture of unspecified ischium, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.699B	Other specified fracture of unspecified ischium, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.810A	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.810B	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S32.811A	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.811B	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.82XA	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.82XB	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.89XA	Fracture of other parts of pelvis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.89XB	Fracture of other parts of pelvis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S32.9XXA	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S32.9XXB	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture	ICD-10-CM	Diagnosis
S34.101A	Unspecified injury to L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.102A	Unspecified injury to L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.103A	Unspecified injury to L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.104A	Unspecified injury to L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.105A	Unspecified injury to L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.109A	Unspecified injury to unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.111A	Complete lesion of L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.112A	Complete lesion of L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.113A	Complete lesion of L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.114A	Complete lesion of L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.115A	Complete lesion of L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.119A	Complete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.121A	Incomplete lesion of L1 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.122A	Incomplete lesion of L2 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.123A	Incomplete lesion of L3 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.124A	Incomplete lesion of L4 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.125A	Incomplete lesion of L5 level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.129A	Incomplete lesion of unspecified level of lumbar spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.131A	Complete lesion of sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.132A	Incomplete lesion of sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.139A	Unspecified injury to sacral spinal cord, initial encounter	ICD-10-CM	Diagnosis
S34.3XXA	Injury of cauda equina, initial encounter	ICD-10-CM	Diagnosis
S42.001A	Fracture of unspecified part of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.001B	Fracture of unspecified part of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.002A	Fracture of unspecified part of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.002B	Fracture of unspecified part of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.009A	Fracture of unspecified part of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.009B	Fracture of unspecified part of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.011A	Anterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.011B	Anterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.012A	Anterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.012B	Anterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.013A	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.013B	Anterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.014A	Posterior displaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.014B	Posterior displaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.015A	Posterior displaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.015B	Posterior displaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.016A	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.016B	Posterior displaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.017A	Nondisplaced fracture of sternal end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.017B	Nondisplaced fracture of sternal end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.018A	Nondisplaced fracture of sternal end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.018B	Nondisplaced fracture of sternal end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.019A	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.019B	Nondisplaced fracture of sternal end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.021A	Displaced fracture of shaft of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.021B	Displaced fracture of shaft of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.022A	Displaced fracture of shaft of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.022B	Displaced fracture of shaft of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.023A	Displaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.023B	Displaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.024A	Nondisplaced fracture of shaft of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.024B	Nondisplaced fracture of shaft of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.025A	Nondisplaced fracture of shaft of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.025B	Nondisplaced fracture of shaft of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.026A	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.026B	Nondisplaced fracture of shaft of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.031A	Displaced fracture of lateral end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.031B	Displaced fracture of lateral end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.032A	Displaced fracture of lateral end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.032B	Displaced fracture of lateral end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.033A	Displaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.033B	Displaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.034A	Nondisplaced fracture of lateral end of right clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.034B	Nondisplaced fracture of lateral end of right clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.035A	Nondisplaced fracture of lateral end of left clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.035B	Nondisplaced fracture of lateral end of left clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.036A	Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.036B	Nondisplaced fracture of lateral end of unspecified clavicle, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.101A	Fracture of unspecified part of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.101B	Fracture of unspecified part of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.102A	Fracture of unspecified part of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.102B	Fracture of unspecified part of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.109A	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.109B	Fracture of unspecified part of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.111A	Displaced fracture of body of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.111B	Displaced fracture of body of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.112A	Displaced fracture of body of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.112B	Displaced fracture of body of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.113A	Displaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.113B	Displaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.114A	Nondisplaced fracture of body of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.114B	Nondisplaced fracture of body of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.115A	Nondisplaced fracture of body of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.115B	Nondisplaced fracture of body of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.116A	Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.116B	Nondisplaced fracture of body of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.121A	Displaced fracture of acromial process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.121B	Displaced fracture of acromial process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.122A	Displaced fracture of acromial process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.122B	Displaced fracture of acromial process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.123A	Displaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.123B	Displaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.124A	Nondisplaced fracture of acromial process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.124B	Nondisplaced fracture of acromial process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.125A	Nondisplaced fracture of acromial process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.125B	Nondisplaced fracture of acromial process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.126A	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.126B	Nondisplaced fracture of acromial process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.131A	Displaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.131B	Displaced fracture of coracoid process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.132A	Displaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.132B	Displaced fracture of coracoid process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.133A	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.133B	Displaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.134A	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.134B	Nondisplaced fracture of coracoid process, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.135A	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.135B	Nondisplaced fracture of coracoid process, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.136A	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.136B	Nondisplaced fracture of coracoid process, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.141A	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.141B	Displaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.142A	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.142B	Displaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.143A	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.143B	Displaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.144A	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.144B	Nondisplaced fracture of glenoid cavity of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.145A	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.145B	Nondisplaced fracture of glenoid cavity of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.146A	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.146B	Nondisplaced fracture of glenoid cavity of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.151A	Displaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.151B	Displaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.152A	Displaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.152B	Displaced fracture of neck of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.153A	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.153B	Displaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.154A	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.154B	Nondisplaced fracture of neck of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.155A	Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.155B	Nondisplaced fracture of neck of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.156A	Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.156B	Nondisplaced fracture of neck of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.191A	Fracture of other part of scapula, right shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.191B	Fracture of other part of scapula, right shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.192A	Fracture of other part of scapula, left shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.192B	Fracture of other part of scapula, left shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.199A	Fracture of other part of scapula, unspecified shoulder, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.199B	Fracture of other part of scapula, unspecified shoulder, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.201A	Unspecified fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.201B	Unspecified fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.202A	Unspecified fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.202B	Unspecified fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.209A	Unspecified fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.209B	Unspecified fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.211A	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.211B	Unspecified displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.212A	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.212B	Unspecified displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.213A	Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.213B	Unspecified displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.214A	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.214B	Unspecified nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.215A	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.215B	Unspecified nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.216A	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.216B	Unspecified nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.221A	2-part displaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.221B	2-part displaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.222A	2-part displaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.222B	2-part displaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.223A	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.223B	2-part displaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.224A	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.224B	2-part nondisplaced fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.225A	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.225B	2-part nondisplaced fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.226A	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.226B	2-part nondisplaced fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.231A	3-part fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.231B	3-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.232A	3-part fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.232B	3-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.239A	3-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.239B	3-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.241A	4-part fracture of surgical neck of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.241B	4-part fracture of surgical neck of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.242A	4-part fracture of surgical neck of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.242B	4-part fracture of surgical neck of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.249A	4-part fracture of surgical neck of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.249B	4-part fracture of surgical neck of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.251A	Displaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.251B	Displaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.252A	Displaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.252B	Displaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.253A	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.253B	Displaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.254A	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.254B	Nondisplaced fracture of greater tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.255A	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.255B	Nondisplaced fracture of greater tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.256A	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.256B	Nondisplaced fracture of greater tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.261A	Displaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.261B	Displaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.262A	Displaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.262B	Displaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.263A	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.263B	Displaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.264A	Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.264B	Nondisplaced fracture of lesser tuberosity of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.265A	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.265B	Nondisplaced fracture of lesser tuberosity of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.266A	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.266B	Nondisplaced fracture of lesser tuberosity of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.271A	Torus fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.272A	Torus fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.279A	Torus fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.291A	Other displaced fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.291B	Other displaced fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.292A	Other displaced fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.292B	Other displaced fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.293A	Other displaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.293B	Other displaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.294A	Other nondisplaced fracture of upper end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.294B	Other nondisplaced fracture of upper end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.295A	Other nondisplaced fracture of upper end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.295B	Other nondisplaced fracture of upper end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.296A	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.296B	Other nondisplaced fracture of upper end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.301A	Unspecified fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.301B	Unspecified fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.302A	Unspecified fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.302B	Unspecified fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.309A	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.309B	Unspecified fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.311A	Greenstick fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.312A	Greenstick fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.319A	Greenstick fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.321A	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.321B	Displaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.322A	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.322B	Displaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.323A	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.323B	Displaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.324A	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.324B	Nondisplaced transverse fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.325A	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.325B	Nondisplaced transverse fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.326A	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.326B	Nondisplaced transverse fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.331A	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.331B	Displaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.332A	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.332B	Displaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.333A	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.333B	Displaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.334A	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.334B	Nondisplaced oblique fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.335A	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.335B	Nondisplaced oblique fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.336A	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.336B	Nondisplaced oblique fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.341A	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.341B	Displaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.342A	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.342B	Displaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.343A	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.343B	Displaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.344A	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.344B	Nondisplaced spiral fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.345A	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.345B	Nondisplaced spiral fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.346A	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.346B	Nondisplaced spiral fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.351A	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.351B	Displaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.352A	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.352B	Displaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.353A	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.353B	Displaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.354A	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.354B	Nondisplaced comminuted fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.355A	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.355B	Nondisplaced comminuted fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.356A	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.356B	Nondisplaced comminuted fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.361A	Displaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.361B	Displaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.362A	Displaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.362B	Displaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.363A	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.363B	Displaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.364A	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.364B	Nondisplaced segmental fracture of shaft of humerus, right arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.365A	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.365B	Nondisplaced segmental fracture of shaft of humerus, left arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.366A	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.366B	Nondisplaced segmental fracture of shaft of humerus, unspecified arm, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.391A	Other fracture of shaft of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.391B	Other fracture of shaft of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.392A	Other fracture of shaft of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.392B	Other fracture of shaft of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.399A	Other fracture of shaft of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.399B	Other fracture of shaft of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.401A	Unspecified fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.401B	Unspecified fracture of lower end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.402A	Unspecified fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.402B	Unspecified fracture of lower end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.409A	Unspecified fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.409B	Unspecified fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.411A	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.411B	Displaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.412A	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.412B	Displaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.413A	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.413B	Displaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.414A	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.414B	Nondisplaced simple supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.415A	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.415B	Nondisplaced simple supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.416A	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.416B	Nondisplaced simple supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.421A	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.421B	Displaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.422A	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.422B	Displaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.423A	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.423B	Displaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.424A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.424B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.425A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.425B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.426A	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.426B	Nondisplaced comminuted supracondylar fracture without intercondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.431A	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.431B	Displaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.432A	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.432B	Displaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.433A	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.433B	Displaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.434A	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.434B	Nondisplaced fracture (avulsion) of lateral epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.435A	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.435B	Nondisplaced fracture (avulsion) of lateral epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.436A	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.436B	Nondisplaced fracture (avulsion) of lateral epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.441A	Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.441B	Displaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.442A	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.442B	Displaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.443A	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.443B	Displaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.444A	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.444B	Nondisplaced fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.445A	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.445B	Nondisplaced fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.446A	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.446B	Nondisplaced fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.447A	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.447B	Incarcerated fracture (avulsion) of medial epicondyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.448A	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.448B	Incarcerated fracture (avulsion) of medial epicondyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.449A	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.449B	Incarcerated fracture (avulsion) of medial epicondyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.451A	Displaced fracture of lateral condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.451B	Displaced fracture of lateral condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.452A	Displaced fracture of lateral condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.452B	Displaced fracture of lateral condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.453A	Displaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.453B	Displaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.454A	Nondisplaced fracture of lateral condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.454B	Nondisplaced fracture of lateral condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.455A	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.455B	Nondisplaced fracture of lateral condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.456A	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.456B	Nondisplaced fracture of lateral condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.461A	Displaced fracture of medial condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.461B	Displaced fracture of medial condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.462A	Displaced fracture of medial condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.462B	Displaced fracture of medial condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.463A	Displaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.463B	Displaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.464A	Nondisplaced fracture of medial condyle of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.464B	Nondisplaced fracture of medial condyle of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.465A	Nondisplaced fracture of medial condyle of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.465B	Nondisplaced fracture of medial condyle of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.466A	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.466B	Nondisplaced fracture of medial condyle of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.471A	Displaced transcondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.471B	Displaced transcondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.472A	Displaced transcondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.472B	Displaced transcondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.473A	Displaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.473B	Displaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.474A	Nondisplaced transcondylar fracture of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.474B	Nondisplaced transcondylar fracture of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.475A	Nondisplaced transcondylar fracture of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.475B	Nondisplaced transcondylar fracture of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.476A	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.476B	Nondisplaced transcondylar fracture of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.481A	Torus fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.482A	Torus fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.489A	Torus fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.491A	Other displaced fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.491B	Other displaced fracture of lower end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.492A	Other displaced fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.492B	Other displaced fracture of lower end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.493A	Other displaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.493B	Other displaced fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.494A	Other nondisplaced fracture of lower end of right humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.494B	Other nondisplaced fracture of lower end of right humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S42.495A	Other nondisplaced fracture of lower end of left humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.495B	Other nondisplaced fracture of lower end of left humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.496A	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.496B	Other nondisplaced fracture of lower end of unspecified humerus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.90XA	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.90XB	Fracture of unspecified shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.91XA	Fracture of right shoulder girdle, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.91XB	Fracture of right shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S42.92XA	Fracture of left shoulder girdle, part unspecified, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S42.92XB	Fracture of left shoulder girdle, part unspecified, initial encounter for open fracture	ICD-10-CM	Diagnosis
S49.001A	Unspecified physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.002A	Unspecified physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.009A	Unspecified physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.011A	Salter-Harris Type I physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.012A	Salter-Harris Type I physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.019A	Salter-Harris Type I physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.021A	Salter-Harris Type II physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.022A	Salter-Harris Type II physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.029A	Salter-Harris Type II physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.031A	Salter-Harris Type III physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.032A	Salter-Harris Type III physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S49.039A	Salter-Harris Type III physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.041A	Salter-Harris Type IV physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.042A	Salter-Harris Type IV physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.049A	Salter-Harris Type IV physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.091A	Other physeal fracture of upper end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.092A	Other physeal fracture of upper end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.099A	Other physeal fracture of upper end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.101A	Unspecified physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.102A	Unspecified physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.109A	Unspecified physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.111A	Salter-Harris Type I physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.112A	Salter-Harris Type I physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.119A	Salter-Harris Type I physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.121A	Salter-Harris Type II physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.122A	Salter-Harris Type II physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.129A	Salter-Harris Type II physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.131A	Salter-Harris Type III physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.132A	Salter-Harris Type III physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.139A	Salter-Harris Type III physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.141A	Salter-Harris Type IV physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.142A	Salter-Harris Type IV physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S49.149A	Salter-Harris Type IV physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.191A	Other physeal fracture of lower end of humerus, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.192A	Other physeal fracture of lower end of humerus, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S49.199A	Other physeal fracture of lower end of humerus, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.001A	Unspecified fracture of upper end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.001B	Unspecified fracture of upper end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.001C	Unspecified fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.002A	Unspecified fracture of upper end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.002B	Unspecified fracture of upper end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.002C	Unspecified fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.009A	Unspecified fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.009B	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.009C	Unspecified fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.011A	Torus fracture of upper end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.012A	Torus fracture of upper end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.019A	Torus fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.021A	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.021B	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.021C	Displaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.022A	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.022B	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.022C	Displaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.023A	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.023B	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.023C	Displaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.024A	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.024B	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.024C	Nondisplaced fracture of olecranon process without intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.025A	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.025B	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.025C	Nondisplaced fracture of olecranon process without intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.026A	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.026B	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.026C	Nondisplaced fracture of olecranon process without intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.031A	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.031B	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.031C	Displaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.032A	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.032B	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.032C	Displaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.033A	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.033B	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.033C	Displaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.034A	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.034B	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.034C	Nondisplaced fracture of olecranon process with intraarticular extension of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.035A	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.035B	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.035C	Nondisplaced fracture of olecranon process with intraarticular extension of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.036A	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.036B	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.036C	Nondisplaced fracture of olecranon process with intraarticular extension of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.041A	Displaced fracture of coronoid process of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.041B	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.041C	Displaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.042A	Displaced fracture of coronoid process of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.042B	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.042C	Displaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.043A	Displaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.043B	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.043C	Displaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.044A	Nondisplaced fracture of coronoid process of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.044B	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.044C	Nondisplaced fracture of coronoid process of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.045A	Nondisplaced fracture of coronoid process of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.045B	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.045C	Nondisplaced fracture of coronoid process of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.046A	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.046B	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.046C	Nondisplaced fracture of coronoid process of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.091A	Other fracture of upper end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.091B	Other fracture of upper end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.091C	Other fracture of upper end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.092A	Other fracture of upper end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.092B	Other fracture of upper end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.092C	Other fracture of upper end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.099A	Other fracture of upper end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.099B	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.099C	Other fracture of upper end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.101A	Unspecified fracture of upper end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.101B	Unspecified fracture of upper end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.101C	Unspecified fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.102A	Unspecified fracture of upper end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.102B	Unspecified fracture of upper end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.102C	Unspecified fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.109A	Unspecified fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.109B	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.109C	Unspecified fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.111A	Torus fracture of upper end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.112A	Torus fracture of upper end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.119A	Torus fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.121A	Displaced fracture of head of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.121B	Displaced fracture of head of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.121C	Displaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.122A	Displaced fracture of head of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.122B	Displaced fracture of head of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.122C	Displaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.123A	Displaced fracture of head of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.123B	Displaced fracture of head of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.123C	Displaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.124A	Nondisplaced fracture of head of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.124B	Nondisplaced fracture of head of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.124C	Nondisplaced fracture of head of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.125A	Nondisplaced fracture of head of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.125B	Nondisplaced fracture of head of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.125C	Nondisplaced fracture of head of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.126A	Nondisplaced fracture of head of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.126B	Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.126C	Nondisplaced fracture of head of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.131A	Displaced fracture of neck of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.131B	Displaced fracture of neck of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.131C	Displaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.132A	Displaced fracture of neck of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.132B	Displaced fracture of neck of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.132C	Displaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.133A	Displaced fracture of neck of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.133B	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.133C	Displaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.134A	Nondisplaced fracture of neck of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.134B	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.134C	Nondisplaced fracture of neck of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.135A	Nondisplaced fracture of neck of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.135B	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.135C	Nondisplaced fracture of neck of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.136A	Nondisplaced fracture of neck of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.136B	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.136C	Nondisplaced fracture of neck of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.181A	Other fracture of upper end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.181B	Other fracture of upper end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.181C	Other fracture of upper end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.182A	Other fracture of upper end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.182B	Other fracture of upper end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.182C	Other fracture of upper end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.189A	Other fracture of upper end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.189B	Other fracture of upper end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.189C	Other fracture of upper end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.201A	Unspecified fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.201B	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.201C	Unspecified fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.202A	Unspecified fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.202B	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.202C	Unspecified fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.209A	Unspecified fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.209B	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.209C	Unspecified fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.211A	Greenstick fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.212A	Greenstick fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.219A	Greenstick fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.221A	Displaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.221B	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.221C	Displaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.222A	Displaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.222B	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.222C	Displaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.223A	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.223B	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.223C	Displaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.224A	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.224B	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.224C	Nondisplaced transverse fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.225A	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.225B	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.225C	Nondisplaced transverse fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.226A	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.226B	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.226C	Nondisplaced transverse fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.231A	Displaced oblique fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.231B	Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.231C	Displaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.232A	Displaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.232B	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.232C	Displaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.233A	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.233B	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.233C	Displaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.234A	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.234B	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.234C	Nondisplaced oblique fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.235A	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.235B	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.235C	Nondisplaced oblique fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.236A	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.236B	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.236C	Nondisplaced oblique fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.241A	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.241B	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.241C	Displaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.242A	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.242B	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.242C	Displaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.243A	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.243B	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.243C	Displaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.244A	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.244B	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.244C	Nondisplaced spiral fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.245A	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.245B	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.245C	Nondisplaced spiral fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.246A	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.246B	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.246C	Nondisplaced spiral fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.251A	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.251B	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.251C	Displaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.252A	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.252B	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.252C	Displaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.253A	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.253B	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.253C	Displaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.254A	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.254B	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.254C	Nondisplaced comminuted fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.255A	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.255B	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.255C	Nondisplaced comminuted fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.256A	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.256B	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.256C	Nondisplaced comminuted fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.261A	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.261B	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.261C	Displaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.262A	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.262B	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.262C	Displaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.263A	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.263B	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.263C	Displaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.264A	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.264B	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.264C	Nondisplaced segmental fracture of shaft of ulna, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.265A	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.265B	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.265C	Nondisplaced segmental fracture of shaft of ulna, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.266A	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.266B	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.266C	Nondisplaced segmental fracture of shaft of ulna, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.271A	Monteggia's fracture of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.271B	Monteggia's fracture of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.271C	Monteggia's fracture of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.272A	Monteggia's fracture of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.272B	Monteggia's fracture of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.272C	Monteggia's fracture of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.279A	Monteggia's fracture of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.279B	Monteggia's fracture of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.279C	Monteggia's fracture of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.281A	Bent bone of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.281B	Bent bone of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.281C	Bent bone of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.282A	Bent bone of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.282B	Bent bone of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.282C	Bent bone of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.283A	Bent bone of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.283B	Bent bone of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.283C	Bent bone of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.291A	Other fracture of shaft of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.291B	Other fracture of shaft of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.291C	Other fracture of shaft of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.292A	Other fracture of shaft of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.292B	Other fracture of shaft of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.292C	Other fracture of shaft of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.299A	Other fracture of shaft of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.299B	Other fracture of shaft of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.299C	Other fracture of shaft of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.301A	Unspecified fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.301B	Unspecified fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.301C	Unspecified fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.302A	Unspecified fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.302B	Unspecified fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.302C	Unspecified fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.309A	Unspecified fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.309B	Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.309C	Unspecified fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.311A	Greenstick fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.312A	Greenstick fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.319A	Greenstick fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.321A	Displaced transverse fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.321B	Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.321C	Displaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.322A	Displaced transverse fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.322B	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.322C	Displaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.323A	Displaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.323B	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.323C	Displaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.324A	Nondisplaced transverse fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.324B	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.324C	Nondisplaced transverse fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.325A	Nondisplaced transverse fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.325B	Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.325C	Nondisplaced transverse fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.326A	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.326B	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.326C	Nondisplaced transverse fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.331A	Displaced oblique fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.331B	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.331C	Displaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.332A	Displaced oblique fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.332B	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.332C	Displaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.333A	Displaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.333B	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.333C	Displaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.334A	Nondisplaced oblique fracture of shaft of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.334B	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.334C	Nondisplaced oblique fracture of shaft of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.335A	Nondisplaced oblique fracture of shaft of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.335B	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.335C	Nondisplaced oblique fracture of shaft of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.336A	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.336B	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.336C	Nondisplaced oblique fracture of shaft of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.341A	Displaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.341B	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.341C	Displaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.342A	Displaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.342B	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.342C	Displaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.343A	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.343B	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.343C	Displaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.344A	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.344B	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.344C	Nondisplaced spiral fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.345A	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.345B	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.345C	Nondisplaced spiral fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.346A	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.346B	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.346C	Nondisplaced spiral fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.351A	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.351B	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.351C	Displaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.352A	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.352B	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.352C	Displaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.353A	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.353B	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.353C	Displaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.354A	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.354B	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.354C	Nondisplaced comminuted fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.355A	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.355B	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.355C	Nondisplaced comminuted fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.356A	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.356B	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.356C	Nondisplaced comminuted fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.361A	Displaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.361B	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.361C	Displaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.362A	Displaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.362B	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.362C	Displaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.363A	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.363B	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.363C	Displaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.364A	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.364B	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.364C	Nondisplaced segmental fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.365A	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.365B	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.365C	Nondisplaced segmental fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.366A	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.366B	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.366C	Nondisplaced segmental fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.371A	Galeazzi's fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.371B	Galeazzi's fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.371C	Galeazzi's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.372A	Galeazzi's fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.372B	Galeazzi's fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.372C	Galeazzi's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.379A	Galeazzi's fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.379B	Galeazzi's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.379C	Galeazzi's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.381A	Bent bone of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.381B	Bent bone of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.381C	Bent bone of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.382A	Bent bone of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.382B	Bent bone of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.382C	Bent bone of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.389A	Bent bone of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.389B	Bent bone of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.389C	Bent bone of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.391A	Other fracture of shaft of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.391B	Other fracture of shaft of radius, right arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.391C	Other fracture of shaft of radius, right arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.392A	Other fracture of shaft of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.392B	Other fracture of shaft of radius, left arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.392C	Other fracture of shaft of radius, left arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.399A	Other fracture of shaft of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.399B	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.399C	Other fracture of shaft of radius, unspecified arm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.501A	Unspecified fracture of the lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.501B	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.501C	Unspecified fracture of the lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.502A	Unspecified fracture of the lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.502B	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.502C	Unspecified fracture of the lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.509A	Unspecified fracture of the lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.509B	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.509C	Unspecified fracture of the lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.511A	Displaced fracture of right radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.511B	Displaced fracture of right radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.511C	Displaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.512A	Displaced fracture of left radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.512B	Displaced fracture of left radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.512C	Displaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.513A	Displaced fracture of unspecified radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.513B	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.513C	Displaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.514A	Nondisplaced fracture of right radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.514B	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.514C	Nondisplaced fracture of right radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.515A	Nondisplaced fracture of left radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.515B	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.515C	Nondisplaced fracture of left radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.516A	Nondisplaced fracture of unspecified radial styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.516B	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.516C	Nondisplaced fracture of unspecified radial styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.521A	Torus fracture of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.522A	Torus fracture of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.529A	Torus fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.531A	Colles' fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.531B	Colles' fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.531C	Colles' fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.532A	Colles' fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.532B	Colles' fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.532C	Colles' fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.539A	Colles' fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.539B	Colles' fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.539C	Colles' fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.541A	Smith's fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.541B	Smith's fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.541C	Smith's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.542A	Smith's fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.542B	Smith's fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.542C	Smith's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.549A	Smith's fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.549B	Smith's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.549C	Smith's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.551A	Other extraarticular fracture of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.551B	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.551C	Other extraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.552A	Other extraarticular fracture of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.552B	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.552C	Other extraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.559A	Other extraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.559B	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.559C	Other extraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.561A	Barton's fracture of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.561B	Barton's fracture of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.561C	Barton's fracture of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.562A	Barton's fracture of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.562B	Barton's fracture of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.562C	Barton's fracture of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.569A	Barton's fracture of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.569B	Barton's fracture of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.569C	Barton's fracture of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.571A	Other intraarticular fracture of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.571B	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.571C	Other intraarticular fracture of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.572A	Other intraarticular fracture of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.572B	Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.572C	Other intraarticular fracture of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.579A	Other intraarticular fracture of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.579B	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.579C	Other intraarticular fracture of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.591A	Other fractures of lower end of right radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.591B	Other fractures of lower end of right radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.591C	Other fractures of lower end of right radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.592A	Other fractures of lower end of left radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.592B	Other fractures of lower end of left radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.592C	Other fractures of lower end of left radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.599A	Other fractures of lower end of unspecified radius, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.599B	Other fractures of lower end of unspecified radius, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.599C	Other fractures of lower end of unspecified radius, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.601A	Unspecified fracture of lower end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.601B	Unspecified fracture of lower end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.601C	Unspecified fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.602A	Unspecified fracture of lower end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.602B	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.602C	Unspecified fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.609A	Unspecified fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.609B	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.609C	Unspecified fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.611A	Displaced fracture of right ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.611B	Displaced fracture of right ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.611C	Displaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.612A	Displaced fracture of left ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.612B	Displaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.612C	Displaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.613A	Displaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.613B	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.613C	Displaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.614A	Nondisplaced fracture of right ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.614B	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.614C	Nondisplaced fracture of right ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.615A	Nondisplaced fracture of left ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.615B	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.615C	Nondisplaced fracture of left ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.616A	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.616B	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S52.616C	Nondisplaced fracture of unspecified ulna styloid process, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.621A	Torus fracture of lower end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.622A	Torus fracture of lower end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.629A	Torus fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.691A	Other fracture of lower end of right ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.691B	Other fracture of lower end of right ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.691C	Other fracture of lower end of right ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.692A	Other fracture of lower end of left ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.692B	Other fracture of lower end of left ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.692C	Other fracture of lower end of left ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.699A	Other fracture of lower end of unspecified ulna, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.699B	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.699C	Other fracture of lower end of unspecified ulna, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.90XA	Unspecified fracture of unspecified forearm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.90XB	Unspecified fracture of unspecified forearm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.90XC	Unspecified fracture of unspecified forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.91XA	Unspecified fracture of right forearm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.91XB	Unspecified fracture of right forearm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.91XC	Unspecified fracture of right forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S52.92XA	Unspecified fracture of left forearm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S52.92XB	Unspecified fracture of left forearm, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S52.92XC	Unspecified fracture of left forearm, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S59.001A	Unspecified physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.002A	Unspecified physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.009A	Unspecified physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.011A	Salter-Harris Type I physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.012A	Salter-Harris Type I physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.019A	Salter-Harris Type I physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.021A	Salter-Harris Type II physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.022A	Salter-Harris Type II physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.029A	Salter-Harris Type II physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.031A	Salter-Harris Type III physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.032A	Salter-Harris Type III physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.039A	Salter-Harris Type III physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.041A	Salter-Harris Type IV physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.042A	Salter-Harris Type IV physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.049A	Salter-Harris Type IV physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.091A	Other physeal fracture of lower end of ulna, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.092A	Other physeal fracture of lower end of ulna, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.099A	Other physeal fracture of lower end of ulna, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.101A	Unspecified physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.102A	Unspecified physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.109A	Unspecified physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.111A	Salter-Harris Type I physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.112A	Salter-Harris Type I physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.119A	Salter-Harris Type I physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.121A	Salter-Harris Type II physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.122A	Salter-Harris Type II physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.129A	Salter-Harris Type II physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.131A	Salter-Harris Type III physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.132A	Salter-Harris Type III physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.139A	Salter-Harris Type III physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.141A	Salter-Harris Type IV physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.142A	Salter-Harris Type IV physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.149A	Salter-Harris Type IV physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.191A	Other physeal fracture of upper end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.192A	Other physeal fracture of upper end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.199A	Other physeal fracture of upper end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.201A	Unspecified physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.202A	Unspecified physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.209A	Unspecified physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.211A	Salter-Harris Type I physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.212A	Salter-Harris Type I physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.219A	Salter-Harris Type I physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.221A	Salter-Harris Type II physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.222A	Salter-Harris Type II physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S59.229A	Salter-Harris Type II physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.231A	Salter-Harris Type III physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.232A	Salter-Harris Type III physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.239A	Salter-Harris Type III physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.241A	Salter-Harris Type IV physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.242A	Salter-Harris Type IV physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.249A	Salter-Harris Type IV physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.291A	Other physeal fracture of lower end of radius, right arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.292A	Other physeal fracture of lower end of radius, left arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S59.299A	Other physeal fracture of lower end of radius, unspecified arm, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.001A	Unspecified fracture of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.001B	Unspecified fracture of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.002A	Unspecified fracture of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.002B	Unspecified fracture of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.009A	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.009B	Unspecified fracture of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.011A	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.011B	Displaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.012A	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.012B	Displaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.013A	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.013B	Displaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.014A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.014B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.015A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.015B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.016A	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.016B	Nondisplaced fracture of distal pole of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.021A	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.021B	Displaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.022A	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.022B	Displaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.023A	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.023B	Displaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.024A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.024B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.025A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.025B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.026A	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.026B	Nondisplaced fracture of middle third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.031A	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.031B	Displaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.032A	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.032B	Displaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.033A	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.033B	Displaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.034A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.034B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.035A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.035B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.036A	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.036B	Nondisplaced fracture of proximal third of navicular [scaphoid] bone of unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.101A	Fracture of unspecified carpal bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.101B	Fracture of unspecified carpal bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.102A	Fracture of unspecified carpal bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.102B	Fracture of unspecified carpal bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.109A	Fracture of unspecified carpal bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.109B	Fracture of unspecified carpal bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.111A	Displaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.111B	Displaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.112A	Displaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.112B	Displaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.113A	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.113B	Displaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.114A	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.114B	Nondisplaced fracture of triquetrum [cuneiform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.115A	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.115B	Nondisplaced fracture of triquetrum [cuneiform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.116A	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.116B	Nondisplaced fracture of triquetrum [cuneiform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.121A	Displaced fracture of lunate [semilunar], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.121B	Displaced fracture of lunate [semilunar], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.122A	Displaced fracture of lunate [semilunar], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.122B	Displaced fracture of lunate [semilunar], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.123A	Displaced fracture of lunate [semilunar], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.123B	Displaced fracture of lunate [semilunar], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.124A	Nondisplaced fracture of lunate [semilunar], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.124B	Nondisplaced fracture of lunate [semilunar], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.125A	Nondisplaced fracture of lunate [semilunar], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.125B	Nondisplaced fracture of lunate [semilunar], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.126A	Nondisplaced fracture of lunate [semilunar], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.126B	Nondisplaced fracture of lunate [semilunar], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.131A	Displaced fracture of capitate [os magnum] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.131B	Displaced fracture of capitate [os magnum] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.132A	Displaced fracture of capitate [os magnum] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.132B	Displaced fracture of capitate [os magnum] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.133A	Displaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.133B	Displaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.134A	Nondisplaced fracture of capitate [os magnum] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.134B	Nondisplaced fracture of capitate [os magnum] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.135A	Nondisplaced fracture of capitate [os magnum] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.135B	Nondisplaced fracture of capitate [os magnum] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.136A	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.136B	Nondisplaced fracture of capitate [os magnum] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.141A	Displaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.141B	Displaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.142A	Displaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.142B	Displaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.143A	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.143B	Displaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.144A	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.144B	Nondisplaced fracture of body of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.145A	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.145B	Nondisplaced fracture of body of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.146A	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.146B	Nondisplaced fracture of body of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.151A	Displaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.151B	Displaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.152A	Displaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.152B	Displaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.153A	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.153B	Displaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.154A	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.154B	Nondisplaced fracture of hook process of hamate [unciform] bone, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.155A	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.155B	Nondisplaced fracture of hook process of hamate [unciform] bone, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.156A	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.156B	Nondisplaced fracture of hook process of hamate [unciform] bone, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.161A	Displaced fracture of pisiform, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.161B	Displaced fracture of pisiform, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.162A	Displaced fracture of pisiform, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.162B	Displaced fracture of pisiform, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.163A	Displaced fracture of pisiform, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.163B	Displaced fracture of pisiform, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.164A	Nondisplaced fracture of pisiform, right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.164B	Nondisplaced fracture of pisiform, right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.165A	Nondisplaced fracture of pisiform, left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.165B	Nondisplaced fracture of pisiform, left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.166A	Nondisplaced fracture of pisiform, unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.166B	Nondisplaced fracture of pisiform, unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.171A	Displaced fracture of trapezium [larger multangular], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.171B	Displaced fracture of trapezium [larger multangular], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.172A	Displaced fracture of trapezium [larger multangular], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.172B	Displaced fracture of trapezium [larger multangular], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.173A	Displaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.173B	Displaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.174A	Nondisplaced fracture of trapezium [larger multangular], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.174B	Nondisplaced fracture of trapezium [larger multangular], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.175A	Nondisplaced fracture of trapezium [larger multangular], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.175B	Nondisplaced fracture of trapezium [larger multangular], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.176A	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.176B	Nondisplaced fracture of trapezium [larger multangular], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.181A	Displaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.181B	Displaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.182A	Displaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.182B	Displaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.183A	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.183B	Displaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.184A	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.184B	Nondisplaced fracture of trapezoid [smaller multangular], right wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.185A	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.185B	Nondisplaced fracture of trapezoid [smaller multangular], left wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.186A	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.186B	Nondisplaced fracture of trapezoid [smaller multangular], unspecified wrist, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.201A	Unspecified fracture of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.201B	Unspecified fracture of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.202A	Unspecified fracture of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.202B	Unspecified fracture of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.209A	Unspecified fracture of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.209B	Unspecified fracture of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.211A	Bennett's fracture, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.211B	Bennett's fracture, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.212A	Bennett's fracture, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.212B	Bennett's fracture, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.213A	Bennett's fracture, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.213B	Bennett's fracture, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.221A	Displaced Rolando's fracture, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.221B	Displaced Rolando's fracture, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.222A	Displaced Rolando's fracture, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.222B	Displaced Rolando's fracture, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.223A	Displaced Rolando's fracture, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.223B	Displaced Rolando's fracture, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.224A	Nondisplaced Rolando's fracture, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.224B	Nondisplaced Rolando's fracture, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.225A	Nondisplaced Rolando's fracture, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.225B	Nondisplaced Rolando's fracture, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.226A	Nondisplaced Rolando's fracture, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.226B	Nondisplaced Rolando's fracture, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.231A	Other displaced fracture of base of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.231B	Other displaced fracture of base of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.232A	Other displaced fracture of base of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.232B	Other displaced fracture of base of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.233A	Other displaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.233B	Other displaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.234A	Other nondisplaced fracture of base of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.234B	Other nondisplaced fracture of base of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.235A	Other nondisplaced fracture of base of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.235B	Other nondisplaced fracture of base of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.236A	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.236B	Other nondisplaced fracture of base of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.241A	Displaced fracture of shaft of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.241B	Displaced fracture of shaft of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.242A	Displaced fracture of shaft of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.242B	Displaced fracture of shaft of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.243A	Displaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.243B	Displaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.244A	Nondisplaced fracture of shaft of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.244B	Nondisplaced fracture of shaft of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.245A	Nondisplaced fracture of shaft of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.245B	Nondisplaced fracture of shaft of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.246A	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.246B	Nondisplaced fracture of shaft of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.251A	Displaced fracture of neck of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.251B	Displaced fracture of neck of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.252A	Displaced fracture of neck of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.252B	Displaced fracture of neck of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.253A	Displaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.253B	Displaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.254A	Nondisplaced fracture of neck of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.254B	Nondisplaced fracture of neck of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.255A	Nondisplaced fracture of neck of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.255B	Nondisplaced fracture of neck of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.256A	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.256B	Nondisplaced fracture of neck of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.291A	Other fracture of first metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.291B	Other fracture of first metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.292A	Other fracture of first metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.292B	Other fracture of first metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.299A	Other fracture of first metacarpal bone, unspecified hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.299B	Other fracture of first metacarpal bone, unspecified hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.300A	Unspecified fracture of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.300B	Unspecified fracture of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.301A	Unspecified fracture of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.301B	Unspecified fracture of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.302A	Unspecified fracture of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.302B	Unspecified fracture of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.303A	Unspecified fracture of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.303B	Unspecified fracture of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.304A	Unspecified fracture of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.304B	Unspecified fracture of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.305A	Unspecified fracture of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.305B	Unspecified fracture of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.306A	Unspecified fracture of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.306B	Unspecified fracture of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.307A	Unspecified fracture of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.307B	Unspecified fracture of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.308A	Unspecified fracture of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.308B	Unspecified fracture of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.309A	Unspecified fracture of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.309B	Unspecified fracture of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.310A	Displaced fracture of base of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.310B	Displaced fracture of base of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.311A	Displaced fracture of base of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.311B	Displaced fracture of base of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.312A	Displaced fracture of base of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.312B	Displaced fracture of base of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.313A	Displaced fracture of base of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.313B	Displaced fracture of base of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.314A	Displaced fracture of base of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.314B	Displaced fracture of base of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.315A	Displaced fracture of base of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.315B	Displaced fracture of base of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.316A	Displaced fracture of base of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.316B	Displaced fracture of base of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.317A	Displaced fracture of base of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.317B	Displaced fracture of base of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.318A	Displaced fracture of base of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.318B	Displaced fracture of base of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.319A	Displaced fracture of base of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.319B	Displaced fracture of base of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.320A	Displaced fracture of shaft of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.320B	Displaced fracture of shaft of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.321A	Displaced fracture of shaft of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.321B	Displaced fracture of shaft of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.322A	Displaced fracture of shaft of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.322B	Displaced fracture of shaft of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.323A	Displaced fracture of shaft of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.323B	Displaced fracture of shaft of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.324A	Displaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.324B	Displaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.325A	Displaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.325B	Displaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.326A	Displaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.326B	Displaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.327A	Displaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.327B	Displaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.328A	Displaced fracture of shaft of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.328B	Displaced fracture of shaft of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.329A	Displaced fracture of shaft of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.329B	Displaced fracture of shaft of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.330A	Displaced fracture of neck of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.330B	Displaced fracture of neck of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.331A	Displaced fracture of neck of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.331B	Displaced fracture of neck of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.332A	Displaced fracture of neck of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.332B	Displaced fracture of neck of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.333A	Displaced fracture of neck of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.333B	Displaced fracture of neck of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.334A	Displaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.334B	Displaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.335A	Displaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.335B	Displaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.336A	Displaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.336B	Displaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.337A	Displaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.337B	Displaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.338A	Displaced fracture of neck of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.338B	Displaced fracture of neck of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.339A	Displaced fracture of neck of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.339B	Displaced fracture of neck of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.340A	Nondisplaced fracture of base of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.340B	Nondisplaced fracture of base of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.341A	Nondisplaced fracture of base of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.341B	Nondisplaced fracture of base of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.342A	Nondisplaced fracture of base of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.342B	Nondisplaced fracture of base of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.343A	Nondisplaced fracture of base of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.343B	Nondisplaced fracture of base of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.344A	Nondisplaced fracture of base of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.344B	Nondisplaced fracture of base of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.345A	Nondisplaced fracture of base of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.345B	Nondisplaced fracture of base of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.346A	Nondisplaced fracture of base of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.346B	Nondisplaced fracture of base of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.347A	Nondisplaced fracture of base of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.347B	Nondisplaced fracture of base of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.348A	Nondisplaced fracture of base of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.348B	Nondisplaced fracture of base of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.349A	Nondisplaced fracture of base of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.349B	Nondisplaced fracture of base of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.350A	Nondisplaced fracture of shaft of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.350B	Nondisplaced fracture of shaft of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.351A	Nondisplaced fracture of shaft of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.351B	Nondisplaced fracture of shaft of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.352A	Nondisplaced fracture of shaft of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.352B	Nondisplaced fracture of shaft of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.353A	Nondisplaced fracture of shaft of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.353B	Nondisplaced fracture of shaft of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.354A	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.354B	Nondisplaced fracture of shaft of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.355A	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.355B	Nondisplaced fracture of shaft of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.356A	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.356B	Nondisplaced fracture of shaft of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.357A	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.357B	Nondisplaced fracture of shaft of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.358A	Nondisplaced fracture of shaft of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.358B	Nondisplaced fracture of shaft of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.359A	Nondisplaced fracture of shaft of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.359B	Nondisplaced fracture of shaft of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.360A	Nondisplaced fracture of neck of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.360B	Nondisplaced fracture of neck of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.361A	Nondisplaced fracture of neck of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.361B	Nondisplaced fracture of neck of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.362A	Nondisplaced fracture of neck of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.362B	Nondisplaced fracture of neck of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.363A	Nondisplaced fracture of neck of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.363B	Nondisplaced fracture of neck of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.364A	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.364B	Nondisplaced fracture of neck of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.365A	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.365B	Nondisplaced fracture of neck of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.366A	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.366B	Nondisplaced fracture of neck of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.367A	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.367B	Nondisplaced fracture of neck of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.368A	Nondisplaced fracture of neck of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.368B	Nondisplaced fracture of neck of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.369A	Nondisplaced fracture of neck of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.369B	Nondisplaced fracture of neck of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.390A	Other fracture of second metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.390B	Other fracture of second metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.391A	Other fracture of second metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.391B	Other fracture of second metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.392A	Other fracture of third metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.392B	Other fracture of third metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.393A	Other fracture of third metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.393B	Other fracture of third metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.394A	Other fracture of fourth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.394B	Other fracture of fourth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.395A	Other fracture of fourth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.395B	Other fracture of fourth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.396A	Other fracture of fifth metacarpal bone, right hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.396B	Other fracture of fifth metacarpal bone, right hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.397A	Other fracture of fifth metacarpal bone, left hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.397B	Other fracture of fifth metacarpal bone, left hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.398A	Other fracture of other metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.398B	Other fracture of other metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.399A	Other fracture of unspecified metacarpal bone, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.399B	Other fracture of unspecified metacarpal bone, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.501A	Fracture of unspecified phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.501B	Fracture of unspecified phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.502A	Fracture of unspecified phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.502B	Fracture of unspecified phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.509A	Fracture of unspecified phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.509B	Fracture of unspecified phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.511A	Displaced fracture of proximal phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.511B	Displaced fracture of proximal phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.512A	Displaced fracture of proximal phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.512B	Displaced fracture of proximal phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.513A	Displaced fracture of proximal phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.513B	Displaced fracture of proximal phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.514A	Nondisplaced fracture of proximal phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.514B	Nondisplaced fracture of proximal phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.515A	Nondisplaced fracture of proximal phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.515B	Nondisplaced fracture of proximal phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.516A	Nondisplaced fracture of proximal phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.516B	Nondisplaced fracture of proximal phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.521A	Displaced fracture of distal phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.521B	Displaced fracture of distal phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.522A	Displaced fracture of distal phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.522B	Displaced fracture of distal phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.523A	Displaced fracture of distal phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.523B	Displaced fracture of distal phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.524A	Nondisplaced fracture of distal phalanx of right thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.524B	Nondisplaced fracture of distal phalanx of right thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.525A	Nondisplaced fracture of distal phalanx of left thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.525B	Nondisplaced fracture of distal phalanx of left thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.526A	Nondisplaced fracture of distal phalanx of unspecified thumb, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.526B	Nondisplaced fracture of distal phalanx of unspecified thumb, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.600A	Fracture of unspecified phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.600B	Fracture of unspecified phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.601A	Fracture of unspecified phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.601B	Fracture of unspecified phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.602A	Fracture of unspecified phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.602B	Fracture of unspecified phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.603A	Fracture of unspecified phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.603B	Fracture of unspecified phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.604A	Fracture of unspecified phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.604B	Fracture of unspecified phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.605A	Fracture of unspecified phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.605B	Fracture of unspecified phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.606A	Fracture of unspecified phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.606B	Fracture of unspecified phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.607A	Fracture of unspecified phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.607B	Fracture of unspecified phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.608A	Fracture of unspecified phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.608B	Fracture of unspecified phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.609A	Fracture of unspecified phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.609B	Fracture of unspecified phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.610A	Displaced fracture of proximal phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.610B	Displaced fracture of proximal phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.611A	Displaced fracture of proximal phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.611B	Displaced fracture of proximal phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.612A	Displaced fracture of proximal phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.612B	Displaced fracture of proximal phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.613A	Displaced fracture of proximal phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.613B	Displaced fracture of proximal phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.614A	Displaced fracture of proximal phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.614B	Displaced fracture of proximal phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.615A	Displaced fracture of proximal phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.615B	Displaced fracture of proximal phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.616A	Displaced fracture of proximal phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.616B	Displaced fracture of proximal phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.617A	Displaced fracture of proximal phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.617B	Displaced fracture of proximal phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.618A	Displaced fracture of proximal phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.618B	Displaced fracture of proximal phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.619A	Displaced fracture of proximal phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.619B	Displaced fracture of proximal phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.620A	Displaced fracture of middle phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.620B	Displaced fracture of middle phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.621A	Displaced fracture of middle phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.621B	Displaced fracture of middle phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.622A	Displaced fracture of middle phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.622B	Displaced fracture of middle phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.623A	Displaced fracture of middle phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.623B	Displaced fracture of middle phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.624A	Displaced fracture of middle phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.624B	Displaced fracture of middle phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.625A	Displaced fracture of middle phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.625B	Displaced fracture of middle phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.626A	Displaced fracture of medial phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.626B	Displaced fracture of medial phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.627A	Displaced fracture of medial phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.627B	Displaced fracture of medial phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.628A	Displaced fracture of medial phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.628B	Displaced fracture of medial phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.629A	Displaced fracture of medial phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.629B	Displaced fracture of medial phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.630A	Displaced fracture of distal phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.630B	Displaced fracture of distal phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.631A	Displaced fracture of distal phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.631B	Displaced fracture of distal phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.632A	Displaced fracture of distal phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.632B	Displaced fracture of distal phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.633A	Displaced fracture of distal phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.633B	Displaced fracture of distal phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.634A	Displaced fracture of distal phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.634B	Displaced fracture of distal phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.635A	Displaced fracture of distal phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.635B	Displaced fracture of distal phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.636A	Displaced fracture of distal phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.636B	Displaced fracture of distal phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.637A	Displaced fracture of distal phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.637B	Displaced fracture of distal phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.638A	Displaced fracture of distal phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.638B	Displaced fracture of distal phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.639A	Displaced fracture of distal phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.639B	Displaced fracture of distal phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.640A	Nondisplaced fracture of proximal phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.640B	Nondisplaced fracture of proximal phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.641A	Nondisplaced fracture of proximal phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.641B	Nondisplaced fracture of proximal phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.642A	Nondisplaced fracture of proximal phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.642B	Nondisplaced fracture of proximal phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.643A	Nondisplaced fracture of proximal phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.643B	Nondisplaced fracture of proximal phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.644A	Nondisplaced fracture of proximal phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.644B	Nondisplaced fracture of proximal phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.645A	Nondisplaced fracture of proximal phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.645B	Nondisplaced fracture of proximal phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.646A	Nondisplaced fracture of proximal phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.646B	Nondisplaced fracture of proximal phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.647A	Nondisplaced fracture of proximal phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.647B	Nondisplaced fracture of proximal phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.648A	Nondisplaced fracture of proximal phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.648B	Nondisplaced fracture of proximal phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.649A	Nondisplaced fracture of proximal phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.649B	Nondisplaced fracture of proximal phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.650A	Nondisplaced fracture of middle phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.650B	Nondisplaced fracture of middle phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.651A	Nondisplaced fracture of middle phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.651B	Nondisplaced fracture of middle phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.652A	Nondisplaced fracture of middle phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.652B	Nondisplaced fracture of middle phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.653A	Nondisplaced fracture of middle phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.653B	Nondisplaced fracture of middle phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.654A	Nondisplaced fracture of medial phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.654B	Nondisplaced fracture of medial phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.655A	Nondisplaced fracture of medial phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.655B	Nondisplaced fracture of medial phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.656A	Nondisplaced fracture of medial phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.656B	Nondisplaced fracture of medial phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.657A	Nondisplaced fracture of medial phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.657B	Nondisplaced fracture of medial phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.658A	Nondisplaced fracture of medial phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.658B	Nondisplaced fracture of medial phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.659A	Nondisplaced fracture of medial phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.659B	Nondisplaced fracture of medial phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.660A	Nondisplaced fracture of distal phalanx of right index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.660B	Nondisplaced fracture of distal phalanx of right index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.661A	Nondisplaced fracture of distal phalanx of left index finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.661B	Nondisplaced fracture of distal phalanx of left index finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.662A	Nondisplaced fracture of distal phalanx of right middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.662B	Nondisplaced fracture of distal phalanx of right middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.663A	Nondisplaced fracture of distal phalanx of left middle finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.663B	Nondisplaced fracture of distal phalanx of left middle finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.664A	Nondisplaced fracture of distal phalanx of right ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.664B	Nondisplaced fracture of distal phalanx of right ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.665A	Nondisplaced fracture of distal phalanx of left ring finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.665B	Nondisplaced fracture of distal phalanx of left ring finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.666A	Nondisplaced fracture of distal phalanx of right little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.666B	Nondisplaced fracture of distal phalanx of right little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.667A	Nondisplaced fracture of distal phalanx of left little finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.667B	Nondisplaced fracture of distal phalanx of left little finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.668A	Nondisplaced fracture of distal phalanx of other finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.668B	Nondisplaced fracture of distal phalanx of other finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.669A	Nondisplaced fracture of distal phalanx of unspecified finger, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.669B	Nondisplaced fracture of distal phalanx of unspecified finger, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.90XA	Unspecified fracture of unspecified wrist and hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.90XB	Unspecified fracture of unspecified wrist and hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.91XA	Unspecified fracture of right wrist and hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S62.91XB	Unspecified fracture of right wrist and hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S62.92XA	Unspecified fracture of left wrist and hand, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S62.92XB	Unspecified fracture of left wrist and hand, initial encounter for open fracture	ICD-10-CM	Diagnosis
S72.001A	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.001B	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.001C	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.002A	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.002B	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.002C	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.009A	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.009B	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.009C	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.011A	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.012A	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.019A	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.021A	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.022A	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.023A	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.023C	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.024A	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.025A	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.026A	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.031A	Displaced midcervical fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.032A	Displaced midcervical fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.033A	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.034A	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.035A	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.036A	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.041A	Displaced fracture of base of neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.042A	Displaced fracture of base of neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.043A	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.044A	Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.044C	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.045A	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.045B	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.046A	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.051A	Unspecified fracture of head of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.052A	Unspecified fracture of head of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.059A	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.061A	Displaced articular fracture of head of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.062A	Displaced articular fracture of head of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.063A	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.064A	Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.065A	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.066A	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.091A	Other fracture of head and neck of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.092A	Other fracture of head and neck of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.099A	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.101A	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.102A	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.102B	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.102C	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.109A	Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.109B	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.109C	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.111A	Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.111B	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.111C	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.112A	Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.112C	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.113A	Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.114A	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.115A	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.116A	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.121A	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.122A	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.123A	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.124A	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.125A	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.126A	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.131A	Displaced apophyseal fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.132A	Displaced apophyseal fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.133A	Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.134A	Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.135A	Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.136A	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.141A	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.142A	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.143A	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.144A	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.145A	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.146A	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.21XA	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.21XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.21XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.22XA	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.22XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.22XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.23XA	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.23XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.23XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.24XA	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.24XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.24XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.25XA	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.25XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.25XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.26XA	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.26XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.26XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.301A	Unspecified fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.301B	Unspecified fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.301C	Unspecified fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.302A	Unspecified fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.302B	Unspecified fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.302C	Unspecified fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.309A	Unspecified fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.309B	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.309C	Unspecified fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.321A	Displaced transverse fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.321B	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.321C	Displaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.322A	Displaced transverse fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.322B	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.322C	Displaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.323A	Displaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.323B	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.323C	Displaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.324A	Nondisplaced transverse fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.324B	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.324C	Nondisplaced transverse fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.325A	Nondisplaced transverse fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.325B	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.325C	Nondisplaced transverse fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.326A	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.326B	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.326C	Nondisplaced transverse fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.331A	Displaced oblique fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.331B	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.331C	Displaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.332A	Displaced oblique fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.332B	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.332C	Displaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.333A	Displaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.333B	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.333C	Displaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.334A	Nondisplaced oblique fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.334B	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.334C	Nondisplaced oblique fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.335A	Nondisplaced oblique fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.335B	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.335C	Nondisplaced oblique fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.336A	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.336B	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.336C	Nondisplaced oblique fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.341A	Displaced spiral fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.341B	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.341C	Displaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.342A	Displaced spiral fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.342B	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.342C	Displaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.343A	Displaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.343B	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.343C	Displaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.344A	Nondisplaced spiral fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.344B	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.344C	Nondisplaced spiral fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.345A	Nondisplaced spiral fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.345B	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.345C	Nondisplaced spiral fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.346A	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.346B	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.346C	Nondisplaced spiral fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.351A	Displaced comminuted fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.351B	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.351C	Displaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.352A	Displaced comminuted fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.352B	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.352C	Displaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.353A	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.353B	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.353C	Displaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.354A	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.354B	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.354C	Nondisplaced comminuted fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.355A	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.355B	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.355C	Nondisplaced comminuted fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.356A	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.356B	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.356C	Nondisplaced comminuted fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.361A	Displaced segmental fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.361B	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.361C	Displaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.362A	Displaced segmental fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.362B	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.362C	Displaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.363A	Displaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.363B	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.363C	Displaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.364A	Nondisplaced segmental fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.364B	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.364C	Nondisplaced segmental fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.365A	Nondisplaced segmental fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.365B	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.365C	Nondisplaced segmental fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.366A	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.366B	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.366C	Nondisplaced segmental fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.391A	Other fracture of shaft of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.391B	Other fracture of shaft of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.391C	Other fracture of shaft of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.392A	Other fracture of shaft of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.392B	Other fracture of shaft of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.392C	Other fracture of shaft of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.399A	Other fracture of shaft of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.399B	Other fracture of shaft of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.399C	Other fracture of shaft of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.401A	Unspecified fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.401B	Unspecified fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.401C	Unspecified fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.402A	Unspecified fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.402B	Unspecified fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.402C	Unspecified fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.409A	Unspecified fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.409B	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.409C	Unspecified fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.411A	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.411B	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.411C	Displaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.412A	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.412B	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.412C	Displaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.413A	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.413B	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.413C	Displaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.414A	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.414B	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.414C	Nondisplaced unspecified condyle fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.415A	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.415B	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.415C	Nondisplaced unspecified condyle fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.416A	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.416B	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.416C	Nondisplaced unspecified condyle fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.421A	Displaced fracture of lateral condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.421B	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.421C	Displaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.422A	Displaced fracture of lateral condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.422B	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.422C	Displaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.423A	Displaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.423B	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.423C	Displaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.424A	Nondisplaced fracture of lateral condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.424B	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.424C	Nondisplaced fracture of lateral condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.425A	Nondisplaced fracture of lateral condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.425B	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.425C	Nondisplaced fracture of lateral condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.426A	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.426B	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.426C	Nondisplaced fracture of lateral condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.431A	Displaced fracture of medial condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.431B	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.431C	Displaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.432A	Displaced fracture of medial condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.432B	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.432C	Displaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.433A	Displaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.433B	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.433C	Displaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.434A	Nondisplaced fracture of medial condyle of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.434B	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.434C	Nondisplaced fracture of medial condyle of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.435A	Nondisplaced fracture of medial condyle of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.435B	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.435C	Nondisplaced fracture of medial condyle of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.436A	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.436B	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.436C	Nondisplaced fracture of medial condyle of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.441A	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.441B	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.441C	Displaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.442A	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.442B	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.442C	Displaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.443A	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.443B	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.443C	Displaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.444A	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.444B	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.444C	Nondisplaced fracture of lower epiphysis (separation) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.445A	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.445B	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.445C	Nondisplaced fracture of lower epiphysis (separation) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.446A	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.446B	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.446C	Nondisplaced fracture of lower epiphysis (separation) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.451A	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.451B	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.451C	Displaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.452A	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.452B	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.452C	Displaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.453A	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.453B	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.453C	Displaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.454A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.454B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.454C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.455A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.455B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.455C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.456A	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.456B	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.456C	Nondisplaced supracondylar fracture without intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.461A	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.461B	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.461C	Displaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.462A	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.462B	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.462C	Displaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.463A	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.463B	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.463C	Displaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.464A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.464B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.464C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.465A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.465B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.465C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.466A	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.466B	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.466C	Nondisplaced supracondylar fracture with intracondylar extension of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.471A	Torus fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.472A	Torus fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.479A	Torus fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.491A	Other fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.491B	Other fracture of lower end of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.491C	Other fracture of lower end of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.492A	Other fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.492B	Other fracture of lower end of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.492C	Other fracture of lower end of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.499A	Other fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.499B	Other fracture of lower end of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.499C	Other fracture of lower end of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X1A	Other fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.8X1B	Other fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X1C	Other fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X2A	Other fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.8X2B	Other fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X2C	Other fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.8X9A	Other fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.8X9B	Other fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.8X9C	Other fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.90XA	Unspecified fracture of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.90XB	Unspecified fracture of unspecified femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.90XC	Unspecified fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.90XE	Unspecified fracture of unspecified femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.91XA	Unspecified fracture of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S72.91XB	Unspecified fracture of right femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.91XC	Unspecified fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.91XE	Unspecified fracture of right femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S72.92XA	Unspecified fracture of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S72.92XB	Unspecified fracture of left femur, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S72.92XC	Unspecified fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S72.92XE	Unspecified fracture of left femur, subsequent encounter for open fracture type I or II with routine healing	ICD-10-CM	Diagnosis
S79.001A	Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.002A	Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.009A	Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.011A	Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.012A	Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.019A	Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.091A	Other physeal fracture of upper end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.092A	Other physeal fracture of upper end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.099A	Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.101A	Unspecified physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.102A	Unspecified physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.109A	Unspecified physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.111A	Salter-Harris Type I physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.112A	Salter-Harris Type I physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.119A	Salter-Harris Type I physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.121A	Salter-Harris Type II physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.122A	Salter-Harris Type II physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.129A	Salter-Harris Type II physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S79.131A	Salter-Harris Type III physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.132A	Salter-Harris Type III physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.139A	Salter-Harris Type III physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.141A	Salter-Harris Type IV physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.142A	Salter-Harris Type IV physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.149A	Salter-Harris Type IV physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.191A	Other physeal fracture of lower end of right femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.192A	Other physeal fracture of lower end of left femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S79.199A	Other physeal fracture of lower end of unspecified femur, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.001A	Unspecified fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.001B	Unspecified fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.001C	Unspecified fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.002A	Unspecified fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.002B	Unspecified fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.002C	Unspecified fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.009A	Unspecified fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.009B	Unspecified fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.009C	Unspecified fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.011A	Displaced osteochondral fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.011B	Displaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.011C	Displaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.012A	Displaced osteochondral fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.012B	Displaced osteochondral fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.012C	Displaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.013A	Displaced osteochondral fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.013B	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.013C	Displaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.014A	Nondisplaced osteochondral fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.014B	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.014C	Nondisplaced osteochondral fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.015A	Nondisplaced osteochondral fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.015B	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.015C	Nondisplaced osteochondral fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.016A	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.016B	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.016C	Nondisplaced osteochondral fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.021A	Displaced longitudinal fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.021B	Displaced longitudinal fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.021C	Displaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.022A	Displaced longitudinal fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.022B	Displaced longitudinal fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.022C	Displaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.023A	Displaced longitudinal fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.023B	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.023C	Displaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.024A	Nondisplaced longitudinal fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.024B	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.024C	Nondisplaced longitudinal fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.025A	Nondisplaced longitudinal fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.025B	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.025C	Nondisplaced longitudinal fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.026A	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.026B	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.026C	Nondisplaced longitudinal fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.031A	Displaced transverse fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.031B	Displaced transverse fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.031C	Displaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.032A	Displaced transverse fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.032B	Displaced transverse fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.032C	Displaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.033A	Displaced transverse fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.033B	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.033C	Displaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.034A	Nondisplaced transverse fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.034B	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.034C	Nondisplaced transverse fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.035A	Nondisplaced transverse fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.035B	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.035C	Nondisplaced transverse fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.036A	Nondisplaced transverse fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.036B	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.036C	Nondisplaced transverse fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.041A	Displaced comminuted fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.041B	Displaced comminuted fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.041C	Displaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.042A	Displaced comminuted fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.042B	Displaced comminuted fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.042C	Displaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.043A	Displaced comminuted fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.043B	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.043C	Displaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.044A	Nondisplaced comminuted fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.044B	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.044C	Nondisplaced comminuted fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.045A	Nondisplaced comminuted fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.045B	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.045C	Nondisplaced comminuted fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.046A	Nondisplaced comminuted fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.046B	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.046C	Nondisplaced comminuted fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.091A	Other fracture of right patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.091B	Other fracture of right patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.091C	Other fracture of right patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.092A	Other fracture of left patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.092B	Other fracture of left patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.092C	Other fracture of left patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.099A	Other fracture of unspecified patella, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.099B	Other fracture of unspecified patella, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.099C	Other fracture of unspecified patella, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.101A	Unspecified fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.101B	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.101C	Unspecified fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.102A	Unspecified fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.102B	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.102C	Unspecified fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.109A	Unspecified fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.109B	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.109C	Unspecified fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.111A	Displaced fracture of right tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.111B	Displaced fracture of right tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.111C	Displaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.112A	Displaced fracture of left tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.112B	Displaced fracture of left tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.112C	Displaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.113A	Displaced fracture of unspecified tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.113B	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.113C	Displaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.114A	Nondisplaced fracture of right tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.114B	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.114C	Nondisplaced fracture of right tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.115A	Nondisplaced fracture of left tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.115B	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.115C	Nondisplaced fracture of left tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.116A	Nondisplaced fracture of unspecified tibial spine, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.116B	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.116C	Nondisplaced fracture of unspecified tibial spine, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.121A	Displaced fracture of lateral condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.121B	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.121C	Displaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.122A	Displaced fracture of lateral condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.122B	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.122C	Displaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.123A	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.123B	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.123C	Displaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.124A	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.124B	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.124C	Nondisplaced fracture of lateral condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.125A	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.125B	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.125C	Nondisplaced fracture of lateral condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.126A	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.126B	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.126C	Nondisplaced fracture of lateral condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.131A	Displaced fracture of medial condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.131B	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.131C	Displaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.132A	Displaced fracture of medial condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.132B	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.132C	Displaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.133A	Displaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.133B	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.133C	Displaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.134A	Nondisplaced fracture of medial condyle of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.134B	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.134C	Nondisplaced fracture of medial condyle of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.135A	Nondisplaced fracture of medial condyle of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.135B	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.135C	Nondisplaced fracture of medial condyle of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.136A	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.136B	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.136C	Nondisplaced fracture of medial condyle of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.141A	Displaced bicondylar fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.141B	Displaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.141C	Displaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.142A	Displaced bicondylar fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.142B	Displaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.142C	Displaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.143A	Displaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.143B	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.143C	Displaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.144A	Nondisplaced bicondylar fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.144B	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.144C	Nondisplaced bicondylar fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.145A	Nondisplaced bicondylar fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.145B	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.145C	Nondisplaced bicondylar fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.146A	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.146B	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.146C	Nondisplaced bicondylar fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.151A	Displaced fracture of right tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.151B	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.151C	Displaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.152A	Displaced fracture of left tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.152B	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.152C	Displaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.153A	Displaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.153B	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.153C	Displaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.154A	Nondisplaced fracture of right tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.154B	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.154C	Nondisplaced fracture of right tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.155A	Nondisplaced fracture of left tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.155B	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.155C	Nondisplaced fracture of left tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.156A	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.156B	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.156C	Nondisplaced fracture of unspecified tibial tuberosity, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.161A	Torus fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.162A	Torus fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.169A	Torus fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.191A	Other fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.191B	Other fracture of upper end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.191C	Other fracture of upper end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.192A	Other fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.192B	Other fracture of upper end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.192C	Other fracture of upper end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.199A	Other fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.199B	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.199C	Other fracture of upper end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.201A	Unspecified fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.201B	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.201C	Unspecified fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.202A	Unspecified fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.202B	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.202C	Unspecified fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.209A	Unspecified fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.209B	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.209C	Unspecified fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.221A	Displaced transverse fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.221B	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.221C	Displaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.222A	Displaced transverse fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.222B	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.222C	Displaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.223A	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.223B	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.223C	Displaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.224A	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.224B	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.224C	Nondisplaced transverse fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.225A	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.225B	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.225C	Nondisplaced transverse fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.226A	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.226B	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.226C	Nondisplaced transverse fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.231A	Displaced oblique fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.231B	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.231C	Displaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.232A	Displaced oblique fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.232B	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.232C	Displaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.233A	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.233B	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.233C	Displaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.234A	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.234B	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.234C	Nondisplaced oblique fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.235A	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.235B	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.235C	Nondisplaced oblique fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.236A	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.236B	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.236C	Nondisplaced oblique fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.241A	Displaced spiral fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.241B	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.241C	Displaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.242A	Displaced spiral fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.242B	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.242C	Displaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.243A	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.243B	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.243C	Displaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.244A	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.244B	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.244C	Nondisplaced spiral fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.245A	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.245B	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.245C	Nondisplaced spiral fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.246A	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.246B	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.246C	Nondisplaced spiral fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.251A	Displaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.251B	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.251C	Displaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.252A	Displaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.252B	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.252C	Displaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.253A	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.253B	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.253C	Displaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.254A	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.254B	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.254C	Nondisplaced comminuted fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.255A	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.255B	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.255C	Nondisplaced comminuted fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.256A	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.256B	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.256C	Nondisplaced comminuted fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.261A	Displaced segmental fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.261B	Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.261C	Displaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.262A	Displaced segmental fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.262B	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.262C	Displaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.263A	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.263B	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.263C	Displaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.264A	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.264B	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.264C	Nondisplaced segmental fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.265A	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.265B	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.265C	Nondisplaced segmental fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.266A	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.266B	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.266C	Nondisplaced segmental fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.291A	Other fracture of shaft of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.291B	Other fracture of shaft of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.291C	Other fracture of shaft of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.292A	Other fracture of shaft of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.292B	Other fracture of shaft of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.292C	Other fracture of shaft of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.299A	Other fracture of shaft of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.299B	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.299C	Other fracture of shaft of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.301A	Unspecified fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.301B	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.301C	Unspecified fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.302A	Unspecified fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.302B	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.302C	Unspecified fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.309A	Unspecified fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.309B	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.309C	Unspecified fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.311A	Torus fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.312A	Torus fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.319A	Torus fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.391A	Other fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.391B	Other fracture of lower end of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.391C	Other fracture of lower end of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.392A	Other fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.392B	Other fracture of lower end of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.392C	Other fracture of lower end of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.399A	Other fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.399B	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.399C	Other fracture of lower end of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.401A	Unspecified fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.401B	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.401C	Unspecified fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.402A	Unspecified fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.402B	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.402C	Unspecified fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.409A	Unspecified fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.409B	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.409C	Unspecified fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.421A	Displaced transverse fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.421B	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.421C	Displaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.422A	Displaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.422B	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.422C	Displaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.423A	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.423B	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.423C	Displaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.424A	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.424B	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.424C	Nondisplaced transverse fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.425A	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.425B	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.425C	Nondisplaced transverse fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.426A	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.426B	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.426C	Nondisplaced transverse fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.431A	Displaced oblique fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.431B	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.431C	Displaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.432A	Displaced oblique fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.432B	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.432C	Displaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.433A	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.433B	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.433C	Displaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.434A	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.434B	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.434C	Nondisplaced oblique fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.435A	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.435B	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.435C	Nondisplaced oblique fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.436A	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.436B	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.436C	Nondisplaced oblique fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.441A	Displaced spiral fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.441B	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.441C	Displaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.442A	Displaced spiral fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.442B	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.442C	Displaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.443A	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.443B	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.443C	Displaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.444A	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.444B	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.444C	Nondisplaced spiral fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.445A	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.445B	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.445C	Nondisplaced spiral fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.446A	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.446B	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.446C	Nondisplaced spiral fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.451A	Displaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.451B	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.451C	Displaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.452A	Displaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.452B	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.452C	Displaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.453A	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.453B	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.453C	Displaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.454A	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.454B	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.454C	Nondisplaced comminuted fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.455A	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.455B	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.455C	Nondisplaced comminuted fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.456A	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.456B	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.456C	Nondisplaced comminuted fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.461A	Displaced segmental fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.461B	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.461C	Displaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.462A	Displaced segmental fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.462B	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.462C	Displaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.463A	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.463B	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.463C	Displaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.464A	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.464B	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.464C	Nondisplaced segmental fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.465A	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.465B	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.465C	Nondisplaced segmental fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.466A	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.466B	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.466C	Nondisplaced segmental fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.491A	Other fracture of shaft of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.491B	Other fracture of shaft of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.491C	Other fracture of shaft of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.492A	Other fracture of shaft of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.492B	Other fracture of shaft of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.492C	Other fracture of shaft of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.499A	Other fracture of shaft of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.499B	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.499C	Other fracture of shaft of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.51XA	Displaced fracture of medial malleolus of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.51XB	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.51XC	Displaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.52XA	Displaced fracture of medial malleolus of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.52XB	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.52XC	Displaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.53XA	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.53XB	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.53XC	Displaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.54XA	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.54XB	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.54XC	Nondisplaced fracture of medial malleolus of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.55XA	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.55XB	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.55XC	Nondisplaced fracture of medial malleolus of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.56XA	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.56XB	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.56XC	Nondisplaced fracture of medial malleolus of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.61XA	Displaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.61XB	Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.61XC	Displaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.62XA	Displaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.62XB	Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.62XC	Displaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.63XA	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.63XB	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.63XC	Displaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.64XA	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.64XB	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.64XC	Nondisplaced fracture of lateral malleolus of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.65XA	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.65XB	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.65XC	Nondisplaced fracture of lateral malleolus of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.66XA	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.66XB	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.66XC	Nondisplaced fracture of lateral malleolus of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.811A	Torus fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.812A	Torus fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.819A	Torus fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.821A	Torus fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.822A	Torus fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.829A	Torus fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.831A	Other fracture of upper and lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.831B	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.831C	Other fracture of upper and lower end of right fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.832A	Other fracture of upper and lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.832B	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.832C	Other fracture of upper and lower end of left fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.839A	Other fracture of upper and lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.839B	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.839C	Other fracture of upper and lower end of unspecified fibula, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.841A	Displaced bimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.841B	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.841C	Displaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.842A	Displaced bimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.842B	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.842C	Displaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.843A	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.843B	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.843C	Displaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.844A	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.844B	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.844C	Nondisplaced bimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.845A	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.845B	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.845C	Nondisplaced bimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.846A	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.846B	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.846C	Nondisplaced bimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.851A	Displaced trimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.851B	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.851C	Displaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.852A	Displaced trimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.852B	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.852C	Displaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.853A	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.853B	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.853C	Displaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.854A	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.854B	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.854C	Nondisplaced trimalleolar fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.855A	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.855B	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.855C	Nondisplaced trimalleolar fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.856A	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.856B	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.856C	Nondisplaced trimalleolar fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.861A	Displaced Maisonneuve's fracture of right leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.861B	Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.861C	Displaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.862A	Displaced Maisonneuve's fracture of left leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.862B	Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.862C	Displaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.863A	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.863B	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.863C	Displaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.864A	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.864B	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.864C	Nondisplaced Maisonneuve's fracture of right leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.865A	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.865B	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.865C	Nondisplaced Maisonneuve's fracture of left leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.866A	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.866B	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.866C	Nondisplaced Maisonneuve's fracture of unspecified leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.871A	Displaced pilon fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.871B	Displaced pilon fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.871C	Displaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.872A	Displaced pilon fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.872B	Displaced pilon fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.872C	Displaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.873A	Displaced pilon fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.873B	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.873C	Displaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.874A	Nondisplaced pilon fracture of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.874B	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.874C	Nondisplaced pilon fracture of right tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.875A	Nondisplaced pilon fracture of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.875B	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.875C	Nondisplaced pilon fracture of left tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.876A	Nondisplaced pilon fracture of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.876B	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.876C	Nondisplaced pilon fracture of unspecified tibia, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.891A	Other fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.891B	Other fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.891C	Other fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.892A	Other fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.892B	Other fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.892C	Other fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.899A	Other fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.899B	Other fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.899C	Other fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.90XA	Unspecified fracture of unspecified lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.90XB	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.90XC	Unspecified fracture of unspecified lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.91XA	Unspecified fracture of right lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S82.91XB	Unspecified fracture of right lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.91XC	Unspecified fracture of right lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S82.92XA	Unspecified fracture of left lower leg, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S82.92XB	Unspecified fracture of left lower leg, initial encounter for open fracture type I or II	ICD-10-CM	Diagnosis
S82.92XC	Unspecified fracture of left lower leg, initial encounter for open fracture type IIIA, IIIB, or IIIC	ICD-10-CM	Diagnosis
S89.001A	Unspecified physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.002A	Unspecified physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.009A	Unspecified physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.011A	Salter-Harris Type I physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.012A	Salter-Harris Type I physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.019A	Salter-Harris Type I physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.021A	Salter-Harris Type II physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.022A	Salter-Harris Type II physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.029A	Salter-Harris Type II physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.031A	Salter-Harris Type III physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.032A	Salter-Harris Type III physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.039A	Salter-Harris Type III physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.041A	Salter-Harris Type IV physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.042A	Salter-Harris Type IV physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.049A	Salter-Harris Type IV physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.091A	Other physeal fracture of upper end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.092A	Other physeal fracture of upper end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.099A	Other physeal fracture of upper end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.101A	Unspecified physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.102A	Unspecified physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.109A	Unspecified physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.111A	Salter-Harris Type I physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.112A	Salter-Harris Type I physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.119A	Salter-Harris Type I physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.121A	Salter-Harris Type II physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.122A	Salter-Harris Type II physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.129A	Salter-Harris Type II physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.131A	Salter-Harris Type III physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.132A	Salter-Harris Type III physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.139A	Salter-Harris Type III physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.141A	Salter-Harris Type IV physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.142A	Salter-Harris Type IV physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.149A	Salter-Harris Type IV physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.191A	Other physeal fracture of lower end of right tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.192A	Other physeal fracture of lower end of left tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.199A	Other physeal fracture of lower end of unspecified tibia, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.201A	Unspecified physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.202A	Unspecified physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.209A	Unspecified physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.211A	Salter-Harris Type I physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.212A	Salter-Harris Type I physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.219A	Salter-Harris Type I physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.221A	Salter-Harris Type II physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.222A	Salter-Harris Type II physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.229A	Salter-Harris Type II physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.291A	Other physeal fracture of upper end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.292A	Other physeal fracture of upper end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.299A	Other physeal fracture of upper end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.301A	Unspecified physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.302A	Unspecified physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.309A	Unspecified physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.311A	Salter-Harris Type I physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.312A	Salter-Harris Type I physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.319A	Salter-Harris Type I physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.321A	Salter-Harris Type II physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.322A	Salter-Harris Type II physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.329A	Salter-Harris Type II physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.391A	Other physeal fracture of lower end of right fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S89.392A	Other physeal fracture of lower end of left fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S89.399A	Other physeal fracture of lower end of unspecified fibula, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.001A	Unspecified fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.001B	Unspecified fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.002A	Unspecified fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.002B	Unspecified fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.009A	Unspecified fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.009B	Unspecified fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.011A	Displaced fracture of body of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.011B	Displaced fracture of body of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.012A	Displaced fracture of body of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.012B	Displaced fracture of body of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.013A	Displaced fracture of body of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.013B	Displaced fracture of body of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.014A	Nondisplaced fracture of body of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.014B	Nondisplaced fracture of body of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.015A	Nondisplaced fracture of body of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.015B	Nondisplaced fracture of body of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.016A	Nondisplaced fracture of body of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.016B	Nondisplaced fracture of body of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.021A	Displaced fracture of anterior process of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.021B	Displaced fracture of anterior process of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.022A	Displaced fracture of anterior process of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.022B	Displaced fracture of anterior process of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.023A	Displaced fracture of anterior process of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.023B	Displaced fracture of anterior process of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.024A	Nondisplaced fracture of anterior process of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.024B	Nondisplaced fracture of anterior process of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.025A	Nondisplaced fracture of anterior process of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.025B	Nondisplaced fracture of anterior process of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.026A	Nondisplaced fracture of anterior process of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.026B	Nondisplaced fracture of anterior process of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.031A	Displaced avulsion fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.031B	Displaced avulsion fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.032A	Displaced avulsion fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.032B	Displaced avulsion fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.033A	Displaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.033B	Displaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.034A	Nondisplaced avulsion fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.034B	Nondisplaced avulsion fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.035A	Nondisplaced avulsion fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.035B	Nondisplaced avulsion fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.036A	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.036B	Nondisplaced avulsion fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.041A	Displaced other fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.041B	Displaced other fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.042A	Displaced other fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.042B	Displaced other fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.043A	Displaced other fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.043B	Displaced other fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.044A	Nondisplaced other fracture of tuberosity of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.044B	Nondisplaced other fracture of tuberosity of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.045A	Nondisplaced other fracture of tuberosity of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.045B	Nondisplaced other fracture of tuberosity of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.046A	Nondisplaced other fracture of tuberosity of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.046B	Nondisplaced other fracture of tuberosity of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.051A	Displaced other extraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.051B	Displaced other extraarticular fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.052A	Displaced other extraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.052B	Displaced other extraarticular fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.053A	Displaced other extraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.053B	Displaced other extraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.054A	Nondisplaced other extraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.054B	Nondisplaced other extraarticular fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.055A	Nondisplaced other extraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.055B	Nondisplaced other extraarticular fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.056A	Nondisplaced other extraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.056B	Nondisplaced other extraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.061A	Displaced intraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.061B	Displaced intraarticular fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.062A	Displaced intraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.062B	Displaced intraarticular fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.063A	Displaced intraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.063B	Displaced intraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.064A	Nondisplaced intraarticular fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.064B	Nondisplaced intraarticular fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.065A	Nondisplaced intraarticular fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.065B	Nondisplaced intraarticular fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.066A	Nondisplaced intraarticular fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.066B	Nondisplaced intraarticular fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.101A	Unspecified fracture of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.101B	Unspecified fracture of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.102A	Unspecified fracture of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.102B	Unspecified fracture of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.109A	Unspecified fracture of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.109B	Unspecified fracture of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.111A	Displaced fracture of neck of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.111B	Displaced fracture of neck of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.112A	Displaced fracture of neck of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.112B	Displaced fracture of neck of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.113A	Displaced fracture of neck of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.113B	Displaced fracture of neck of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.114A	Nondisplaced fracture of neck of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.114B	Nondisplaced fracture of neck of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.115A	Nondisplaced fracture of neck of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.115B	Nondisplaced fracture of neck of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.116A	Nondisplaced fracture of neck of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.116B	Nondisplaced fracture of neck of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.121A	Displaced fracture of body of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.121B	Displaced fracture of body of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.122A	Displaced fracture of body of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.122B	Displaced fracture of body of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.123A	Displaced fracture of body of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.123B	Displaced fracture of body of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.124A	Nondisplaced fracture of body of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.124B	Nondisplaced fracture of body of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.125A	Nondisplaced fracture of body of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.125B	Nondisplaced fracture of body of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.126A	Nondisplaced fracture of body of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.126B	Nondisplaced fracture of body of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.131A	Displaced fracture of posterior process of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.131B	Displaced fracture of posterior process of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.132A	Displaced fracture of posterior process of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.132B	Displaced fracture of posterior process of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.133A	Displaced fracture of posterior process of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.133B	Displaced fracture of posterior process of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.134A	Nondisplaced fracture of posterior process of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.134B	Nondisplaced fracture of posterior process of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.135A	Nondisplaced fracture of posterior process of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.135B	Nondisplaced fracture of posterior process of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.136A	Nondisplaced fracture of posterior process of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.136B	Nondisplaced fracture of posterior process of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.141A	Displaced dome fracture of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.141B	Displaced dome fracture of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.142A	Displaced dome fracture of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.142B	Displaced dome fracture of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.143A	Displaced dome fracture of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.143B	Displaced dome fracture of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.144A	Nondisplaced dome fracture of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.144B	Nondisplaced dome fracture of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.145A	Nondisplaced dome fracture of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.145B	Nondisplaced dome fracture of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.146A	Nondisplaced dome fracture of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.146B	Nondisplaced dome fracture of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.151A	Displaced avulsion fracture (chip fracture) of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.151B	Displaced avulsion fracture (chip fracture) of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.152A	Displaced avulsion fracture (chip fracture) of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.152B	Displaced avulsion fracture (chip fracture) of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.153A	Displaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.153B	Displaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.154A	Nondisplaced avulsion fracture (chip fracture) of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.154B	Nondisplaced avulsion fracture (chip fracture) of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.155A	Nondisplaced avulsion fracture (chip fracture) of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.155B	Nondisplaced avulsion fracture (chip fracture) of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.156A	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.156B	Nondisplaced avulsion fracture (chip fracture) of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.191A	Other fracture of right talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.191B	Other fracture of right talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.192A	Other fracture of left talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.192B	Other fracture of left talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.199A	Other fracture of unspecified talus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.199B	Other fracture of unspecified talus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.201A	Fracture of unspecified tarsal bone(s) of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.201B	Fracture of unspecified tarsal bone(s) of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.202A	Fracture of unspecified tarsal bone(s) of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.202B	Fracture of unspecified tarsal bone(s) of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.209A	Fracture of unspecified tarsal bone(s) of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.209B	Fracture of unspecified tarsal bone(s) of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.211A	Displaced fracture of cuboid bone of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.211B	Displaced fracture of cuboid bone of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.212A	Displaced fracture of cuboid bone of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.212B	Displaced fracture of cuboid bone of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.213A	Displaced fracture of cuboid bone of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.213B	Displaced fracture of cuboid bone of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.214A	Nondisplaced fracture of cuboid bone of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.214B	Nondisplaced fracture of cuboid bone of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.215A	Nondisplaced fracture of cuboid bone of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.215B	Nondisplaced fracture of cuboid bone of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.216A	Nondisplaced fracture of cuboid bone of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.216B	Nondisplaced fracture of cuboid bone of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.221A	Displaced fracture of lateral cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.221B	Displaced fracture of lateral cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.222A	Displaced fracture of lateral cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.222B	Displaced fracture of lateral cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.223A	Displaced fracture of lateral cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.223B	Displaced fracture of lateral cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.224A	Nondisplaced fracture of lateral cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.224B	Nondisplaced fracture of lateral cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.225A	Nondisplaced fracture of lateral cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.225B	Nondisplaced fracture of lateral cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.226A	Nondisplaced fracture of lateral cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.226B	Nondisplaced fracture of lateral cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.231A	Displaced fracture of intermediate cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.231B	Displaced fracture of intermediate cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.232A	Displaced fracture of intermediate cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.232B	Displaced fracture of intermediate cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.233A	Displaced fracture of intermediate cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.233B	Displaced fracture of intermediate cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.234A	Nondisplaced fracture of intermediate cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.234B	Nondisplaced fracture of intermediate cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.235A	Nondisplaced fracture of intermediate cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.235B	Nondisplaced fracture of intermediate cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.236A	Nondisplaced fracture of intermediate cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.236B	Nondisplaced fracture of intermediate cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.241A	Displaced fracture of medial cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.241B	Displaced fracture of medial cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.242A	Displaced fracture of medial cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.242B	Displaced fracture of medial cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.243A	Displaced fracture of medial cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.243B	Displaced fracture of medial cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.244A	Nondisplaced fracture of medial cuneiform of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.244B	Nondisplaced fracture of medial cuneiform of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.245A	Nondisplaced fracture of medial cuneiform of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.245B	Nondisplaced fracture of medial cuneiform of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.246A	Nondisplaced fracture of medial cuneiform of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.246B	Nondisplaced fracture of medial cuneiform of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.251A	Displaced fracture of navicular [scaphoid] of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.251B	Displaced fracture of navicular [scaphoid] of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.252A	Displaced fracture of navicular [scaphoid] of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.252B	Displaced fracture of navicular [scaphoid] of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.253A	Displaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.253B	Displaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.254A	Nondisplaced fracture of navicular [scaphoid] of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.254B	Nondisplaced fracture of navicular [scaphoid] of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.255A	Nondisplaced fracture of navicular [scaphoid] of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.255B	Nondisplaced fracture of navicular [scaphoid] of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.256A	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.256B	Nondisplaced fracture of navicular [scaphoid] of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.301A	Fracture of unspecified metatarsal bone(s), right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.301B	Fracture of unspecified metatarsal bone(s), right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.302A	Fracture of unspecified metatarsal bone(s), left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.302B	Fracture of unspecified metatarsal bone(s), left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.309A	Fracture of unspecified metatarsal bone(s), unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.309B	Fracture of unspecified metatarsal bone(s), unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.311A	Displaced fracture of first metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.311B	Displaced fracture of first metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.312A	Displaced fracture of first metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.312B	Displaced fracture of first metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.313A	Displaced fracture of first metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.313B	Displaced fracture of first metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.314A	Nondisplaced fracture of first metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.314B	Nondisplaced fracture of first metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.315A	Nondisplaced fracture of first metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.315B	Nondisplaced fracture of first metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.316A	Nondisplaced fracture of first metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.316B	Nondisplaced fracture of first metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.321A	Displaced fracture of second metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.321B	Displaced fracture of second metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.322A	Displaced fracture of second metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.322B	Displaced fracture of second metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.323A	Displaced fracture of second metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.323B	Displaced fracture of second metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.324A	Nondisplaced fracture of second metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.324B	Nondisplaced fracture of second metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.325A	Nondisplaced fracture of second metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.325B	Nondisplaced fracture of second metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.326A	Nondisplaced fracture of second metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.326B	Nondisplaced fracture of second metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.331A	Displaced fracture of third metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.331B	Displaced fracture of third metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.332A	Displaced fracture of third metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.332B	Displaced fracture of third metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.333A	Displaced fracture of third metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.333B	Displaced fracture of third metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.334A	Nondisplaced fracture of third metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.334B	Nondisplaced fracture of third metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.335A	Nondisplaced fracture of third metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.335B	Nondisplaced fracture of third metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.336A	Nondisplaced fracture of third metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.336B	Nondisplaced fracture of third metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.341A	Displaced fracture of fourth metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.341B	Displaced fracture of fourth metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.342A	Displaced fracture of fourth metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.342B	Displaced fracture of fourth metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.343A	Displaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.343B	Displaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.344A	Nondisplaced fracture of fourth metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.344B	Nondisplaced fracture of fourth metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.345A	Nondisplaced fracture of fourth metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.345B	Nondisplaced fracture of fourth metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.346A	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.346B	Nondisplaced fracture of fourth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.351A	Displaced fracture of fifth metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.351B	Displaced fracture of fifth metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.352A	Displaced fracture of fifth metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.352B	Displaced fracture of fifth metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.353A	Displaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.353B	Displaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.354A	Nondisplaced fracture of fifth metatarsal bone, right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.354B	Nondisplaced fracture of fifth metatarsal bone, right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.355A	Nondisplaced fracture of fifth metatarsal bone, left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.355B	Nondisplaced fracture of fifth metatarsal bone, left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.356A	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.356B	Nondisplaced fracture of fifth metatarsal bone, unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.401A	Displaced unspecified fracture of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.401B	Displaced unspecified fracture of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.402A	Displaced unspecified fracture of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.402B	Displaced unspecified fracture of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.403A	Displaced unspecified fracture of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.403B	Displaced unspecified fracture of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.404A	Nondisplaced unspecified fracture of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.404B	Nondisplaced unspecified fracture of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.405A	Nondisplaced unspecified fracture of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.405B	Nondisplaced unspecified fracture of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.406A	Nondisplaced unspecified fracture of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.406B	Nondisplaced unspecified fracture of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.411A	Displaced fracture of proximal phalanx of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.411B	Displaced fracture of proximal phalanx of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.412A	Displaced fracture of proximal phalanx of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.412B	Displaced fracture of proximal phalanx of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.413A	Displaced fracture of proximal phalanx of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.413B	Displaced fracture of proximal phalanx of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.414A	Nondisplaced fracture of proximal phalanx of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.414B	Nondisplaced fracture of proximal phalanx of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.415A	Nondisplaced fracture of proximal phalanx of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.415B	Nondisplaced fracture of proximal phalanx of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.416A	Nondisplaced fracture of proximal phalanx of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.416B	Nondisplaced fracture of proximal phalanx of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.421A	Displaced fracture of distal phalanx of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.421B	Displaced fracture of distal phalanx of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.422A	Displaced fracture of distal phalanx of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.422B	Displaced fracture of distal phalanx of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.423A	Displaced fracture of distal phalanx of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.423B	Displaced fracture of distal phalanx of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.424A	Nondisplaced fracture of distal phalanx of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.424B	Nondisplaced fracture of distal phalanx of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.425A	Nondisplaced fracture of distal phalanx of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.425B	Nondisplaced fracture of distal phalanx of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.426A	Nondisplaced fracture of distal phalanx of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.426B	Nondisplaced fracture of distal phalanx of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.491A	Other fracture of right great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.491B	Other fracture of right great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.492A	Other fracture of left great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.492B	Other fracture of left great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.499A	Other fracture of unspecified great toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.499B	Other fracture of unspecified great toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.501A	Displaced unspecified fracture of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.501B	Displaced unspecified fracture of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.502A	Displaced unspecified fracture of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.502B	Displaced unspecified fracture of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.503A	Displaced unspecified fracture of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.503B	Displaced unspecified fracture of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.504A	Nondisplaced unspecified fracture of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.504B	Nondisplaced unspecified fracture of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.505A	Nondisplaced unspecified fracture of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.505B	Nondisplaced unspecified fracture of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.506A	Nondisplaced unspecified fracture of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.506B	Nondisplaced unspecified fracture of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.511A	Displaced fracture of proximal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.511B	Displaced fracture of proximal phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.512A	Displaced fracture of proximal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.512B	Displaced fracture of proximal phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.513A	Displaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.513B	Displaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.514A	Nondisplaced fracture of proximal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.514B	Nondisplaced fracture of proximal phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.515A	Nondisplaced fracture of proximal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.515B	Nondisplaced fracture of proximal phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.516A	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.516B	Nondisplaced fracture of proximal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.521A	Displaced fracture of middle phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.521B	Displaced fracture of middle phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.522A	Displaced fracture of middle phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.522B	Displaced fracture of middle phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis



**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.523A	Displaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.523B	Displaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.524A	Nondisplaced fracture of middle phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.524B	Nondisplaced fracture of middle phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.525A	Nondisplaced fracture of middle phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.525B	Nondisplaced fracture of middle phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.526A	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.526B	Nondisplaced fracture of middle phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.531A	Displaced fracture of distal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.531B	Displaced fracture of distal phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.532A	Displaced fracture of distal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.532B	Displaced fracture of distal phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.533A	Displaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.533B	Displaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.534A	Nondisplaced fracture of distal phalanx of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.534B	Nondisplaced fracture of distal phalanx of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.535A	Nondisplaced fracture of distal phalanx of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.535B	Nondisplaced fracture of distal phalanx of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.536A	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.536B	Nondisplaced fracture of distal phalanx of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.591A	Other fracture of right lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.591B	Other fracture of right lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S92.592A	Other fracture of left lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.592B	Other fracture of left lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.599A	Other fracture of unspecified lesser toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.599B	Other fracture of unspecified lesser toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.811A	Other fracture of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.811B	Other fracture of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.812A	Other fracture of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.812B	Other fracture of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.819A	Other fracture of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.819B	Other fracture of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.901A	Unspecified fracture of right foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.901B	Unspecified fracture of right foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.902A	Unspecified fracture of left foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.902B	Unspecified fracture of left foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.909A	Unspecified fracture of unspecified foot, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.909B	Unspecified fracture of unspecified foot, initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.911A	Unspecified fracture of right toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.911B	Unspecified fracture of right toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.912A	Unspecified fracture of left toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.912B	Unspecified fracture of left toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S92.919A	Unspecified fracture of unspecified toe(s), initial encounter for closed fracture	ICD-10-CM	Diagnosis
S92.919B	Unspecified fracture of unspecified toe(s), initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.001A	Unspecified physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.001B	Unspecified physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.002A	Unspecified physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.002B	Unspecified physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.009A	Unspecified physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.009B	Unspecified physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.011A	Salter-Harris Type I physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.011B	Salter-Harris Type I physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.012A	Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.012B	Salter-Harris Type I physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.019A	Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.019B	Salter-Harris Type I physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.021A	Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.021B	Salter-Harris Type II physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.022A	Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.022B	Salter-Harris Type II physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.029A	Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.029B	Salter-Harris Type II physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.031A	Salter-Harris Type III physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.031B	Salter-Harris Type III physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.032A	Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.032B	Salter-Harris Type III physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.039A	Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.039B	Salter-Harris Type III physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.041A	Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.041B	Salter-Harris Type IV physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.042A	Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.042B	Salter-Harris Type IV physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.049A	Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.049B	Salter-Harris Type IV physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.091A	Other physeal fracture of right calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.091B	Other physeal fracture of right calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.092A	Other physeal fracture of left calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.092B	Other physeal fracture of left calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.099A	Other physeal fracture of unspecified calcaneus, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.099B	Other physeal fracture of unspecified calcaneus, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.101A	Unspecified physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.101B	Unspecified physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.102A	Unspecified physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.102B	Unspecified physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.109A	Unspecified physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.109B	Unspecified physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.111A	Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.111B	Salter-Harris Type I physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.112A	Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.112B	Salter-Harris Type I physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.119A	Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.119B	Salter-Harris Type I physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.121A	Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.121B	Salter-Harris Type II physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.122A	Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.122B	Salter-Harris Type II physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.129A	Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.129B	Salter-Harris Type II physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.131A	Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.131B	Salter-Harris Type III physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.132A	Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.132B	Salter-Harris Type III physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.139A	Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.139B	Salter-Harris Type III physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.141A	Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.141B	Salter-Harris Type IV physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.142A	Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.142B	Salter-Harris Type IV physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.149A	Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.149B	Salter-Harris Type IV physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.191A	Other physeal fracture of right metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.191B	Other physeal fracture of right metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.192A	Other physeal fracture of left metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.192B	Other physeal fracture of left metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.199A	Other physeal fracture of unspecified metatarsal, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.199B	Other physeal fracture of unspecified metatarsal, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.201A	Unspecified physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.201B	Unspecified physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.202A	Unspecified physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.202B	Unspecified physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.209A	Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.209B	Unspecified physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.211A	Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.211B	Salter-Harris Type I physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.212A	Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.212B	Salter-Harris Type I physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.219A	Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.219B	Salter-Harris Type I physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.221A	Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.221B	Salter-Harris Type II physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.222A	Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.222B	Salter-Harris Type II physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.229A	Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.229B	Salter-Harris Type II physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.231A	Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.231B	Salter-Harris Type III physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.232A	Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.232B	Salter-Harris Type III physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.239A	Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis

**International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Any Fracture in this Request**

<b>Codes</b>	<b>Description</b>	<b>Code Type</b>	<b>Code Category</b>
S99.239B	Salter-Harris Type III physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.241A	Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.241B	Salter-Harris Type IV physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.242A	Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.242B	Salter-Harris Type IV physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.249A	Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.249B	Salter-Harris Type IV physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.291A	Other physeal fracture of phalanx of right toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.291B	Other physeal fracture of phalanx of right toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.292A	Other physeal fracture of phalanx of left toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.292B	Other physeal fracture of phalanx of left toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
S99.299A	Other physeal fracture of phalanx of unspecified toe, initial encounter for closed fracture	ICD-10-CM	Diagnosis
S99.299B	Other physeal fracture of phalanx of unspecified toe, initial encounter for open fracture	ICD-10-CM	Diagnosis
T14.8XXA	Other injury of unspecified body region, initial encounter	ICD-10-CM	Diagnosis