

Disclaimer

The following report(s) provides findings from an FDA-initiated query using Sentinel. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand Sentinel capabilities.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelssystem.org.

Overview for Request cder_mpl1r_wp261

Request ID: cder_mpl1r_wp261

Request Description: In this report, we characterized prevalence of the 30 selected health conditions among eligible individuals with childbearing potential from October 1, 2015 to January 31, 2024, stratified by age group and calendar year in the Sentinel Distributed Database (SDD).

Sentinel Routine Querying Module: Cohort Identification and Descriptive Analysis (CIDA) module, version 13.0.1

Data Source: We distributed this request to 13 Sentinel Data Partners (DPs) on July 11, 2024. The study period included available data from October 1, 2015 to January 31, 2024. As the data start date varied by Data Partners, we chose October 1, 2015 as our query start to have a stable cohort population and measure the most recent prevalences. Please see Appendix A for a list of dates of available data for each Data Partner.

Study Design: We identified episodes with evidence of the 30 selected health conditions among the individuals with childbearing potential aged ten to 54 years old. In the main analysis, we identified the first valid episode of a particular health condition among eligible individuals (i.e., without cohort re-entry). In the stratified analyses by age group and calendar year, we identified the first valid episode of a particular health condition among eligible individuals within the evaluated stratum regardless of the presence of that condition in the previous strata (i.e. we allowed cohort re-entry from one stratum to others, and within each stratum, we selected the first valid episode). For example, using yearly strata as an example, if an individual had two episodes of rheumatoid arthritis/osteoarthritis in the year 2015 and one episode of rheumatoid arthritis/osteoarthritis in the year 2016, that individual was counted as having rheumatoid arthritis/osteoarthritis once in the year 2015 and once in the year 2016. This is a Type 1 analysis in the Query Request Package (QRP) documentation.

Events of Interest: Our interest was 30 selected health conditions which were defined using International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) diagnosis codes. We adapted the Centers for Medicare and Medicaid Services' (CMS) Chronic Conditions Data Warehouse (CCW)¹ algorithms to define our selected conditions: rheumatoid arthritis/osteoarthritis, lupus, psoriasis or psoriatic arthritis, Crohn's disease, ulcerative colitis, hypothyroidism, hyperthyroidism, breast cancer, colorectal cancer, cervical cancer, leukemia and lymphoma, melanoma, thyroid cancer, endometrial cancer, lung cancer, urologic cancer, osteoporosis, hip/pelvic fracture, all-cause pneumonia, human immunodeficiency virus/acquired immunodeficiency syndrome (HIV/AIDS), hepatitis B, hepatitis C, drug use disorders, tobacco use, alcohol use disorders, anemia, liver disease, cirrhosis, and other liver conditions, cataract, and glaucoma. For example, an individual was considered as having rheumatoid arthritis/osteoarthritis if that person had at least one related diagnosis in inpatient claims or one non-acute institutional stay or at least two diagnoses in outpatient claims (ambulatory visit, emergency department, other ambulatory visit care) within two years. We applied a modified definition of the CCW algorithm to define sickle cell disease. An individual was defined as having sickle cell disease if that person had at least two related diagnoses in any care setting within two years. Please see Appendix B for a list of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes and Appendix C for a list of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) codes used to define the 30 selected health conditions in this request. Please refer to Appendix D for the specifications of parameters used to identify cohort-defining events of interest in this request.

Cohort Eligibility Criteria: Individuals were eligible for cohort entry if the individuals were enrolled in health plans with medical and drug coverage for at least one day during the query period, had female sex, and had ages ten to 54 years old. A gap in coverage of up to 45 days was allowed and treated as continuous enrollment.

Baseline Characteristics: We ascertained the following demographic characteristics assessed on the cohort entry date for all cohort qualifying episodes: age, race, ethnicity, and calendar year.

Please refer to Appendix E for the design diagram in this request.

Overview for Request cder_mpl1r_wp261

Limitations: Algorithms used to define the selected health conditions are imperfect; thus, it is possible that there may be misclassification. Therefore, data should be interpreted with this limitation in mind.

Notes: Please contact the Sentinel Operations Center (info@sentinelssystem.org) for questions and to provide comments/suggestions for future enhancements to this document. For more information on Sentinel's routine querying modules, please refer to the documentation (<https://dev.sentinelssystem.org/projects/SENTINEL/repos/sentinel-routine-querying-tool-documentation/browse>).

¹Chronic Conditions Data Warehouse. Condition Categories - Chronic Conditions Data Warehouse.
<https://www.ccwdata.org/web/guest/condition-categories>

Table of Contents

<u>Glossary (CIDA)</u>	List of Terms to Define the Cohort Identification and Descriptive Analysis (CIDA) Found in this Report
<u>Table 1a</u>	Characteristics of Individuals with Childbearing Potential with Rheumatoid Arthritis/Osteoarthritis in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1b</u>	Characteristics of Individuals with Childbearing Potential with Lupus in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1c</u>	Characteristics of Individuals with Childbearing Potential with Psoriasis or Psoriatic Arthritis in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1d</u>	Characteristics of Individuals with Childbearing Potential with Crohn’s Disease in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1e</u>	Characteristics of Individuals with Childbearing Potential with Ulcerative Colitis in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1f</u>	Characteristics of Individuals with Childbearing Potential with Hypothyroidism in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1g</u>	Characteristics of Individuals with Childbearing Potential with Hyperthyroidism in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1h</u>	Characteristics of Individuals with Childbearing Potential with Breast Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1i</u>	Characteristics of Individuals with Childbearing Potential with Colorectal Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1j</u>	Characteristics of Individuals with Childbearing Potential with Cervical Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1k</u>	Characteristics of Individuals with Childbearing Potential with Leukemia and Lymphoma in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1l</u>	Characteristics of Individuals with Childbearing Potential with Melanoma in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1m</u>	Characteristics of Individuals with Childbearing Potential with Thyroid Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1n</u>	Characteristics of Individuals with Childbearing Potential with Endometrial Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1o</u>	Characteristics of Individuals with Childbearing Potential with Lung Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1p</u>	Characteristics of Individuals with Childbearing Potential with Urologic Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1q</u>	Characteristics of Individuals with Childbearing Potential with Osteoporosis in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1r</u>	Characteristics of Individuals with Childbearing Potential with Hip/Pelvic Fracture in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024
<u>Table 1s</u>	Characteristics of Individuals with Childbearing Potential with All-Cause Pneumonia in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table of Contents

Table 1t Characteristics of Individuals with Childbearing Potential with Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome (HIV/AIDS) in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1u Characteristics of Individuals with Childbearing Potential with Hepatitis B in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1v Characteristics of Individuals with Childbearing Potential with Hepatitis C in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1w Characteristics of Individuals with Childbearing Potential with Drug Use Disorders in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1x Characteristics of Individuals with Childbearing Potential with Tobacco Use in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1y Characteristics of Individuals with Childbearing Potential with Alcohol Use Disorders in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1z Characteristics of Individuals with Childbearing Potential with Anemia in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1aa Characteristics of Individuals with Childbearing Potential with Sickle Cell Disease in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1ab Characteristics of Individuals with Childbearing Potential with Liver Disease, Cirrhosis, and Other Liver Conditions in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1ac Characteristics of Individuals with Childbearing Potential with Cataract in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 1ad Characteristics of Individuals with Childbearing Potential with Glaucoma in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 2a Prevalence of the Selected Health Conditions among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Table 2b Prevalence of the Selected Health Conditions among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

Table 2c Prevalence of the Selected Health Conditions among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year

Table 3 Summary of Patient Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Appendix A Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (July 11, 2024)

Appendix B List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Appendix C List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define the Selected Health Conditions in this Request

Appendix D Specifications Defining Parameters in this Request

Appendix E Design Diagram Used in this Request

**Glossary of Terms for Analyses Using
Cohort Identification and Descriptive Analysis (CIDA) Module***

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing.

Blackout Period - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator (PDX), forms the Care Setting/PDX parameter.

Ambulatory Visit (AV) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

Emergency Department (ED) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

Inpatient Hospital Stay (IP) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

Non-Acute Institutional Stay (IS) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

Other Ambulatory Visit (OA) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

Charlson/Elixhauser Combined Comorbidity Score - calculated based on comorbidities observed during a requester-defined window around the exposure episode start date (e.g., in the 183 days prior to index).

Code Days - the minimum number of times the diagnosis must be found during the evaluation period in order to fulfill the algorithm to identify the corresponding patient characteristic.

Cohort Definition (drug/exposure) - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

Computed Start Marketing Date - represents the first observed dispensing date among all valid users within a GROUP (scenario) within each Data Partner site.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

Eligible Members - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

Enrollment Gap - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

Episodes - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

Episode Gap - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

Event Deduplication - specifies how events are counted by the Modular Program (MP) algorithm: 0: Counts all occurrences of a health outcome of interest (HOI) during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

Exposure Extension Period - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions are added after any episode gaps have been bridged.

Lookback Period - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).

Maximum Episode Duration - truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Member-Years - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered.

Minimum Episode Duration - specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

Monitoring Period - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.

Switch Evaluation Step Value - value used to differentiate evaluation step. Each switch pattern can support up to 2 evaluation steps (0 = switch pattern evaluation start; 1 = first evaluation; 2 = second evaluation).

Switch Gap Inclusion Indicator - indicator for whether gaps in treatment episodes that are included in a switch episode will be counted as part of the switch episode duration.

Switch Pattern Cohort Inclusion Date - indicates which date to use for inclusion into the switch pattern cohort of interest as well as optionally as the index date of the treatment episode initiating the switch pattern. Valid options are the product approval date, product marketing date, other requester defined date, or computed start marketing date.

Switch Pattern Cohort Inclusion Strategy - indicates how the switch pattern cohort inclusion date will be used: 01: used only as a switch cohort entry date. First treatment episode dispensing date is used as index for computing time to first switch; 02: used as switch cohort entry date and as initial switch step index date for computing time to first switch.

Treatment Episode Truncation Indicator - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

Washout Period (drug/exposure) - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

Washout Period (event/outcome) - number of days a user is required to have no evidence of a prior event (procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

**all terms may not be used in this report*

Table 1a. Characteristics of Individuals with Childbearing Potential with Rheumatoid Arthritis/Osteoarthritis in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	663,906	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	45.4	8.3
Age²	Number	Percent
10-14 years	2,287	0.3%
15-19 years	5,347	0.8%
20-24 years	11,545	1.7%
25-29 years	24,609	3.7%
30-34 years	42,260	6.4%
35-39 years	65,650	9.9%
40-44 years	96,980	14.6%
45-49 years	156,436	23.6%
50-54 years	258,792	39.0%
Race³		
American Indian or Alaska Native	9,246	1.4%
Asian	6,680	1.0%
Black or African American	117,092	17.6%
Multi-racial	3,411	0.5%
Native Hawaiian or Other Pacific Islander	1,045	0.2%
Unknown	184,075	27.7%
White	342,357	51.6%
Hispanic origin		
Yes	47,585	7.2%
No	455,149	68.6%
Unknown	161,172	24.3%
Year^{2,4}		
2015	34,086	5.1%
2016	140,881	21.2%
2017	119,917	18.1%
2018	100,307	15.1%
2019	98,425	14.8%
2020	79,380	12.0%
2021	36,180	5.4%
2022	32,150	4.8%
2023	22,248	3.4%
2024	332	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1b. Characteristics of Individuals with Childbearing Potential with Lupus in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	353,672	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	39.9	9.9
Age ²	Number	Percent
10-14 years	3,774	1.1%
15-19 years	9,709	2.7%
20-24 years	19,946	5.6%
25-29 years	34,833	9.8%
30-34 years	43,784	12.4%
35-39 years	51,356	14.5%
40-44 years	56,532	16.0%
45-49 years	63,693	18.0%
50-54 years	70,045	19.8%
Race ³		
American Indian or Alaska Native	3,000	0.8%
Asian	8,833	2.5%
Black or African American	72,039	20.4%
Multi-racial	3,550	1.0%
Native Hawaiian or Other Pacific Islander	772	0.2%
Unknown	146,066	41.3%
White	119,412	33.8%
Hispanic origin		
Yes	38,237	10.8%
No	185,993	52.6%
Unknown	129,442	36.6%
Year ^{2,4}		
2015	35,102	9.9%
2016	87,131	24.6%
2017	51,837	14.7%
2018	40,777	11.5%
2019	40,797	11.5%
2020	39,546	11.2%
2021	20,774	5.9%
2022	20,626	5.8%
2023	16,514	4.7%
2024	568	0.2%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1c. Characteristics of Individuals with Childbearing Potential with Psoriasis or Psoriatic Arthritis in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	465,470	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	38.5	11.1
Age ²	Number	Percent
10-14 years	16,092	3.5%
15-19 years	21,491	4.6%
20-24 years	29,524	6.3%
25-29 years	45,891	9.9%
30-34 years	55,948	12.0%
35-39 years	63,301	13.6%
40-44 years	65,666	14.1%
45-49 years	75,489	16.2%
50-54 years	92,068	19.8%
Race ³		
American Indian or Alaska Native	3,255	0.7%
Asian	13,340	2.9%
Black or African American	21,146	4.5%
Multi-racial	6,357	1.4%
Native Hawaiian or Other Pacific Islander	1,144	0.2%
Unknown	216,190	46.4%
White	204,038	43.8%
Hispanic origin		
Yes	30,584	6.6%
No	209,326	45.0%
Unknown	225,560	48.5%
Year ^{2,4}		
2015	19,046	4.1%
2016	86,665	18.6%
2017	70,435	15.1%
2018	60,803	13.1%
2019	61,242	13.2%
2020	57,083	12.3%
2021	37,454	8.0%
2022	38,437	8.3%
2023	33,447	7.2%
2024	858	0.2%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1d. Characteristics of Individuals with Childbearing Potential with Crohn’s Disease in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	211,392	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	36.6	11.0
Age ²	Number	Percent
10-14 years	6,773	3.2%
15-19 years	12,720	6.0%
20-24 years	18,123	8.6%
25-29 years	27,516	13.0%
30-34 years	28,249	13.4%
35-39 years	29,281	13.9%
40-44 years	27,838	13.2%
45-49 years	29,180	13.8%
50-54 years	31,712	15.0%
Race ³		
American Indian or Alaska Native	1,151	0.5%
Asian	2,268	1.1%
Black or African American	19,713	9.3%
Multi-racial	2,139	1.0%
Native Hawaiian or Other Pacific Islander	186	0.1%
Unknown	87,082	41.2%
White	98,853	46.8%
Hispanic origin		
Yes	8,825	4.2%
No	107,965	51.1%
Unknown	94,602	44.8%
Year ^{2,4}		
2015	22,899	10.8%
2016	49,279	23.3%
2017	30,990	14.7%
2018	24,343	11.5%
2019	23,967	11.3%
2020	23,015	10.9%
2021	13,318	6.3%
2022	13,131	6.2%
2023	10,105	4.8%
2024	345	0.2%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners’ end dates.

Table 1e. Characteristics of Individuals with Childbearing Potential with Ulcerative Colitis in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	185,762	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	37.7	10.8
Age²	Number	Percent
10-14 years	4,275	2.3%
15-19 years	8,892	4.8%
20-24 years	14,540	7.8%
25-29 years	22,597	12.2%
30-34 years	24,933	13.4%
35-39 years	25,772	13.9%
40-44 years	25,343	13.6%
45-49 years	27,580	14.8%
50-54 years	31,830	17.1%
Race³		
American Indian or Alaska Native	1,115	0.6%
Asian	3,422	1.8%
Black or African American	15,336	8.3%
Multi-racial	2,356	1.3%
Native Hawaiian or Other Pacific Islander	181	0.1%
Unknown	85,753	46.2%
White	77,599	41.8%
Hispanic origin		
Yes	11,791	6.3%
No	84,478	45.5%
Unknown	89,493	48.2%
Year^{2,4}		
2015	11,784	6.3%
2016	40,407	21.8%
2017	28,740	15.5%
2018	23,408	12.6%
2019	22,820	12.3%
2020	21,657	11.7%
2021	13,178	7.1%
2022	13,065	7.0%
2023	10,415	5.6%
2024	288	0.2%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1f. Characteristics of Individuals with Childbearing Potential with Hypothyroidism in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	4,108,260	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	40.6	10.2
Age²	Number	Percent
10-14 years	64,714	1.6%
15-19 years	105,462	2.6%
20-24 years	198,246	4.8%
25-29 years	353,855	8.6%
30-34 years	482,411	11.7%
35-39 years	561,909	13.7%
40-44 years	617,768	15.0%
45-49 years	762,931	18.6%
50-54 years	960,964	23.4%
Race³		
American Indian or Alaska Native	25,748	0.6%
Asian	125,617	3.1%
Black or African American	213,206	5.2%
Multi-racial	46,336	1.1%
Native Hawaiian or Other Pacific Islander	6,019	0.1%
Unknown	2,042,730	49.7%
White	1,648,604	40.1%
Hispanic origin		
Yes	341,178	8.3%
No	1,752,705	42.7%
Unknown	2,014,377	49.0%
Year^{2,4}		
2015	237,943	5.8%
2016	1,060,621	25.8%
2017	685,714	16.7%
2018	515,519	12.5%
2019	465,871	11.3%
2020	431,711	10.5%
2021	251,202	6.1%
2022	248,525	6.0%
2023	205,646	5.0%
2024	5,508	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1g. Characteristics of Individuals with Childbearing Potential with Hyperthyroidism in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	494,060	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	38.2	10.4
Age²	Number	Percent
10-14 years	8,019	1.6%
15-19 years	20,432	4.1%
20-24 years	35,302	7.1%
25-29 years	58,458	11.8%
30-34 years	71,305	14.4%
35-39 years	72,461	14.7%
40-44 years	67,668	13.7%
45-49 years	73,916	15.0%
50-54 years	86,499	17.5%
Race³		
American Indian or Alaska Native	4,150	0.8%
Asian	27,030	5.5%
Black or African American	74,414	15.1%
Multi-racial	6,522	1.3%
Native Hawaiian or Other Pacific Islander	1,732	0.4%
Unknown	224,396	45.4%
White	155,816	31.5%
Hispanic origin		
Yes	49,504	10.0%
No	237,430	48.1%
Unknown	207,126	41.9%
Year^{2,4}		
2015	23,657	4.8%
2016	104,128	21.1%
2017	79,757	16.1%
2018	67,510	13.7%
2019	66,111	13.4%
2020	63,514	12.9%
2021	31,215	6.3%
2022	31,342	6.3%
2023	26,091	5.3%
2024	735	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1h. Characteristics of Individuals with Childbearing Potential with Breast Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	515,483	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	47.2	6.3
Age²	Number	Percent
10-14 years	85	0.0%
15-19 years	304	0.1%
20-24 years	1,391	0.3%
25-29 years	6,969	1.4%
30-34 years	19,959	3.9%
35-39 years	41,342	8.0%
40-44 years	85,488	16.6%
45-49 years	145,440	28.2%
50-54 years	214,505	41.6%
Race³		
American Indian or Alaska Native	2,632	0.5%
Asian	18,811	3.6%
Black or African American	56,976	11.1%
Multi-racial	6,278	1.2%
Native Hawaiian or Other Pacific Islander	1,003	0.2%
Unknown	242,868	47.1%
White	186,915	36.3%
Hispanic origin		
Yes	35,166	6.8%
No	230,014	44.6%
Unknown	250,303	48.6%
Year^{2,4}		
2015	60,148	11.7%
2016	122,743	23.8%
2017	69,857	13.6%
2018	55,874	10.8%
2019	55,776	10.8%
2020	53,187	10.3%
2021	34,240	6.6%
2022	34,261	6.6%
2023	28,262	5.5%
2024	1,135	0.2%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1i. Characteristics of Individuals with Childbearing Potential with Colorectal Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	87,958	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	46.9	7.2
Age²	Number	Percent
10-14 years	90	0.1%
15-19 years	247	0.3%
20-24 years	760	0.9%
25-29 years	1,955	2.2%
30-34 years	4,049	4.6%
35-39 years	7,391	8.4%
40-44 years	12,502	14.2%
45-49 years	22,168	25.2%
50-54 years	38,796	44.1%
Race³		
American Indian or Alaska Native	711	0.8%
Asian	2,637	3.0%
Black or African American	10,986	12.5%
Multi-racial	804	0.9%
Native Hawaiian or Other Pacific Islander	203	0.2%
Unknown	36,531	41.5%
White	36,086	41.0%
Hispanic origin		
Yes	6,760	7.7%
No	45,779	52.0%
Unknown	35,419	40.3%
Year^{2,4}		
2015	8,499	9.7%
2016	18,440	21.0%
2017	12,628	14.4%
2018	10,636	12.1%
2019	11,017	12.5%
2020	10,299	11.7%
2021	5,840	6.6%
2022	5,819	6.6%
2023	4,623	5.3%
2024	157	0.2%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1j. Characteristics of Individuals with Childbearing Potential with Cervical Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	51,891	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	42.8	7.7
Age ²	Number	Percent
10-14 years	25	0.0%
15-19 years	58	0.1%
20-24 years	400	0.8%
25-29 years	2,684	5.2%
30-34 years	6,508	12.5%
35-39 years	9,124	17.6%
40-44 years	10,161	19.6%
45-49 years	11,085	21.4%
50-54 years	11,846	22.8%
Race ³		
American Indian or Alaska Native	452	0.9%
Asian	1,344	2.6%
Black or African American	5,985	11.5%
Multi-racial	389	0.7%
Native Hawaiian or Other Pacific Islander	143	0.3%
Unknown	21,620	41.7%
White	21,958	42.3%
Hispanic origin		
Yes	6,092	11.7%
No	27,942	53.8%
Unknown	17,857	34.4%
Year ^{2,4}		
2015	3,565	6.9%
2016	11,285	21.7%
2017	8,356	16.1%
2018	7,034	13.6%
2019	7,344	14.2%
2020	6,715	12.9%
2021	2,630	5.1%
2022	2,729	5.3%
2023	2,158	4.2%
2024	75	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1k. Characteristics of Individuals with Childbearing Potential with Leukemia and Lymphoma in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	151,803	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	38.9	12.0
Age ²	Number	Percent
10-14 years	8,641	5.7%
15-19 years	7,264	4.8%
20-24 years	9,320	6.1%
25-29 years	13,156	8.7%
30-34 years	14,704	9.7%
35-39 years	16,673	11.0%
40-44 years	19,396	12.8%
45-49 years	25,848	17.0%
50-54 years	36,801	24.2%
Race ³		
American Indian or Alaska Native	995	0.7%
Asian	3,548	2.3%
Black or African American	17,108	11.3%
Multi-racial	1,510	1.0%
Native Hawaiian or Other Pacific Islander	332	0.2%
Unknown	66,379	43.7%
White	61,931	40.8%
Hispanic origin		
Yes	14,952	9.8%
No	75,890	50.0%
Unknown	60,961	40.2%
Year ^{2,4}		
2015	14,002	9.2%
2016	35,032	23.1%
2017	22,836	15.0%
2018	18,351	12.1%
2019	18,430	12.1%
2020	17,276	11.4%
2021	9,285	6.1%
2022	9,299	6.1%
2023	7,075	4.7%
2024	217	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 11. Characteristics of Individuals with Childbearing Potential with Melanoma in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	841,625	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	42.1	10.0
Age ²	Number	Percent
10-14 years	16,753	2.0%
15-19 years	19,837	2.4%
20-24 years	25,072	3.0%
25-29 years	47,737	5.7%
30-34 years	82,681	9.8%
35-39 years	111,253	13.2%
40-44 years	132,746	15.8%
45-49 years	173,177	20.6%
50-54 years	232,369	27.6%
Race ³		
American Indian or Alaska Native	2,336	0.3%
Asian	9,509	1.1%
Black or African American	17,931	2.1%
Multi-racial	11,020	1.3%
Native Hawaiian or Other Pacific Islander	521	0.1%
Unknown	426,639	50.7%
White	373,669	44.4%
Hispanic origin		
Yes	29,042	3.5%
No	320,728	38.1%
Unknown	491,855	58.4%
Year ^{2,4}		
2015	20,815	2.5%
2016	133,421	15.9%
2017	140,785	16.7%
2018	120,042	14.3%
2019	112,551	13.4%
2020	90,175	10.7%
2021	76,004	9.0%
2022	79,351	9.4%
2023	67,065	8.0%
2024	1,416	0.2%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1m. Characteristics of Individuals with Childbearing Potential with Thyroid Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	201,375	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	41.4	9.3
Age²	Number	Percent
10-14 years	992	0.5%
15-19 years	3,347	1.7%
20-24 years	7,435	3.7%
25-29 years	16,265	8.1%
30-34 years	23,581	11.7%
35-39 years	30,403	15.1%
40-44 years	34,677	17.2%
45-49 years	39,727	19.7%
50-54 years	44,948	22.3%
Race³		
American Indian or Alaska Native	1,129	0.6%
Asian	8,790	4.4%
Black or African American	12,614	6.3%
Multi-racial	2,808	1.4%
Native Hawaiian or Other Pacific Islander	425	0.2%
Unknown	100,869	50.1%
White	74,740	37.1%
Hispanic origin		
Yes	16,720	8.3%
No	83,677	41.6%
Unknown	100,978	50.1%
Year^{2,4}		
2015	14,435	7.2%
2016	48,907	24.3%
2017	30,932	15.4%
2018	24,738	12.3%
2019	23,608	11.7%
2020	21,522	10.7%
2021	13,014	6.5%
2022	12,943	6.4%
2023	10,947	5.4%
2024	329	0.2%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1n. Characteristics of Individuals with Childbearing Potential with Endometrial Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	67,885	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	46.5	7.0
Age²	Number	Percent
10-14 years	21	0.0%
15-19 years	62	0.1%
20-24 years	343	0.5%
25-29 years	1,448	2.1%
30-34 years	3,679	5.4%
35-39 years	6,945	10.2%
40-44 years	10,713	15.8%
45-49 years	16,787	24.7%
50-54 years	27,887	41.1%
Race³		
American Indian or Alaska Native	623	0.9%
Asian	2,294	3.4%
Black or African American	5,947	8.8%
Multi-racial	730	1.1%
Native Hawaiian or Other Pacific Islander	400	0.6%
Unknown	28,566	42.1%
White	29,325	43.2%
Hispanic origin		
Yes	6,545	9.6%
No	35,030	51.6%
Unknown	26,310	38.8%
Year^{2,4}		
2015	3,904	5.8%
2016	14,184	20.9%
2017	10,995	16.2%
2018	9,068	13.4%
2019	8,953	13.2%
2020	8,075	11.9%
2021	4,647	6.8%
2022	4,298	6.3%
2023	3,660	5.4%
2024	101	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1o. Characteristics of Individuals with Childbearing Potential with Lung Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	55,800	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	47.8	7.6
Age ²	Number	Percent
10-14 years	289	0.5%
15-19 years	334	0.6%
20-24 years	586	1.1%
25-29 years	1,155	2.1%
30-34 years	1,828	3.3%
35-39 years	3,176	5.7%
40-44 years	6,081	10.9%
45-49 years	12,851	23.0%
50-54 years	29,500	52.9%
Race ³		
American Indian or Alaska Native	378	0.7%
Asian	1,615	2.9%
Black or African American	7,512	13.5%
Multi-racial	307	0.6%
Native Hawaiian or Other Pacific Islander	115	0.2%
Unknown	17,894	32.1%
White	27,979	50.1%
Hispanic origin		
Yes	3,235	5.8%
No	35,619	63.8%
Unknown	16,946	30.4%
Year ^{2,4}		
2015	5,372	9.6%
2016	11,913	21.3%
2017	8,944	16.0%
2018	7,252	13.0%
2019	7,674	13.8%
2020	6,520	11.7%
2021	3,052	5.5%
2022	2,848	5.1%
2023	2,170	3.9%
2024	55	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1p. Characteristics of Individuals with Childbearing Potential with Urologic Cancer in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	38,775	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	44.0	10.0
Age ²	Number	Percent
10-14 years	1,211	3.1%
15-19 years	594	1.5%
20-24 years	777	2.0%
25-29 years	1,352	3.5%
30-34 years	2,357	6.1%
35-39 years	3,900	10.1%
40-44 years	5,877	15.2%
45-49 years	9,126	23.5%
50-54 years	13,581	35.0%
Race ³		
American Indian or Alaska Native	424	1.1%
Asian	678	1.7%
Black or African American	4,910	12.7%
Multi-racial	289	0.7%
Native Hawaiian or Other Pacific Islander	60	0.2%
Unknown	15,580	40.2%
White	16,834	43.4%
Hispanic origin		
Yes	3,613	9.3%
No	20,981	54.1%
Unknown	14,181	36.6%
Year ^{2,4}		
2015	2,523	6.5%
2016	8,602	22.2%
2017	6,122	15.8%
2018	4,934	12.7%
2019	5,062	13.1%
2020	4,577	11.8%
2021	2,484	6.4%
2022	2,431	6.3%
2023	1,991	5.1%
2024	49	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1q. Characteristics of Individuals with Childbearing Potential with Osteoporosis in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	254,094	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	48.1	7.7
Age²	Number	Percent
10-14 years	916	0.4%
15-19 years	1,663	0.7%
20-24 years	3,246	1.3%
25-29 years	5,416	2.1%
30-34 years	8,665	3.4%
35-39 years	14,275	5.6%
40-44 years	24,314	9.6%
45-49 years	50,487	19.9%
50-54 years	145,112	57.1%
Race³		
American Indian or Alaska Native	1,951	0.8%
Asian	8,563	3.4%
Black or African American	20,608	8.1%
Multi-racial	2,188	0.9%
Native Hawaiian or Other Pacific Islander	253	0.1%
Unknown	86,654	34.1%
White	133,877	52.7%
Hispanic origin		
Yes	15,759	6.2%
No	150,558	59.3%
Unknown	87,777	34.5%
Year^{2,4}		
2015	13,280	5.2%
2016	57,759	22.7%
2017	42,918	16.9%
2018	33,721	13.3%
2019	31,546	12.4%
2020	25,353	10.0%
2021	18,448	7.3%
2022	17,346	6.8%
2023	13,396	5.3%
2024	327	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1r. Characteristics of Individuals with Childbearing Potential with Hip/Pelvic Fracture in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	121,662	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	36.5	13.1
Age²	Number	Percent
10-14 years	10,971	9.0%
15-19 years	11,395	9.4%
20-24 years	9,636	7.9%
25-29 years	10,210	8.4%
30-34 years	10,281	8.5%
35-39 years	10,939	9.0%
40-44 years	11,822	9.7%
45-49 years	16,946	13.9%
50-54 years	29,462	24.2%
Race³		
American Indian or Alaska Native	2,053	1.7%
Asian	1,806	1.5%
Black or African American	16,810	13.8%
Multi-racial	975	0.8%
Native Hawaiian or Other Pacific Islander	263	0.2%
Unknown	42,042	34.6%
White	57,713	47.4%
Hispanic origin		
Yes	10,572	8.7%
No	74,294	61.1%
Unknown	36,796	30.2%
Year^{2,4}		
2015	5,030	4.1%
2016	21,071	17.3%
2017	19,577	16.1%
2018	17,792	14.6%
2019	19,358	15.9%
2020	18,568	15.3%
2021	7,413	6.1%
2022	7,359	6.0%
2023	5,366	4.4%
2024	128	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1s. Characteristics of Individuals with Childbearing Potential with All-Cause Pneumonia in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	1,291,939	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	39.0	11.9
Age ²	Number	Percent
10-14 years	75,518	5.8%
15-19 years	60,509	4.7%
20-24 years	71,806	5.6%
25-29 years	104,518	8.1%
30-34 years	128,769	10.0%
35-39 years	151,720	11.7%
40-44 years	170,753	13.2%
45-49 years	219,839	17.0%
50-54 years	308,507	23.9%
Race ³		
American Indian or Alaska Native	19,859	1.5%
Asian	25,048	1.9%
Black or African American	213,372	16.5%
Multi-racial	9,081	0.7%
Native Hawaiian or Other Pacific Islander	4,200	0.3%
Unknown	445,940	34.5%
White	574,439	44.5%
Hispanic origin		
Yes	126,092	9.8%
No	794,911	61.5%
Unknown	370,936	28.7%
Year ^{2,4}		
2015	55,416	4.3%
2016	239,417	18.5%
2017	206,227	16.0%
2018	183,892	14.2%
2019	202,904	15.7%
2020	215,359	16.7%
2021	91,555	7.1%
2022	56,465	4.4%
2023	39,436	3.1%
2024	1,268	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1t. Characteristics of Individuals with Childbearing Potential with Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome (HIV/AIDS) in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	163,660	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	40.5	9.8
Age ²	Number	Percent
10-14 years	1,177	0.7%
15-19 years	2,702	1.7%
20-24 years	9,209	5.6%
25-29 years	15,891	9.7%
30-34 years	19,735	12.1%
35-39 years	23,198	14.2%
40-44 years	25,513	15.6%
45-49 years	31,042	19.0%
50-54 years	35,193	21.5%
Race ³		
American Indian or Alaska Native	1,184	0.7%
Asian	2,151	1.3%
Black or African American	75,351	46.0%
Multi-racial	843	0.5%
Native Hawaiian or Other Pacific Islander	282	0.2%
Unknown	53,611	32.8%
White	30,238	18.5%
Hispanic origin		
Yes	20,175	12.3%
No	105,140	64.2%
Unknown	38,345	23.4%
Year ^{2,4}		
2015	19,293	11.8%
2016	72,238	44.1%
2017	19,115	11.7%
2018	13,369	8.2%
2019	13,783	8.4%
2020	13,966	8.5%
2021	4,107	2.5%
2022	3,943	2.4%
2023	3,680	2.2%
2024	166	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1u. Characteristics of Individuals with Childbearing Potential with Hepatitis B in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	117,612	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	39.5	9.5
Age ²	Number	Percent
10-14 years	885	0.8%
15-19 years	2,200	1.9%
20-24 years	5,776	4.9%
25-29 years	12,473	10.6%
30-34 years	18,367	15.6%
35-39 years	19,303	16.4%
40-44 years	18,650	15.9%
45-49 years	19,156	16.3%
50-54 years	20,802	17.7%
Race ³		
American Indian or Alaska Native	634	0.5%
Asian	37,608	32.0%
Black or African American	19,711	16.8%
Multi-racial	1,166	1.0%
Native Hawaiian or Other Pacific Islander	1,125	1.0%
Unknown	37,587	32.0%
White	19,781	16.8%
Hispanic origin		
Yes	5,237	4.5%
No	74,532	63.4%
Unknown	37,843	32.2%
Year ^{2,4}		
2015	5,237	4.5%
2016	34,511	29.3%
2017	22,520	19.1%
2018	16,212	13.8%
2019	14,959	12.7%
2020	12,236	10.4%
2021	4,203	3.6%
2022	4,173	3.5%
2023	3,469	2.9%
2024	92	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1v. Characteristics of Individuals with Childbearing Potential with Hepatitis C in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	363,874	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	39.4	9.8
Age ²	Number	Percent
10-14 years	601	0.2%
15-19 years	3,316	0.9%
20-24 years	23,616	6.5%
25-29 years	54,642	15.0%
30-34 years	58,792	16.2%
35-39 years	50,977	14.0%
40-44 years	40,351	11.1%
45-49 years	50,198	13.8%
50-54 years	81,381	22.4%
Race ³		
American Indian or Alaska Native	9,170	2.5%
Asian	4,706	1.3%
Black or African American	33,233	9.1%
Multi-racial	1,434	0.4%
Native Hawaiian or Other Pacific Islander	528	0.1%
Unknown	85,245	23.4%
White	229,558	63.1%
Hispanic origin		
Yes	27,586	7.6%
No	273,349	75.1%
Unknown	62,939	17.3%
Year ^{2,4}		
2015	24,860	6.8%
2016	106,865	29.4%
2017	71,363	19.6%
2018	50,002	13.7%
2019	50,712	13.9%
2020	43,447	11.9%
2021	6,429	1.8%
2022	5,493	1.5%
2023	4,559	1.3%
2024	144	0.0%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1w. Characteristics of Individuals with Childbearing Potential with Drug Use Disorders in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	3,176,049	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	34.8	10.3
Age²	Number	Percent
10-14 years	43,500	1.4%
15-19 years	241,283	7.6%
20-24 years	393,655	12.4%
25-29 years	520,498	16.4%
30-34 years	493,042	15.5%
35-39 years	420,327	13.2%
40-44 years	334,463	10.5%
45-49 years	340,389	10.7%
50-54 years	388,892	12.2%
Race³		
American Indian or Alaska Native	70,923	2.2%
Asian	27,194	0.9%
Black or African American	489,581	15.4%
Multi-racial	23,959	0.8%
Native Hawaiian or Other Pacific Islander	9,021	0.3%
Unknown	892,718	28.1%
White	1,662,653	52.3%
Hispanic origin		
Yes	259,614	8.2%
No	2,195,002	69.1%
Unknown	721,433	22.7%
Year^{2,4}		
2015	199,040	6.3%
2016	749,973	23.6%
2017	550,121	17.3%
2018	449,245	14.1%
2019	463,387	14.6%
2020	455,170	14.3%
2021	110,629	3.5%
2022	106,210	3.3%
2023	89,673	2.8%
2024	2,601	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1x. Characteristics of Individuals with Childbearing Potential with Tobacco Use in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	5,205,081	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	37.3	10.2
Age ²	Number	Percent
10-14 years	40,722	0.8%
15-19 years	218,637	4.2%
20-24 years	534,196	10.3%
25-29 years	738,764	14.2%
30-34 years	751,148	14.4%
35-39 years	718,634	13.8%
40-44 years	645,192	12.4%
45-49 years	700,621	13.5%
50-54 years	857,167	16.5%
Race ³		
American Indian or Alaska Native	74,717	1.4%
Asian	49,879	1.0%
Black or African American	760,448	14.6%
Multi-racial	36,697	0.7%
Native Hawaiian or Other Pacific Islander	14,779	0.3%
Unknown	1,633,034	31.4%
White	2,635,527	50.6%
Hispanic origin		
Yes	306,948	5.9%
No	3,388,135	65.1%
Unknown	1,509,998	29.0%
Year ^{2,4}		
2015	246,375	4.7%
2016	1,252,638	24.1%
2017	1,045,066	20.1%
2018	781,618	15.0%
2019	744,299	14.3%
2020	619,966	11.9%
2021	191,708	3.7%
2022	173,125	3.3%
2023	146,203	2.8%
2024	4,083	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1y. Characteristics of Individuals with Childbearing Potential with Alcohol Use Disorders in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	1,245,996	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	36.9	10.6
Age²	Number	Percent
10-14 years	13,975	1.1%
15-19 years	65,322	5.2%
20-24 years	119,402	9.6%
25-29 years	173,881	14.0%
30-34 years	184,910	14.8%
35-39 years	177,122	14.2%
40-44 years	156,773	12.6%
45-49 years	165,531	13.3%
50-54 years	189,080	15.2%
Race³		
American Indian or Alaska Native	47,304	3.8%
Asian	11,300	0.9%
Black or African American	169,453	13.6%
Multi-racial	9,474	0.8%
Native Hawaiian or Other Pacific Islander	2,606	0.2%
Unknown	393,597	31.6%
White	612,262	49.1%
Hispanic origin		
Yes	92,611	7.4%
No	809,974	65.0%
Unknown	343,411	27.6%
Year^{2,4}		
2015	65,828	5.3%
2016	270,771	21.7%
2017	214,547	17.2%
2018	181,105	14.5%
2019	187,186	15.0%
2020	182,399	14.6%
2021	51,493	4.1%
2022	50,433	4.0%
2023	41,078	3.3%
2024	1,156	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1z. Characteristics of Individuals with Childbearing Potential with Anemia in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	5,689,694	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	36.4	10.7
Age²	Number	Percent
10-14 years	144,584	2.5%
15-19 years	370,013	6.5%
20-24 years	586,148	10.3%
25-29 years	709,152	12.5%
30-34 years	736,563	12.9%
35-39 years	743,269	13.1%
40-44 years	765,909	13.5%
45-49 years	830,222	14.6%
50-54 years	803,834	14.1%
Race³		
American Indian or Alaska Native	60,513	1.1%
Asian	209,256	3.7%
Black or African American	1,157,449	20.3%
Multi-racial	62,624	1.1%
Native Hawaiian or Other Pacific Islander	20,116	0.4%
Unknown	2,500,272	43.9%
White	1,679,464	29.5%
Hispanic origin		
Yes	733,256	12.9%
No	2,877,321	50.6%
Unknown	2,079,117	36.5%
Year^{2,4}		
2015	239,322	4.2%
2016	1,037,592	18.2%
2017	949,564	16.7%
2018	833,254	14.6%
2019	867,021	15.2%
2020	799,728	14.1%
2021	337,753	5.9%
2022	331,482	5.8%
2023	286,123	5.0%
2024	7,855	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1aa. Characteristics of Individuals with Childbearing Potential with Sickle Cell Disease in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	47,031	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	29.5	11.4
Age²	Number	Percent
10-14 years	7,489	15.9%
15-19 years	4,668	9.9%
20-24 years	6,111	13.0%
25-29 years	7,047	15.0%
30-34 years	5,960	12.7%
35-39 years	4,995	10.6%
40-44 years	4,020	8.5%
45-49 years	3,571	7.6%
50-54 years	3,170	6.7%
Race³		
American Indian or Alaska Native	86	0.2%
Asian	206	0.4%
Black or African American	31,337	66.6%
Multi-racial	252	0.5%
Native Hawaiian or Other Pacific Islander	39	0.1%
Unknown	13,963	29.7%
White	1,148	2.4%
Hispanic origin		
Yes	2,158	4.6%
No	31,300	66.6%
Unknown	13,573	28.9%
Year^{2,4}		
2015	7,825	16.6%
2016	12,742	27.1%
2017	6,670	14.2%
2018	4,508	9.6%
2019	5,131	10.9%
2020	5,028	10.7%
2021	1,765	3.8%
2022	1,794	3.8%
2023	1,501	3.2%
2024	67	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1ab. Characteristics of Individuals with Childbearing Potential with Liver Disease, Cirrhosis, and Other Liver Conditions in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	1,604,010	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	41.3	10.1
Age ²	Number	Percent
10-14 years	23,217	1.4%
15-19 years	41,425	2.6%
20-24 years	72,924	4.5%
25-29 years	123,508	7.7%
30-34 years	169,595	10.6%
35-39 years	207,539	12.9%
40-44 years	243,030	15.2%
45-49 years	309,251	19.3%
50-54 years	413,521	25.8%
Race ³		
American Indian or Alaska Native	22,095	1.4%
Asian	46,699	2.9%
Black or African American	164,055	10.2%
Multi-racial	15,702	1.0%
Native Hawaiian or Other Pacific Islander	3,796	0.2%
Unknown	687,468	42.9%
White	664,195	41.4%
Hispanic origin		
Yes	207,471	12.9%
No	831,585	51.8%
Unknown	564,954	35.2%
Year ^{2,4}		
2015	51,340	3.2%
2016	260,256	16.2%
2017	250,681	15.6%
2018	231,003	14.4%
2019	240,807	15.0%
2020	234,038	14.6%
2021	116,605	7.3%
2022	116,603	7.3%
2023	100,294	6.3%
2024	2,383	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1ac. Characteristics of Individuals with Childbearing Potential with Cataract in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	1,258,527	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	47.7	8.1
Age²	Number	Percent
10-14 years	13,876	1.1%
15-19 years	13,697	1.1%
20-24 years	14,663	1.2%
25-29 years	23,114	1.8%
30-34 years	34,877	2.8%
35-39 years	59,040	4.7%
40-44 years	127,684	10.1%
45-49 years	295,508	23.5%
50-54 years	676,068	53.7%
Race³		
American Indian or Alaska Native	11,414	0.9%
Asian	50,038	4.0%
Black or African American	185,599	14.7%
Multi-racial	11,959	1.0%
Native Hawaiian or Other Pacific Islander	3,964	0.3%
Unknown	479,458	38.1%
White	516,095	41.0%
Hispanic origin		
Yes	99,429	7.9%
No	697,348	55.4%
Unknown	461,750	36.7%
Year^{2,4}		
2015	67,603	5.4%
2016	263,852	21.0%
2017	205,635	16.3%
2018	175,931	14.0%
2019	169,122	13.4%
2020	137,012	10.9%
2021	89,401	7.1%
2022	83,590	6.6%
2023	64,677	5.1%
2024	1,704	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 1ad. Characteristics of Individuals with Childbearing Potential with Glaucoma in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

Patient Characteristics	Number	Percent
Unique patients	1,325,470	N/A ¹
Demographic Characteristics	Mean	Standard Deviation
Age (years)	39.3	12.2
Age²	Number	Percent
10-14 years	80,590	6.1%
15-19 years	83,105	6.3%
20-24 years	72,280	5.5%
25-29 years	92,834	7.0%
30-34 years	106,247	8.0%
35-39 years	126,660	9.6%
40-44 years	168,799	12.7%
45-49 years	245,812	18.5%
50-54 years	349,143	26.3%
Race³		
American Indian or Alaska Native	9,540	0.7%
Asian	69,876	5.3%
Black or African American	212,156	16.0%
Multi-racial	15,228	1.1%
Native Hawaiian or Other Pacific Islander	3,187	0.2%
Unknown	620,664	46.8%
White	394,819	29.8%
Hispanic origin		
Yes	140,239	10.6%
No	616,189	46.5%
Unknown	569,042	42.9%
Year^{2,4}		
2015	75,878	5.7%
2016	274,769	20.7%
2017	212,509	16.0%
2018	184,910	14.0%
2019	187,835	14.2%
2020	165,595	12.5%
2021	80,069	6.0%
2022	77,966	5.9%
2023	64,083	4.8%
2024	1,856	0.1%

¹N/A: Not Applicable

²The numbers presented by age and year represent the age group or year of the first captured event.

³Race data may not be completely populated at all Data Partners; therefore, data about race may be incomplete.

⁴As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

Table 2a. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Total Eligible Person-Years ² Among ICBP ¹
Rheumatoid Arthritis/Osteoarthritis	663,906	87,414,324	204,058,416.9
Lupus	353,672	87,414,324	204,585,433.3
Psoriasis or Psoriatic Arthritis	465,470	87,414,324	204,415,122.1
Crohn's Disease	211,392	87,414,324	204,904,387.0
Ulcerative Colitis	185,762	87,414,324	204,986,597.5
Hypothyroidism	4,108,260	87,414,324	196,399,459.2
Hyperthyroidism	494,060	87,414,324	204,351,509.3
Breast Cancer	515,483	87,414,324	204,362,686.5
Colorectal Cancer	87,958	87,414,324	205,235,335.6
Cervical Cancer	51,891	87,414,324	205,295,362.5
Leukemia and Lymphoma	151,803	87,414,324	205,074,093.5
Melanoma	841,625	87,414,324	203,605,464.1
Thyroid Cancer	201,375	87,414,324	204,946,799.9
Endometrial Cancer	67,885	87,414,324	205,263,334.1
Lung Cancer	55,800	87,414,324	205,315,913.1
Urologic Cancer	38,775	87,414,324	205,313,616.8
Osteoporosis	254,094	87,414,324	204,889,051.5
Hip/Pelvic Fracture	121,662	87,414,324	205,160,914.3
All-Cause Pneumonia	1,291,939	87,414,324	202,900,584.9
Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome (HIV/AIDS)	163,660	87,414,324	204,983,231.1
Hepatitis B	117,612	87,414,324	205,130,698.3
Hepatitis C	363,874	87,414,324	204,625,914.5
Drug Use Disorders	3,176,049	87,414,324	198,560,756.6
Tobacco Use	5,205,081	87,414,324	194,500,624.7
Alcohol Use Disorders	1,245,996	87,414,324	202,885,132.0
Anemia	5,689,694	87,414,324	194,145,596.0
Sickle Cell Disease	47,031	87,414,324	205,272,949.7
Liver Disease, Cirrhosis, and Other Liver Conditions	1,604,010	87,414,324	202,407,009.8
Cataract	1,258,527	87,414,324	202,967,556.8
Glaucoma	1,325,470	87,414,324	202,628,165.9

Table 2a. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Rheumatoid Arthritis/Osteoarthritis	759.49	759.49 (757.67, 761.31)	0.01 (0.01, 0.01)
Lupus	404.59	404.59 (403.26, 405.92)	0.00 (0.00, 0.00)
Psoriasis or Psoriatic Arthritis	532.49	532.49 (530.96, 534.01)	0.01 (0.01, 0.01)
Crohn’s Disease	241.83	241.83 (240.80, 242.86)	0.00 (0.00, 0.00)
Ulcerative Colitis	212.51	212.51 (211.54, 213.47)	0.00 (0.00, 0.00)
Hypothyroidism	4,699.76	4,699.76 (4,695.32, 4,704.19)	0.05 (0.05, 0.05)
Hyperthyroidism	565.19	565.19 (563.62, 566.76)	0.01 (0.01, 0.01)
Breast Cancer	589.70	589.70 (588.10, 591.31)	0.01 (0.01, 0.01)
Colorectal Cancer	100.62	100.62 (99.96, 101.29)	0.00 (0.00, 0.00)
Cervical Cancer	59.36	59.36 (58.85, 59.87)	0.00 (0.00, 0.00)
Leukemia and Lymphoma	173.66	173.66 (172.79, 174.53)	0.00 (0.00, 0.00)
Melanoma	962.80	962.80 (960.75, 964.85)	0.01 (0.01, 0.01)
Thyroid Cancer	230.37	230.37 (229.36, 231.37)	0.00 (0.00, 0.00)
Endometrial Cancer	77.66	77.66 (77.07, 78.24)	0.00 (0.00, 0.00)
Lung Cancer	63.83	63.83 (63.30, 64.36)	0.00 (0.00, 0.00)
Urologic Cancer	44.36	44.36 (43.92, 44.80)	0.00 (0.00, 0.00)
Osteoporosis	290.68	290.68 (289.55, 291.81)	0.00 (0.00, 0.00)
Hip/Pelvic Fracture	139.18	139.18 (138.40, 139.96)	0.00 (0.00, 0.00)
All-Cause Pneumonia	1,477.95	1,477.95 (1,475.42, 1,480.48)	0.01 (0.01, 0.01)
HIV/AIDS	187.22	187.22 (186.32, 188.13)	0.00 (0.00, 0.00)
Hepatitis B	134.55	134.55 (133.78, 135.31)	0.00 (0.00, 0.00)
Hepatitis C	416.26	416.26 (414.91, 417.61)	0.00 (0.00, 0.00)
Drug Use Disorders	3,633.33	3,633.33 (3,629.41, 3,637.25)	0.04 (0.04, 0.04)
Tobacco Use	5,954.49	5,954.49 (5,949.53, 5,959.46)	0.06 (0.06, 0.06)
Alcohol Use Disorders	1,425.39	1,425.39 (1,422.91, 1,427.88)	0.01 (0.01, 0.01)
Anemia	6,508.88	6,508.88 (6,503.71, 6,514.05)	0.07 (0.07, 0.07)
Sickle Cell Disease	53.80	53.80 (53.32, 54.29)	0.00 (0.00, 0.00)
Liver Disease, Cirrhosis, and Other Liver Conditions	1,834.95	1,834.95 (1,832.14, 1,837.76)	0.02 (0.02, 0.02)
Cataract	1,439.73	1,439.73 (1,437.23, 1,442.22)	0.01 (0.01, 0.01)
Glaucoma	1,516.31	1,516.31 (1,513.75, 1,518.87)	0.02 (0.02, 0.02)

Table 2a. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Number of ICBP ¹ with the Evaluated Condition per Eligible Person-Year ² (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible Person-Years ² (95% Confidence Interval)	Total Person-Years After Index ³	Total Observed Person-Years ⁴
Rheumatoid	0.00 (0.00, 0.00)	325.35 (324.57, 326.13)	1,330,532.7	205,388,949.6
Lupus	0.00 (0.00, 0.00)	172.87 (172.30, 173.44)	803,516.3	205,388,949.6
Psoriasis or Psoriatic Arthritis	0.00 (0.00, 0.00)	227.71 (227.05, 228.36)	973,827.5	205,388,949.6
Crohn's Disease	0.00 (0.00, 0.00)	103.17 (102.73, 103.61)	484,562.6	205,388,949.6
Ulcerative Colitis	0.00 (0.00, 0.00)	90.62 (90.21, 91.03)	402,352.1	205,388,949.6
Hypothyroidism	0.02 (0.02, 0.02)	2,091.79 (2,089.77, 2,093.81)	8,989,490.4	205,388,949.6
Hyperthyroidism	0.00 (0.00, 0.00)	241.77 (241.10, 242.44)	1,037,440.3	205,388,949.6
Breast Cancer	0.00 (0.00, 0.00)	252.24 (251.55, 252.93)	1,026,263.1	205,388,949.6
Colorectal Cancer	0.00 (0.00, 0.00)	42.86 (42.57, 43.14)	153,614.0	205,388,949.6
Cervical Cancer	0.00 (0.00, 0.00)	25.28 (25.06, 25.49)	93,587.1	205,388,949.6
Leukemia and Lymphoma	0.00 (0.00, 0.00)	74.02 (73.65, 74.40)	314,856.1	205,388,949.6
Melanoma	0.00 (0.00, 0.00)	413.36 (412.48, 414.24)	1,783,485.5	205,388,949.6
Thyroid Cancer	0.00 (0.00, 0.00)	98.26 (97.83, 98.69)	442,149.7	205,388,949.6
Endometrial Cancer	0.00 (0.00, 0.00)	33.07 (32.82, 33.32)	125,615.5	205,388,949.6
Lung Cancer	0.00 (0.00, 0.00)	27.18 (26.95, 27.40)	73,036.5	205,388,949.6
Urologic Cancer	0.00 (0.00, 0.00)	18.89 (18.70, 19.07)	75,332.8	205,388,949.6
Osteoporosis	0.00 (0.00, 0.00)	124.02 (123.53, 124.50)	499,898.1	205,388,949.6
Hip/Pelvic Fracture	0.00 (0.00, 0.00)	59.30 (58.97, 59.63)	228,035.3	205,388,949.6
All-Cause Pneumonia	0.01 (0.01, 0.01)	636.73 (635.64, 637.83)	2,488,364.7	205,388,949.6
HIV/AIDS	0.00 (0.00, 0.00)	79.84 (79.45, 80.23)	405,718.5	205,388,949.6
Hepatitis B	0.00 (0.00, 0.00)	57.34 (57.01, 57.66)	258,251.3	205,388,949.6
Hepatitis C	0.00 (0.00, 0.00)	177.82 (177.25, 178.40)	763,035.1	205,388,949.6
Drug Use Disorders	0.02 (0.02, 0.02)	1,599.54 (1,597.78, 1,601.30)	6,828,193.0	205,388,949.6
Tobacco Use	0.03 (0.03, 0.03)	2,676.13 (2,673.83, 2,678.43)	10,888,324.9	205,388,949.6
Alcohol Use Disorders	0.01 (0.01, 0.01)	614.14 (613.06, 615.22)	2,503,817.6	205,388,949.6
Anemia	0.03 (0.03, 0.03)	2,930.63 (2,928.23, 2,933.04)	11,243,353.6	205,388,949.6
Sickle Cell Disease	0.00 (0.00, 0.00)	22.91 (22.71, 23.12)	115,999.9	205,388,949.6
Liver Disease, Cirrhosis, and Other Liver Conditions	0.01 (0.01, 0.01)	792.47 (791.24, 793.69)	2,981,939.8	205,388,949.6
Cataract	0.01 (0.01, 0.01)	620.06 (618.98, 621.15)	2,421,392.8	205,388,949.6
Glaucoma	0.01 (0.01, 0.01)	654.14 (653.03, 655.25)	2,760,783.7	205,388,949.6

¹Individuals with Childbearing Potential (ICBP)

²Eligible Individuals and Eligible Person-Years are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period.

³Total Person-Years After Index is cumulative time of each day after the index date that ICBP have age 10-54 years, satisfy medical and drug coverage requirement, and whose enrollment has not been censored due to disenrollment, death, end of data partner data availability, or end of query period.

⁴Total Observed Person-Years equals the Total Eligible Person-Years plus the Total Person-Years After Index.

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Rheumatoid Arthritis/Osteoarthritis					
10-14 years	2,287	15,251,073	15.00	15.00 (14.38, 15.61)	0.00 (0.00, 0.00)
15-19 years	5,479	14,817,617	36.98	36.98 (36.00, 37.96)	0.00 (0.00, 0.00)
20-24 years	11,865	15,523,492	76.43	76.43 (75.06, 77.81)	0.00 (0.00, 0.00)
25-29 years	25,315	17,896,065	141.46	141.46 (139.71, 143.20)	0.00 (0.00, 0.00)
30-34 years	44,055	15,737,028	279.94	279.94 (277.33, 282.56)	0.00 (0.00, 0.00)
35-39 years	68,855	13,706,929	502.34	502.34 (498.59, 506.08)	0.01 (0.00, 0.01)
40-44 years	102,504	12,045,406	850.98	850.98 (845.79, 856.17)	0.01 (0.01, 0.01)
45-49 years	165,884	11,483,959	1,444.48	1,444.48 (1,437.58, 1,451.39)	0.01 (0.01, 0.01)
50-54 years	275,726	11,861,622	2,324.52	2,324.52 (2,315.95, 2,333.10)	0.02 (0.02, 0.02)
Lupus					
10-14 years	3,774	15,251,073	24.75	24.75 (23.96, 25.54)	0.00 (0.00, 0.00)
15-19 years	11,292	14,817,617	76.21	76.21 (74.80, 77.61)	0.00 (0.00, 0.00)
20-24 years	23,696	15,523,492	152.65	152.65 (150.70, 154.59)	0.00 (0.00, 0.00)
25-29 years	41,970	17,896,065	234.52	234.52 (232.28, 236.76)	0.00 (0.00, 0.00)
30-34 years	55,508	15,737,028	352.72	352.72 (349.79, 355.65)	0.00 (0.00, 0.00)
35-39 years	66,615	13,706,929	486.00	486.00 (482.31, 489.68)	0.00 (0.00, 0.00)
40-44 years	75,483	12,045,406	626.65	626.65 (622.20, 631.11)	0.01 (0.01, 0.01)
45-49 years	85,682	11,483,959	746.10	746.10 (741.12, 751.08)	0.01 (0.01, 0.01)
50-54 years	95,752	11,861,622	807.24	807.24 (802.15, 812.33)	0.01 (0.01, 0.01)
Psoriasis or Psoriatic Arthritis					
10-14 years	16,092	15,251,073	105.51	105.51 (103.88, 107.14)	0.00 (0.00, 0.00)
15-19 years	24,675	14,817,617	166.52	166.52 (164.45, 168.60)	0.00 (0.00, 0.00)
20-24 years	33,961	15,523,492	218.77	218.77 (216.45, 221.10)	0.00 (0.00, 0.00)
25-29 years	52,323	17,896,065	292.37	292.37 (289.87, 294.87)	0.00 (0.00, 0.00)
30-34 years	65,905	15,737,028	418.79	418.79 (415.60, 421.98)	0.00 (0.00, 0.00)
35-39 years	76,976	13,706,929	561.58	561.58 (557.63, 565.54)	0.01 (0.01, 0.01)
40-44 years	82,834	12,045,406	687.68	687.68 (683.01, 692.35)	0.01 (0.01, 0.01)
45-49 years	95,145	11,483,959	828.50	828.50 (823.26, 833.75)	0.01 (0.01, 0.01)
50-54 years	116,828	11,861,622	984.92	984.92 (979.30, 990.54)	0.01 (0.01, 0.01)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Crohn's Disease					
10-14 years	6,773	15,251,073	44.41	44.41 (43.35, 45.47)	0.00 (0.00, 0.00)
15-19 years	15,486	14,817,617	104.51	104.51 (102.87, 106.16)	0.00 (0.00, 0.00)
20-24 years	23,053	15,523,492	148.50	148.50 (146.59, 150.42)	0.00 (0.00, 0.00)
25-29 years	33,936	17,896,065	189.63	189.63 (187.61, 191.64)	0.00 (0.00, 0.00)
30-34 years	37,070	15,737,028	235.56	235.56 (233.16, 237.95)	0.00 (0.00, 0.00)
35-39 years	39,251	13,706,929	286.36	286.36 (283.53, 289.19)	0.00 (0.00, 0.00)
40-44 years	38,821	12,045,406	322.29	322.29 (319.09, 325.49)	0.00 (0.00, 0.00)
45-49 years	39,974	11,483,959	348.09	348.09 (344.68, 351.49)	0.00 (0.00, 0.00)
50-54 years	43,477	11,861,622	366.54	366.54 (363.10, 369.97)	0.00 (0.00, 0.00)
Ulcerative Colitis					
10-14 years	4,275	15,251,073	28.03	28.03 (27.19, 28.87)	0.00 (0.00, 0.00)
15-19 years	10,504	14,817,617	70.89	70.89 (69.53, 72.24)	0.00 (0.00, 0.00)
20-24 years	17,539	15,523,492	112.98	112.98 (111.31, 114.65)	0.00 (0.00, 0.00)
25-29 years	26,851	17,896,065	150.04	150.04 (148.25, 151.83)	0.00 (0.00, 0.00)
30-34 years	30,907	15,737,028	196.40	196.40 (194.21, 198.58)	0.00 (0.00, 0.00)
35-39 years	33,000	13,706,929	240.75	240.75 (238.16, 243.35)	0.00 (0.00, 0.00)
40-44 years	33,018	12,045,406	274.11	274.11 (271.16, 277.07)	0.00 (0.00, 0.00)
45-49 years	35,037	11,483,959	305.10	305.10 (301.91, 308.28)	0.00 (0.00, 0.00)
50-54 years	40,188	11,861,622	338.81	338.81 (335.50, 342.11)	0.00 (0.00, 0.00)
Hypothyroidism					
10-14 years	64,714	15,251,073	424.32	424.32 (421.06, 427.59)	0.00 (0.00, 0.00)
15-19 years	125,790	14,817,617	848.92	848.92 (844.25, 853.59)	0.01 (0.01, 0.01)
20-24 years	230,366	15,523,492	1,483.98	1,483.98 (1,477.97, 1,490.00)	0.01 (0.01, 0.01)
25-29 years	412,434	17,896,065	2,304.61	2,304.61 (2,297.66, 2,311.56)	0.02 (0.02, 0.02)
30-34 years	588,225	15,737,028	3,737.84	3,737.84 (3,728.47, 3,747.21)	0.04 (0.04, 0.04)
35-39 years	720,140	13,706,929	5,253.84	5,253.84 (5,242.03, 5,265.65)	0.05 (0.05, 0.05)
40-44 years	816,412	12,045,406	6,777.79	6,777.79 (6,763.59, 6,791.98)	0.07 (0.07, 0.07)
45-49 years	1,002,858	11,483,959	8,732.69	8,732.69 (8,716.36, 8,749.01)	0.09 (0.09, 0.09)
50-54 years	1,283,644	11,861,622	10,821.83	10,821.83 (10,804.15, 10,839.5)	0.11 (0.11, 0.11)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Hyperthyroidism					
10-14 years	8,019	15,251,073	52.58	52.58 (51.43, 53.73)	0.00 (0.00, 0.00)
15-19 years	22,926	14,817,617	154.72	154.72 (152.72, 156.72)	0.00 (0.00, 0.00)
20-24 years	39,840	15,523,492	256.64	256.64 (254.13, 259.16)	0.00 (0.00, 0.00)
25-29 years	65,727	17,896,065	367.27	367.27 (364.47, 370.07)	0.00 (0.00, 0.00)
30-34 years	82,728	15,737,028	525.69	525.69 (522.12, 529.26)	0.01 (0.01, 0.01)
35-39 years	86,991	13,706,929	634.65	634.65 (630.45, 638.85)	0.01 (0.01, 0.01)
40-44 years	83,001	12,045,406	689.07	689.07 (684.40, 693.74)	0.01 (0.01, 0.01)
45-49 years	89,527	11,483,959	779.58	779.58 (774.50, 784.67)	0.01 (0.01, 0.01)
50-54 years	105,465	11,861,622	889.13	889.13 (883.79, 894.47)	0.01 (0.01, 0.01)
Breast Cancer					
10-14 years	85	15,251,073	0.56	0.56 (0.44, 0.68)	0.00 (0.00, 0.00)
15-19 years	312	14,817,617	2.11	2.11 (1.87, 2.34)	0.00 (0.00, 0.00)
20-24 years	1,440	15,523,492	9.28	9.28 (8.80, 9.76)	0.00 (0.00, 0.00)
25-29 years	7,453	17,896,065	41.65	41.65 (40.70, 42.59)	0.00 (0.00, 0.00)
30-34 years	22,583	15,737,028	143.50	143.50 (141.63, 145.37)	0.00 (0.00, 0.00)
35-39 years	49,154	13,706,929	358.61	358.61 (355.44, 361.77)	0.00 (0.00, 0.00)
40-44 years	102,378	12,045,406	849.93	849.93 (844.75, 855.12)	0.01 (0.01, 0.01)
45-49 years	182,257	11,483,959	1,587.06	1,587.06 (1,579.83, 1,594.29)	0.02 (0.02, 0.02)
50-54 years	279,918	11,861,622	2,359.86	2,359.86 (2,351.22, 2,368.50)	0.02 (0.02, 0.02)
Colorectal Cancer					
10-14 years	90	15,251,073	0.59	0.59 (0.47, 0.71)	0.00 (0.00, 0.00)
15-19 years	258	14,817,617	1.74	1.74 (1.53, 1.95)	0.00 (0.00, 0.00)
20-24 years	794	15,523,492	5.11	5.11 (4.76, 5.47)	0.00 (0.00, 0.00)
25-29 years	2,107	17,896,065	11.77	11.77 (11.27, 12.28)	0.00 (0.00, 0.00)
30-34 years	4,543	15,737,028	28.87	28.87 (28.03, 29.71)	0.00 (0.00, 0.00)
35-39 years	8,515	13,706,929	62.12	62.12 (60.80, 63.44)	0.00 (0.00, 0.00)
40-44 years	14,781	12,045,406	122.71	122.71 (120.73, 124.69)	0.00 (0.00, 0.00)
45-49 years	26,224	11,483,959	228.35	228.35 (225.59, 231.11)	0.00 (0.00, 0.00)
50-54 years	46,291	11,861,622	390.26	390.26 (386.71, 393.81)	0.00 (0.00, 0.00)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Cervical Cancer					
10-14 years	25	15,251,073	0.16	0.16 (0.10, 0.23)	0.00 (0.00, 0.00)
15-19 years	66	14,817,617	0.45	0.45 (0.34, 0.55)	0.00 (0.00, 0.00)
20-24 years	413	15,523,492	2.66	2.66 (2.40, 2.92)	0.00 (0.00, 0.00)
25-29 years	2,797	17,896,065	15.63	15.63 (15.05, 16.21)	0.00 (0.00, 0.00)
30-34 years	7,155	15,737,028	45.47	45.47 (44.41, 46.52)	0.00 (0.00, 0.00)
35-39 years	10,540	13,706,929	76.90	76.90 (75.43, 78.36)	0.00 (0.00, 0.00)
40-44 years	12,112	12,045,406	100.55	100.55 (98.76, 102.34)	0.00 (0.00, 0.00)
45-49 years	13,397	11,483,959	116.66	116.66 (114.68, 118.63)	0.00 (0.00, 0.00)
50-54 years	14,320	11,861,622	120.73	120.73 (118.75, 122.70)	0.00 (0.00, 0.00)
Leukemia and Lymphoma					
10-14 years	8,641	15,251,073	56.66	56.66 (55.46, 57.85)	0.00 (0.00, 0.00)
15-19 years	9,892	14,817,617	66.76	66.76 (65.44, 68.07)	0.00 (0.00, 0.00)
20-24 years	11,776	15,523,492	75.86	75.86 (74.49, 77.23)	0.00 (0.00, 0.00)
25-29 years	16,069	17,896,065	89.79	89.79 (88.40, 91.18)	0.00 (0.00, 0.00)
30-34 years	18,397	15,737,028	116.90	116.90 (115.21, 118.59)	0.00 (0.00, 0.00)
35-39 years	21,144	13,706,929	154.26	154.26 (152.18, 156.34)	0.00 (0.00, 0.00)
40-44 years	24,830	12,045,406	206.14	206.14 (203.58, 208.70)	0.00 (0.00, 0.00)
45-49 years	32,371	11,483,959	281.88	281.88 (278.81, 284.95)	0.00 (0.00, 0.00)
50-54 years	46,268	11,861,622	390.06	390.06 (386.52, 393.61)	0.00 (0.00, 0.00)
Melanoma					
10-14 years	16,753	15,251,073	109.85	109.85 (108.19, 111.51)	0.00 (0.00, 0.00)
15-19 years	20,875	14,817,617	140.88	140.88 (138.97, 142.79)	0.00 (0.00, 0.00)
20-24 years	26,415	15,523,492	170.16	170.16 (168.11, 172.21)	0.00 (0.00, 0.00)
25-29 years	50,064	17,896,065	279.75	279.75 (277.30, 282.20)	0.00 (0.00, 0.00)
30-34 years	88,400	15,737,028	561.73	561.73 (558.04, 565.43)	0.01 (0.01, 0.01)
35-39 years	123,027	13,706,929	897.55	897.55 (892.56, 902.55)	0.01 (0.01, 0.01)
40-44 years	150,200	12,045,406	1,246.95	1,246.95 (1,240.68, 1,253.22)	0.01 (0.01, 0.01)
45-49 years	196,060	11,483,959	1,707.25	1,707.25 (1,699.76, 1,714.74)	0.02 (0.02, 0.02)
50-54 years	266,484	11,861,622	2,246.61	2,246.61 (2,238.17, 2,255.04)	0.02 (0.02, 0.02)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Thyroid Cancer					
10-14 years	992	15,251,073	6.50	6.50 (6.10, 6.91)	0.00 (0.00, 0.00)
15-19 years	3,766	14,817,617	25.42	25.42 (24.60, 26.23)	0.00 (0.00, 0.00)
20-24 years	8,637	15,523,492	55.64	55.64 (54.47, 56.81)	0.00 (0.00, 0.00)
25-29 years	18,850	17,896,065	105.33	105.33 (103.83, 106.83)	0.00 (0.00, 0.00)
30-34 years	28,637	15,737,028	181.97	181.97 (179.87, 184.08)	0.00 (0.00, 0.00)
35-39 years	38,235	13,706,929	278.95	278.95 (276.15, 281.74)	0.00 (0.00, 0.00)
40-44 years	45,371	12,045,406	376.67	376.67 (373.21, 380.13)	0.00 (0.00, 0.00)
45-49 years	52,074	11,483,959	453.45	453.45 (449.56, 457.34)	0.00 (0.00, 0.00)
50-54 years	59,366	11,861,622	500.49	500.49 (496.47, 504.50)	0.01 (0.00, 0.01)
Endometrial Cancer					
10-14 years	21	15,251,073	0.14	0.14 (0.08, 0.20)	0.00 (0.00, 0.00)
15-19 years	67	14,817,617	0.45	0.45 (0.34, 0.56)	0.00 (0.00, 0.00)
20-24 years	356	15,523,492	2.29	2.29 (2.06, 2.53)	0.00 (0.00, 0.00)
25-29 years	1,529	17,896,065	8.54	8.54 (8.12, 8.97)	0.00 (0.00, 0.00)
30-34 years	4,056	15,737,028	25.77	25.77 (24.98, 26.57)	0.00 (0.00, 0.00)
35-39 years	7,792	13,706,929	56.85	56.85 (55.59, 58.11)	0.00 (0.00, 0.00)
40-44 years	12,369	12,045,406	102.69	102.69 (100.88, 104.50)	0.00 (0.00, 0.00)
45-49 years	19,579	11,483,959	170.49	170.49 (168.10, 172.88)	0.00 (0.00, 0.00)
50-54 years	32,509	11,861,622	274.07	274.07 (271.09, 277.04)	0.00 (0.00, 0.00)
Lung Cancer					
10-14 years	289	15,251,073	1.89	1.89 (1.68, 2.11)	0.00 (0.00, 0.00)
15-19 years	362	14,817,617	2.44	2.44 (2.19, 2.69)	0.00 (0.00, 0.00)
20-24 years	616	15,523,492	3.97	3.97 (3.65, 4.28)	0.00 (0.00, 0.00)
25-29 years	1,203	17,896,065	6.72	6.72 (6.34, 7.10)	0.00 (0.00, 0.00)
30-34 years	1,961	15,737,028	12.46	12.46 (11.91, 13.01)	0.00 (0.00, 0.00)
35-39 years	3,451	13,706,929	25.18	25.18 (24.34, 26.02)	0.00 (0.00, 0.00)
40-44 years	6,588	12,045,406	54.69	54.69 (53.37, 56.01)	0.00 (0.00, 0.00)
45-49 years	14,115	11,483,959	122.91	122.91 (120.88, 124.94)	0.00 (0.00, 0.00)
50-54 years	32,802	11,861,622	276.54	276.54 (273.55, 279.53)	0.00 (0.00, 0.00)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Urologic Cancer					
10-14 years	1,211	15,251,073	7.94	7.94 (7.49, 8.39)	0.00 (0.00, 0.00)
15-19 years	872	14,817,617	5.88	5.88 (5.49, 6.28)	0.00 (0.00, 0.00)
20-24 years	911	15,523,492	5.87	5.87 (5.49, 6.25)	0.00 (0.00, 0.00)
25-29 years	1,532	17,896,065	8.56	8.56 (8.13, 8.99)	0.00 (0.00, 0.00)
30-34 years	2,733	15,737,028	17.37	17.37 (16.72, 18.02)	0.00 (0.00, 0.00)
35-39 years	4,543	13,706,929	33.14	33.14 (32.18, 34.11)	0.00 (0.00, 0.00)
40-44 years	7,032	12,045,406	58.38	58.38 (57.01, 59.74)	0.00 (0.00, 0.00)
45-49 years	11,025	11,483,959	96.00	96.00 (94.21, 97.79)	0.00 (0.00, 0.00)
50-54 years	16,600	11,861,622	139.95	139.95 (137.82, 142.07)	0.00 (0.00, 0.00)
Osteoporosis					
10-14 years	916	15,251,073	6.01	6.01 (5.62, 6.40)	0.00 (0.00, 0.00)
15-19 years	1,829	14,817,617	12.34	12.34 (11.78, 12.91)	0.00 (0.00, 0.00)
20-24 years	3,516	15,523,492	22.65	22.65 (21.90, 23.40)	0.00 (0.00, 0.00)
25-29 years	6,122	17,896,065	34.21	34.21 (33.35, 35.07)	0.00 (0.00, 0.00)
30-34 years	9,925	15,737,028	63.07	63.07 (61.83, 64.31)	0.00 (0.00, 0.00)
35-39 years	16,637	13,706,929	121.38	121.38 (119.53, 123.22)	0.00 (0.00, 0.00)
40-44 years	28,564	12,045,406	237.14	237.14 (234.39, 239.88)	0.00 (0.00, 0.00)
45-49 years	58,087	11,483,959	505.81	505.81 (501.71, 509.91)	0.01 (0.01, 0.01)
50-54 years	162,097	11,861,622	1,366.57	1,366.57 (1,359.96, 1,373.17)	0.01 (0.01, 0.01)
Hip/Pelvic Fracture					
10-14 years	10,971	15,251,073	71.94	71.94 (70.59, 73.28)	0.00 (0.00, 0.00)
15-19 years	11,705	14,817,617	78.99	78.99 (77.56, 80.42)	0.00 (0.00, 0.00)
20-24 years	9,915	15,523,492	63.87	63.87 (62.61, 65.13)	0.00 (0.00, 0.00)
25-29 years	10,483	17,896,065	58.58	58.58 (57.46, 59.70)	0.00 (0.00, 0.00)
30-34 years	10,613	15,737,028	67.44	67.44 (66.16, 68.72)	0.00 (0.00, 0.00)
35-39 years	11,352	13,706,929	82.82	82.82 (81.30, 84.34)	0.00 (0.00, 0.00)
40-44 years	12,323	12,045,406	102.30	102.30 (100.50, 104.11)	0.00 (0.00, 0.00)
45-49 years	17,559	11,483,959	152.90	152.90 (150.64, 155.16)	0.00 (0.00, 0.00)
50-54 years	30,414	11,861,622	256.41	256.41 (253.53, 259.28)	0.00 (0.00, 0.00)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
All-Cause Pneumonia					
10-14 years	75,518	15,251,073	495.17	495.17 (491.64, 498.69)	0.00 (0.00, 0.00)
15-19 years	62,863	14,817,617	424.25	424.25 (420.94, 427.55)	0.00 (0.00, 0.00)
20-24 years	74,416	15,523,492	479.38	479.38 (475.94, 482.81)	0.00 (0.00, 0.00)
25-29 years	108,715	17,896,065	607.48	607.48 (603.88, 611.08)	0.01 (0.01, 0.01)
30-34 years	135,485	15,737,028	860.93	860.93 (856.37, 865.50)	0.01 (0.01, 0.01)
35-39 years	160,559	13,706,929	1,171.37	1,171.37 (1,165.68, 1,177.07)	0.01 (0.01, 0.01)
40-44 years	182,653	12,045,406	1,516.37	1,516.37 (1,509.47, 1,523.27)	0.02 (0.02, 0.02)
45-49 years	235,537	11,483,959	2,051.01	2,051.01 (2,042.81, 2,059.21)	0.02 (0.02, 0.02)
50-54 years	332,497	11,861,622	2,803.13	2,803.13 (2,793.74, 2,812.53)	0.03 (0.03, 0.03)
Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome (HIV/AIDS)					
10-14 years	1,177	15,251,073	7.72	7.72 (7.28, 8.16)	0.00 (0.00, 0.00)
15-19 years	3,182	14,817,617	21.47	21.47 (20.73, 22.22)	0.00 (0.00, 0.00)
20-24 years	10,248	15,523,492	66.02	66.02 (64.74, 67.29)	0.00 (0.00, 0.00)
25-29 years	19,166	17,896,065	107.10	107.10 (105.58, 108.61)	0.00 (0.00, 0.00)
30-34 years	25,241	15,737,028	160.39	160.39 (158.42, 162.37)	0.00 (0.00, 0.00)
35-39 years	30,326	13,706,929	221.25	221.25 (218.76, 223.73)	0.00 (0.00, 0.00)
40-44 years	34,912	12,045,406	289.84	289.84 (286.80, 292.87)	0.00 (0.00, 0.00)
45-49 years	42,557	11,483,959	370.58	370.58 (367.06, 374.09)	0.00 (0.00, 0.00)
50-54 years	50,481	11,861,622	425.58	425.58 (421.88, 429.29)	0.00 (0.00, 0.00)
Hepatitis B					
10-14 years	885	15,251,073	5.80	5.80 (5.42, 6.19)	0.00 (0.00, 0.00)
15-19 years	2,465	14,817,617	16.64	16.64 (15.98, 17.29)	0.00 (0.00, 0.00)
20-24 years	6,270	15,523,492	40.39	40.39 (39.39, 41.39)	0.00 (0.00, 0.00)
25-29 years	13,751	17,896,065	76.84	76.84 (75.55, 78.12)	0.00 (0.00, 0.00)
30-34 years	21,663	15,737,028	137.66	137.66 (135.82, 139.49)	0.00 (0.00, 0.00)
35-39 years	23,961	13,706,929	174.81	174.81 (172.60, 177.02)	0.00 (0.00, 0.00)
40-44 years	23,923	12,045,406	198.61	198.61 (196.09, 201.12)	0.00 (0.00, 0.00)
45-49 years	25,005	11,483,959	217.74	217.74 (215.04, 220.43)	0.00 (0.00, 0.00)
50-54 years	27,120	11,861,622	228.64	228.64 (225.92, 231.35)	0.00 (0.00, 0.00)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Hepatitis C					
10-14 years	601	15,251,073	3.94	3.94 (3.63, 4.26)	0.00 (0.00, 0.00)
15-19 years	3,442	14,817,617	23.23	23.23 (22.45, 24.01)	0.00 (0.00, 0.00)
20-24 years	24,581	15,523,492	158.35	158.35 (156.37, 160.33)	0.00 (0.00, 0.00)
25-29 years	60,926	17,896,065	340.44	340.44 (337.74, 343.14)	0.00 (0.00, 0.00)
30-34 years	70,101	15,737,028	445.45	445.45 (442.16, 448.74)	0.00 (0.00, 0.00)
35-39 years	62,328	13,706,929	454.72	454.72 (451.16, 458.28)	0.00 (0.00, 0.00)
40-44 years	50,189	12,045,406	416.67	416.67 (413.03, 420.30)	0.00 (0.00, 0.00)
45-49 years	59,461	11,483,959	517.77	517.77 (513.62, 521.93)	0.01 (0.01, 0.01)
50-54 years	95,837	11,861,622	807.96	807.96 (802.86, 813.05)	0.01 (0.01, 0.01)
Drug Use Disorders					
10-14 years	43,500	15,251,073	285.23	285.23 (282.55, 287.90)	0.00 (0.00, 0.00)
15-19 years	254,088	14,817,617	1,714.77	1,714.77 (1,708.16, 1,721.38)	0.02 (0.02, 0.02)
20-24 years	430,859	15,523,492	2,775.53	2,775.53 (2,767.36, 2,783.70)	0.03 (0.03, 0.03)
25-29 years	607,600	17,896,065	3,395.16	3,395.16 (3,386.77, 3,403.55)	0.03 (0.03, 0.03)
30-34 years	623,770	15,737,028	3,963.71	3,963.71 (3,954.07, 3,973.35)	0.04 (0.04, 0.04)
35-39 years	546,857	13,706,929	3,989.64	3,989.64 (3,979.28, 4,000.00)	0.04 (0.04, 0.04)
40-44 years	437,478	12,045,406	3,631.91	3,631.91 (3,621.34, 3,642.47)	0.04 (0.04, 0.04)
45-49 years	422,676	11,483,959	3,680.58	3,680.58 (3,669.69, 3,691.47)	0.04 (0.04, 0.04)
50-54 years	479,659	11,861,622	4,043.79	4,043.79 (4,032.58, 4,055.00)	0.04 (0.04, 0.04)
Tobacco Use					
10-14 years	40,722	15,251,073	267.01	267.01 (264.42, 269.60)	0.00 (0.00, 0.00)
15-19 years	224,582	14,817,617	1,515.64	1,515.64 (1,509.42, 1,521.86)	0.02 (0.02, 0.02)
20-24 years	583,325	15,523,492	3,757.69	3,757.69 (3,748.23, 3,767.15)	0.04 (0.04, 0.04)
25-29 years	842,809	17,896,065	4,709.47	4,709.47 (4,699.65, 4,719.28)	0.05 (0.05, 0.05)
30-34 years	891,912	15,737,028	5,667.60	5,667.60 (5,656.18, 5,679.03)	0.06 (0.06, 0.06)
35-39 years	868,768	13,706,929	6,338.17	6,338.17 (6,325.27, 6,351.07)	0.06 (0.06, 0.06)
40-44 years	801,081	12,045,406	6,650.51	6,650.51 (6,636.44, 6,664.58)	0.07 (0.07, 0.07)
45-49 years	860,685	11,483,959	7,494.67	7,494.67 (7,479.44, 7,509.90)	0.07 (0.07, 0.08)
50-54 years	1,061,256	11,861,622	8,946.97	8,946.97 (8,930.73, 8,963.22)	0.09 (0.09, 0.09)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Alcohol Use Disorders					
10-14 years	13,975	15,251,073	91.63	91.63 (90.11, 93.15)	0.00 (0.00, 0.00)
15-19 years	68,362	14,817,617	461.36	461.36 (457.91, 464.81)	0.00 (0.00, 0.00)
20-24 years	126,082	15,523,492	812.20	812.20 (807.74, 816.67)	0.01 (0.01, 0.01)
25-29 years	191,636	17,896,065	1,070.83	1,070.83 (1,066.06, 1,075.60)	0.01 (0.01, 0.01)
30-34 years	212,328	15,737,028	1,349.23	1,349.23 (1,343.53, 1,354.93)	0.01 (0.01, 0.01)
35-39 years	208,261	13,706,929	1,519.38	1,519.38 (1,512.91, 1,525.86)	0.02 (0.02, 0.02)
40-44 years	187,890	12,045,406	1,559.85	1,559.85 (1,552.85, 1,566.85)	0.02 (0.02, 0.02)
45-49 years	195,613	11,483,959	1,703.36	1,703.36 (1,695.87, 1,710.84)	0.02 (0.02, 0.02)
50-54 years	225,119	11,861,622	1,897.88	1,897.88 (1,890.11, 1,905.64)	0.02 (0.02, 0.02)
Anemia					
10-14 years	144,584	15,251,073	948.03	948.03 (943.16, 952.89)	0.01 (0.01, 0.01)
15-19 years	396,324	14,817,617	2,674.68	2,674.68 (2,666.47, 2,682.90)	0.03 (0.03, 0.03)
20-24 years	630,891	15,523,492	4,064.10	4,064.10 (4,054.28, 4,073.93)	0.04 (0.04, 0.04)
25-29 years	768,878	17,896,065	4,296.35	4,296.35 (4,286.96, 4,305.75)	0.04 (0.04, 0.04)
30-34 years	818,156	15,737,028	5,198.92	5,198.92 (5,187.95, 5,209.89)	0.05 (0.05, 0.05)
35-39 years	851,540	13,706,929	6,212.48	6,212.48 (6,199.70, 6,225.26)	0.06 (0.06, 0.06)
40-44 years	910,619	12,045,406	7,559.89	7,559.89 (7,544.96, 7,574.82)	0.08 (0.08, 0.08)
45-49 years	1,007,440	11,483,959	8,772.58	8,772.58 (8,756.22, 8,788.95)	0.09 (0.09, 0.09)
50-54 years	1,003,529	11,861,622	8,460.30	8,460.30 (8,444.46, 8,476.14)	0.08 (0.08, 0.08)
Sickle Cell Disease					
10-14 years	7,489	15,251,073	49.10	49.10 (47.99, 50.22)	0.00 (0.00, 0.00)
15-19 years	7,278	14,817,617	49.12	49.12 (47.99, 50.25)	0.00 (0.00, 0.00)
20-24 years	8,381	15,523,492	53.99	53.99 (52.83, 55.14)	0.00 (0.00, 0.00)
25-29 years	9,755	17,896,065	54.51	54.51 (53.43, 55.59)	0.00 (0.00, 0.00)
30-34 years	8,912	15,737,028	56.63	56.63 (55.46, 57.81)	0.00 (0.00, 0.00)
35-39 years	7,460	13,706,929	54.43	54.43 (53.19, 55.66)	0.00 (0.00, 0.00)
40-44 years	6,055	12,045,406	50.27	50.27 (49.00, 51.53)	0.00 (0.00, 0.00)
45-49 years	5,217	11,483,959	45.43	45.43 (44.20, 46.66)	0.00 (0.00, 0.00)
50-54 years	4,585	11,861,622	38.65	38.65 (37.54, 39.77)	0.00 (0.00, 0.00)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP ¹ with the Evaluated Condition	Total Number of Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹	Number of ICBP ¹ with the Evaluated Condition per 100,000 Eligible ² ICBP ¹ (95% Confidence Interval)	Number of ICBP ¹ with the Evaluated Condition per Eligible ² ICBP ¹ (95% Confidence Interval)
Liver Disease, Cirrhosis, and Other Liver Conditions					
10-14 years	23,217	15,251,073	152.23	152.23 (150.28, 154.19)	0.00 (0.00, 0.00)
15-19 years	44,635	14,817,617	301.23	301.23 (298.44, 304.02)	0.00 (0.00, 0.00)
20-24 years	76,891	15,523,492	495.32	495.32 (491.83, 498.81)	0.00 (0.00, 0.00)
25-29 years	130,882	17,896,065	731.35	731.35 (727.40, 735.29)	0.01 (0.01, 0.01)
30-34 years	183,335	15,737,028	1,164.99	1,164.99 (1,159.69, 1,170.29)	0.01 (0.01, 0.01)
35-39 years	228,618	13,706,929	1,667.90	1,667.90 (1,661.12, 1,674.68)	0.02 (0.02, 0.02)
40-44 years	272,111	12,045,406	2,259.04	2,259.04 (2,250.65, 2,267.44)	0.02 (0.02, 0.02)
45-49 years	347,122	11,483,959	3,022.67	3,022.67 (3,012.77, 3,032.57)	0.03 (0.03, 0.03)
50-54 years	470,001	11,861,622	3,962.37	3,962.37 (3,951.27, 3,973.47)	0.04 (0.04, 0.04)
Cataract					
10-14 years	13,876	15,251,073	90.98	90.98 (89.47, 92.50)	0.00 (0.00, 0.00)
15-19 years	15,585	14,817,617	105.18	105.18 (103.53, 106.83)	0.00 (0.00, 0.00)
20-24 years	15,995	15,523,492	103.04	103.04 (101.44, 104.63)	0.00 (0.00, 0.00)
25-29 years	24,866	17,896,065	138.95	138.95 (137.22, 140.67)	0.00 (0.00, 0.00)
30-34 years	38,279	15,737,028	243.24	243.24 (240.81, 245.68)	0.00 (0.00, 0.00)
35-39 years	65,028	13,706,929	474.42	474.42 (470.78, 478.05)	0.00 (0.00, 0.00)
40-44 years	139,385	12,045,406	1,157.16	1,157.16 (1,151.12, 1,163.20)	0.01 (0.01, 0.01)
45-49 years	322,326	11,483,959	2,806.75	2,806.75 (2,797.20, 2,816.30)	0.03 (0.03, 0.03)
50-54 years	744,586	11,861,622	6,277.27	6,277.27 (6,263.47, 6,291.07)	0.06 (0.06, 0.06)
Glaucoma					
10-14 years	80,590	15,251,073	528.42	528.42 (524.78, 532.06)	0.01 (0.01, 0.01)
15-19 years	94,991	14,817,617	641.07	641.07 (637.00, 645.13)	0.01 (0.01, 0.01)
20-24 years	81,393	15,523,492	524.32	524.32 (520.73, 527.91)	0.01 (0.01, 0.01)
25-29 years	101,262	17,896,065	565.83	565.83 (562.36, 569.31)	0.01 (0.01, 0.01)
30-34 years	118,293	15,737,028	751.69	751.69 (747.42, 755.95)	0.01 (0.01, 0.01)
35-39 years	143,495	13,706,929	1,046.88	1,046.88 (1,041.49, 1,052.27)	0.01 (0.01, 0.01)
40-44 years	193,252	12,045,406	1,604.36	1,604.36 (1,597.27, 1,611.46)	0.02 (0.02, 0.02)

Table 2b. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Age Group

	Total Number of ICBP¹ with the Evaluated Condition	Total Number of Eligible² ICBP¹	Number of ICBP¹ with the Evaluated Condition per 100,000 Eligible² ICBP¹	Number of ICBP¹ with the Evaluated Condition per 100,000 Eligible² ICBP¹ (95% Confidence Interval)	Number of ICBP¹ with the Evaluated Condition per Eligible² ICBP¹ (95% Confidence Interval)
45-49 years	283,861	11,483,959	2,471.80	2,471.80 (2,462.82, 2,480.78)	0.02 (0.02, 0.02)
50-54 years	411,805	11,861,622	3,471.74	3,471.74 (3,461.32, 3,482.16)	0.03 (0.03, 0.03)

¹Individuals with Childbearing Potential (ICBP)

²Eligible Individuals and Eligible Person-Years are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period.

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
Rheumatoid Arthritis/Osteoarthritis					
2015	34,086	23,916,440	142.52	142.52 (141.01, 144.03)	0.00 (0.00, 0.00)
2016	148,292	40,536,915	365.82	365.82 (363.96, 367.68)	0.00 (0.00, 0.00)
2017	142,315	40,697,215	349.69	349.69 (347.88, 351.51)	0.00 (0.00, 0.00)
2018	127,110	39,220,781	324.09	324.09 (322.31, 325.87)	0.00 (0.00, 0.00)
2019	127,624	40,752,990	313.16	313.16 (311.45, 314.88)	0.00 (0.00, 0.00)
2020	105,409	40,199,980	262.21	262.21 (260.63, 263.79)	0.00 (0.00, 0.00)
2021	50,292	16,117,679	312.03	312.03 (309.31, 314.75)	0.00 (0.00, 0.00)
2022	44,175	16,250,611	271.84	271.84 (269.30, 274.37)	0.00 (0.00, 0.00)
2023	29,964	15,224,689	196.81	196.81 (194.59, 199.04)	0.00 (0.00, 0.00)
2024	419	3,173,539	13.20	13.20 (11.94, 14.47)	0.00 (0.00, 0.00)
Lupus					
2015	35,102	23,916,440	146.77	146.77 (145.24, 148.30)	0.00 (0.00, 0.00)
2016	115,729	40,536,915	285.49	285.49 (283.85, 287.13)	0.00 (0.00, 0.00)
2017	126,208	40,697,215	310.11	310.11 (308.41, 311.82)	0.00 (0.00, 0.00)
2018	124,552	39,220,781	317.57	317.57 (315.81, 319.33)	0.00 (0.00, 0.00)
2019	129,684	40,752,990	318.22	318.22 (316.49, 319.95)	0.00 (0.00, 0.00)
2020	127,809	40,199,980	317.93	317.93 (316.19, 319.67)	0.00 (0.00, 0.00)
2021	71,468	16,117,679	443.41	443.41 (440.17, 446.66)	0.00 (0.00, 0.00)
2022	69,659	16,250,611	428.65	428.65 (425.48, 431.83)	0.00 (0.00, 0.00)
2023	61,335	15,224,689	402.87	402.87 (399.68, 406.05)	0.00 (0.00, 0.00)
2024	3,546	3,173,539	111.74	111.74 (108.06, 115.41)	0.00 (0.00, 0.00)
Psoriasis or Psoriatic Arthritis					
2015	19,046	23,916,440	79.64	79.64 (78.51, 80.77)	0.00 (0.00, 0.00)
2016	100,522	40,536,915	247.98	247.98 (246.45, 249.51)	0.00 (0.00, 0.00)
2017	124,662	40,697,215	306.32	306.32 (304.62, 308.01)	0.00 (0.00, 0.00)
2018	129,048	39,220,781	329.03	329.03 (327.24, 330.82)	0.00 (0.00, 0.00)
2019	138,638	40,752,990	340.19	340.19 (338.40, 341.98)	0.00 (0.00, 0.00)
2020	137,639	40,199,980	342.39	342.39 (340.58, 344.19)	0.00 (0.00, 0.00)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
2021	91,596	16,117,679	568.30	568.30 (564.63, 571.97)	0.01 (0.01, 0.01)
2022	95,405	16,250,611	587.09	587.09 (583.37, 590.80)	0.01 (0.01, 0.01)
2023	88,895	15,224,689	583.89	583.89 (580.06, 587.71)	0.01 (0.01, 0.01)
2024	4,116	3,173,539	129.70	129.70 (125.74, 133.66)	0.00 (0.00, 0.00)
Crohn's Disease					
2015	22,899	23,916,440	95.75	95.75 (94.51, 96.99)	0.00 (0.00, 0.00)
2016	67,576	40,536,915	166.70	166.70 (165.45, 167.96)	0.00 (0.00, 0.00)
2017	73,392	40,697,215	180.34	180.34 (179.03, 181.64)	0.00 (0.00, 0.00)
2018	71,833	39,220,781	183.15	183.15 (181.81, 184.49)	0.00 (0.00, 0.00)
2019	75,697	40,752,990	185.75	185.75 (184.42, 187.07)	0.00 (0.00, 0.00)
2020	74,693	40,199,980	185.80	185.80 (184.47, 187.13)	0.00 (0.00, 0.00)
2021	45,584	16,117,679	282.82	282.82 (280.23, 285.41)	0.00 (0.00, 0.00)
2022	45,633	16,250,611	280.81	280.81 (278.24, 283.38)	0.00 (0.00, 0.00)
2023	40,639	15,224,689	266.93	266.93 (264.34, 269.52)	0.00 (0.00, 0.00)
2024	2,814	3,173,539	88.67	88.67 (85.40, 91.95)	0.00 (0.00, 0.00)
Ulcerative Colitis					
2015	11,784	23,916,440	49.27	49.27 (48.38, 50.16)	0.00 (0.00, 0.00)
2016	48,462	40,536,915	119.55	119.55 (118.49, 120.61)	0.00 (0.00, 0.00)
2017	54,209	40,697,215	133.20	133.20 (132.08, 134.32)	0.00 (0.00, 0.00)
2018	54,026	39,220,781	137.75	137.75 (136.59, 138.91)	0.00 (0.00, 0.00)
2019	56,429	40,752,990	138.47	138.47 (137.32, 139.61)	0.00 (0.00, 0.00)
2020	56,271	40,199,980	139.98	139.98 (138.82, 141.13)	0.00 (0.00, 0.00)
2021	36,878	16,117,679	228.80	228.80 (226.47, 231.14)	0.00 (0.00, 0.00)
2022	37,532	16,250,611	230.96	230.96 (228.62, 233.29)	0.00 (0.00, 0.00)
2023	33,589	15,224,689	220.62	220.62 (218.27, 222.98)	0.00 (0.00, 0.00)
2024	2,107	3,173,539	66.39	66.39 (63.56, 69.23)	0.00 (0.00, 0.00)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
Hypothyroidism					
2015	237,943	23,916,440	994.89	994.89 (990.92, 998.87)	0.01 (0.01, 0.01)
2016	1,234,039	40,536,915	3,044.24	3,044.24 (3,038.95, 3,049.52)	0.03 (0.03, 0.03)
2017	1,452,708	40,697,215	3,569.55	3,569.55 (3,563.85, 3,575.25)	0.04 (0.04, 0.04)
2018	1,435,043	39,220,781	3,658.88	3,658.88 (3,653.01, 3,664.76)	0.04 (0.04, 0.04)
2019	1,441,388	40,752,990	3,536.89	3,536.89 (3,531.22, 3,542.56)	0.04 (0.04, 0.04)
2020	1,383,313	40,199,980	3,441.08	3,441.08 (3,435.44, 3,446.71)	0.03 (0.03, 0.03)
2021	862,076	16,117,679	5,348.64	5,348.64 (5,337.65, 5,359.62)	0.05 (0.05, 0.05)
2022	837,709	16,250,611	5,154.94	5,154.94 (5,144.19, 5,165.69)	0.05 (0.05, 0.05)
2023	732,028	15,224,689	4,808.16	4,808.16 (4,797.42, 4,818.91)	0.05 (0.05, 0.05)
2024	29,580	3,173,539	932.08	932.08 (921.51, 942.65)	0.01 (0.01, 0.01)
Hyperthyroidism					
2015	23,657	23,916,440	98.92	98.92 (97.66, 100.18)	0.00 (0.00, 0.00)
2016	119,381	40,536,915	294.50	294.50 (292.83, 296.17)	0.00 (0.00, 0.00)
2017	137,331	40,697,215	337.45	337.45 (335.66, 339.23)	0.00 (0.00, 0.00)
2018	137,088	39,220,781	349.53	349.53 (347.68, 351.38)	0.00 (0.00, 0.00)
2019	142,033	40,752,990	348.52	348.52 (346.71, 350.33)	0.00 (0.00, 0.00)
2020	140,684	40,199,980	349.96	349.96 (348.13, 351.79)	0.00 (0.00, 0.00)
2021	70,456	16,117,679	437.13	437.13 (433.91, 440.36)	0.00 (0.00, 0.00)
2022	71,006	16,250,611	436.94	436.94 (433.74, 440.15)	0.00 (0.00, 0.00)
2023	63,086	15,224,689	414.37	414.37 (411.14, 417.59)	0.00 (0.00, 0.00)
2024	3,395	3,173,539	106.98	106.98 (103.38, 110.58)	0.00 (0.00, 0.00)
Breast Cancer					
2015	60,148	23,916,440	251.49	251.49 (249.48, 253.50)	0.00 (0.00, 0.00)
2016	171,153	40,536,915	422.22	422.22 (420.22, 424.21)	0.00 (0.00, 0.00)
2017	181,704	40,697,215	446.48	446.48 (444.43, 448.53)	0.00 (0.00, 0.00)
2018	175,578	39,220,781	447.67	447.67 (445.58, 449.76)	0.00 (0.00, 0.00)
2019	178,815	40,752,990	438.78	438.78 (436.75, 440.81)	0.00 (0.00, 0.00)
2020	172,363	40,199,980	428.76	428.76 (426.74, 430.78)	0.00 (0.00, 0.00)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
2021	110,121	16,117,679	683.23	683.23 (679.21, 687.25)	0.01 (0.01, 0.01)
2022	110,683	16,250,611	681.10	681.10 (677.10, 685.10)	0.01 (0.01, 0.01)
2023	101,034	15,224,689	663.62	663.62 (659.54, 667.70)	0.01 (0.01, 0.01)
2024	8,132	3,173,539	256.24	256.24 (250.68, 261.81)	0.00 (0.00, 0.00)
Colorectal Cancer					
2015	8,499	23,916,440	35.54	35.54 (34.78, 36.29)	0.00 (0.00, 0.00)
2016	24,751	40,536,915	61.06	61.06 (60.30, 61.82)	0.00 (0.00, 0.00)
2017	26,161	40,697,215	64.28	64.28 (63.50, 65.06)	0.00 (0.00, 0.00)
2018	25,206	39,220,781	64.27	64.27 (63.47, 65.06)	0.00 (0.00, 0.00)
2019	26,292	40,752,990	64.52	64.52 (63.74, 65.30)	0.00 (0.00, 0.00)
2020	25,225	40,199,980	62.75	62.75 (61.97, 63.52)	0.00 (0.00, 0.00)
2021	15,055	16,117,679	93.41	93.41 (91.92, 94.90)	0.00 (0.00, 0.00)
2022	14,883	16,250,611	91.58	91.58 (90.11, 93.05)	0.00 (0.00, 0.00)
2023	13,225	15,224,689	86.87	86.87 (85.39, 88.35)	0.00 (0.00, 0.00)
2024	952	3,173,539	30.00	30.00 (28.09, 31.90)	0.00 (0.00, 0.00)
Cervical Cancer					
2015	3,565	23,916,440	14.91	14.91 (14.42, 15.40)	0.00 (0.00, 0.00)
2016	13,743	40,536,915	33.90	33.90 (33.34, 34.47)	0.00 (0.00, 0.00)
2017	15,070	40,697,215	37.03	37.03 (36.44, 37.62)	0.00 (0.00, 0.00)
2018	14,631	39,220,781	37.30	37.30 (36.70, 37.91)	0.00 (0.00, 0.00)
2019	15,477	40,752,990	37.98	37.98 (37.38, 38.58)	0.00 (0.00, 0.00)
2020	14,816	40,199,980	36.86	36.86 (36.26, 37.45)	0.00 (0.00, 0.00)
2021	6,012	16,117,679	37.30	37.30 (36.36, 38.24)	0.00 (0.00, 0.00)
2022	6,000	16,250,611	36.92	36.92 (35.99, 37.86)	0.00 (0.00, 0.00)
2023	5,172	15,224,689	33.97	33.97 (33.05, 34.90)	0.00 (0.00, 0.00)
2024	324	3,173,539	10.21	10.21 (9.10, 11.32)	0.00 (0.00, 0.00)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
Leukemia and Lymphoma					
2015	14,002	23,916,440	58.55	58.55 (57.58, 59.51)	0.00 (0.00, 0.00)
2016	45,728	40,536,915	112.81	112.81 (111.77, 113.84)	0.00 (0.00, 0.00)
2017	50,314	40,697,215	123.63	123.63 (122.55, 124.71)	0.00 (0.00, 0.00)
2018	49,862	39,220,781	127.13	127.13 (126.02, 128.25)	0.00 (0.00, 0.00)
2019	52,038	40,752,990	127.69	127.69 (126.59, 128.79)	0.00 (0.00, 0.00)
2020	50,466	40,199,980	125.54	125.54 (124.44, 126.63)	0.00 (0.00, 0.00)
2021	27,616	16,117,679	171.34	171.34 (169.32, 173.36)	0.00 (0.00, 0.00)
2022	27,274	16,250,611	167.83	167.83 (165.84, 169.82)	0.00 (0.00, 0.00)
2023	23,548	15,224,689	154.67	154.67 (152.70, 156.64)	0.00 (0.00, 0.00)
2024	1,348	3,173,539	42.48	42.48 (40.21, 44.74)	0.00 (0.00, 0.00)
Melanoma					
2015	20,815	23,916,440	87.03	87.03 (85.85, 88.21)	0.00 (0.00, 0.00)
2016	142,040	40,536,915	350.40	350.40 (348.58, 352.22)	0.00 (0.00, 0.00)
2017	184,722	40,697,215	453.89	453.89 (451.83, 455.96)	0.00 (0.00, 0.00)
2018	183,321	39,220,781	467.41	467.41 (465.27, 469.54)	0.00 (0.00, 0.00)
2019	182,658	40,752,990	448.21	448.21 (446.16, 450.26)	0.00 (0.00, 0.00)
2020	155,227	40,199,980	386.14	386.14 (384.22, 388.05)	0.00 (0.00, 0.00)
2021	137,146	16,117,679	850.90	850.90 (846.42, 855.39)	0.01 (0.01, 0.01)
2022	144,212	16,250,611	887.43	887.43 (882.87, 891.98)	0.01 (0.01, 0.01)
2023	128,312	15,224,689	842.79	842.79 (838.20, 847.38)	0.01 (0.01, 0.01)
2024	3,662	3,173,539	115.39	115.39 (111.66, 119.13)	0.00 (0.00, 0.00)
Thyroid Cancer					
2015	14,435	23,916,440	60.36	60.36 (59.37, 61.34)	0.00 (0.00, 0.00)
2016	59,536	40,536,915	146.87	146.87 (145.69, 148.05)	0.00 (0.00, 0.00)
2017	67,412	40,697,215	165.64	165.64 (164.39, 166.89)	0.00 (0.00, 0.00)
2018	66,847	39,220,781	170.44	170.44 (169.15, 171.73)	0.00 (0.00, 0.00)
2019	68,192	40,752,990	167.33	167.33 (166.08, 168.58)	0.00 (0.00, 0.00)
2020	66,521	40,199,980	165.48	165.48 (164.22, 166.73)	0.00 (0.00, 0.00)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
2021	41,896	16,117,679	259.94	259.94 (257.45, 262.42)	0.00 (0.00, 0.00)
2022	41,775	16,250,611	257.07	257.07 (254.61, 259.53)	0.00 (0.00, 0.00)
2023	37,284	15,224,689	244.89	244.89 (242.41, 247.37)	0.00 (0.00, 0.00)
2024	2,030	3,173,539	63.97	63.97 (61.18, 66.75)	0.00 (0.00, 0.00)
Endometrial Cancer					
2015	3,904	23,916,440	16.32	16.32 (15.81, 16.84)	0.00 (0.00, 0.00)
2016	16,688	40,536,915	41.17	41.17 (40.54, 41.79)	0.00 (0.00, 0.00)
2017	19,302	40,697,215	47.43	47.43 (46.76, 48.10)	0.00 (0.00, 0.00)
2018	18,916	39,220,781	48.23	48.23 (47.54, 48.92)	0.00 (0.00, 0.00)
2019	19,224	40,752,990	47.17	47.17 (46.51, 47.84)	0.00 (0.00, 0.00)
2020	17,955	40,199,980	44.66	44.66 (44.01, 45.32)	0.00 (0.00, 0.00)
2021	10,827	16,117,679	67.17	67.17 (65.91, 68.44)	0.00 (0.00, 0.00)
2022	10,456	16,250,611	64.34	64.34 (63.11, 65.58)	0.00 (0.00, 0.00)
2023	9,197	15,224,689	60.41	60.41 (59.17, 61.64)	0.00 (0.00, 0.00)
2024	529	3,173,539	16.67	16.67 (15.25, 18.09)	0.00 (0.00, 0.00)
Lung Cancer					
2015	5,372	23,916,440	22.46	22.46 (21.86, 23.06)	0.00 (0.00, 0.00)
2016	15,534	40,536,915	38.32	38.32 (37.72, 38.92)	0.00 (0.00, 0.00)
2017	15,506	40,697,215	38.10	38.10 (37.50, 38.70)	0.00 (0.00, 0.00)
2018	13,884	39,220,781	35.40	35.40 (34.81, 35.99)	0.00 (0.00, 0.00)
2019	14,305	40,752,990	35.10	35.10 (34.53, 35.68)	0.00 (0.00, 0.00)
2020	12,873	40,199,980	32.02	32.02 (31.47, 32.58)	0.00 (0.00, 0.00)
2021	6,269	16,117,679	38.90	38.90 (37.93, 39.86)	0.00 (0.00, 0.00)
2022	5,850	16,250,611	36.00	36.00 (35.08, 36.92)	0.00 (0.00, 0.00)
2023	4,921	15,224,689	32.32	32.32 (31.42, 33.23)	0.00 (0.00, 0.00)
2024	290	3,173,539	9.14	9.14 (8.09, 10.19)	0.00 (0.00, 0.00)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
Urologic Cancer					
2015	2,523	23,916,440	10.55	10.55 (10.14, 10.96)	0.00 (0.00, 0.00)
2016	10,354	40,536,915	25.54	25.54 (25.05, 26.03)	0.00 (0.00, 0.00)
2017	11,823	40,697,215	29.05	29.05 (28.53, 29.57)	0.00 (0.00, 0.00)
2018	11,740	39,220,781	29.93	29.93 (29.39, 30.47)	0.00 (0.00, 0.00)
2019	12,261	40,752,990	30.09	30.09 (29.55, 30.62)	0.00 (0.00, 0.00)
2020	11,796	40,199,980	29.34	29.34 (28.81, 29.87)	0.00 (0.00, 0.00)
2021	6,677	16,117,679	41.43	41.43 (40.43, 42.42)	0.00 (0.00, 0.00)
2022	6,476	16,250,611	39.85	39.85 (38.88, 40.82)	0.00 (0.00, 0.00)
2023	5,680	15,224,689	37.31	37.31 (36.34, 38.28)	0.00 (0.00, 0.00)
2024	234	3,173,539	7.37	7.37 (6.43, 8.32)	0.00 (0.00, 0.00)
Osteoporosis					
2015	13,280	23,916,440	55.53	55.53 (54.58, 56.47)	0.00 (0.00, 0.00)
2016	65,981	40,536,915	162.77	162.77 (161.53, 164.01)	0.00 (0.00, 0.00)
2017	73,535	40,697,215	180.69	180.69 (179.38, 181.99)	0.00 (0.00, 0.00)
2018	69,147	39,220,781	176.30	176.30 (174.99, 177.61)	0.00 (0.00, 0.00)
2019	67,396	40,752,990	165.38	165.38 (164.13, 166.62)	0.00 (0.00, 0.00)
2020	58,356	40,199,980	145.16	145.16 (143.99, 146.34)	0.00 (0.00, 0.00)
2021	44,123	16,117,679	273.76	273.76 (271.20, 276.31)	0.00 (0.00, 0.00)
2022	41,574	16,250,611	255.83	255.83 (253.37, 258.29)	0.00 (0.00, 0.00)
2023	34,162	15,224,689	224.39	224.39 (222.01, 226.76)	0.00 (0.00, 0.00)
2024	1,182	3,173,539	37.25	37.25 (35.12, 39.37)	0.00 (0.00, 0.00)
Hip/Pelvic Fracture					
2015	5,030	23,916,440	21.03	21.03 (20.45, 21.61)	0.00 (0.00, 0.00)
2016	22,371	40,536,915	55.19	55.19 (54.46, 55.91)	0.00 (0.00, 0.00)
2017	22,204	40,697,215	54.56	54.56 (53.84, 55.28)	0.00 (0.00, 0.00)
2018	20,593	39,220,781	52.51	52.51 (51.79, 53.22)	0.00 (0.00, 0.00)
2019	22,435	40,752,990	55.05	55.05 (54.33, 55.77)	0.00 (0.00, 0.00)
2020	21,740	40,199,980	54.08	54.08 (53.36, 54.80)	0.00 (0.00, 0.00)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
2021	8,705	16,117,679	54.01	54.01 (52.87, 55.14)	0.00 (0.00, 0.00)
2022	8,647	16,250,611	53.21	53.21 (52.09, 54.33)	0.00 (0.00, 0.00)
2023	6,532	15,224,689	42.90	42.90 (41.86, 43.94)	0.00 (0.00, 0.00)
2024	231	3,173,539	7.28	7.28 (6.34, 8.22)	0.00 (0.00, 0.00)
All-Cause Pneumonia					
2015	55,416	23,916,440	231.71	231.71 (229.78, 233.63)	0.00 (0.00, 0.00)
2016	256,165	40,536,915	631.93	631.93 (629.49, 634.37)	0.01 (0.01, 0.01)
2017	251,121	40,697,215	617.05	617.05 (614.64, 619.45)	0.01 (0.01, 0.01)
2018	236,973	39,220,781	604.20	604.20 (601.78, 606.63)	0.01 (0.01, 0.01)
2019	263,043	40,752,990	645.46	645.46 (643.00, 647.92)	0.01 (0.01, 0.01)
2020	276,428	40,199,980	687.63	687.63 (685.08, 690.19)	0.01 (0.01, 0.01)
2021	120,445	16,117,679	747.29	747.29 (743.08, 751.49)	0.01 (0.01, 0.01)
2022	84,507	16,250,611	520.02	520.02 (516.53, 523.52)	0.01 (0.01, 0.01)
2023	57,994	15,224,689	380.92	380.92 (377.83, 384.02)	0.00 (0.00, 0.00)
2024	2,087	3,173,539	65.76	65.76 (62.94, 68.58)	0.00 (0.00, 0.00)
Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome (HIV/AIDS)					
2015	19,293	23,916,440	80.67	80.67 (79.53, 81.81)	0.00 (0.00, 0.00)
2016	88,144	40,536,915	217.44	217.44 (216.01, 218.88)	0.00 (0.00, 0.00)
2017	67,807	40,697,215	166.61	166.61 (165.36, 167.87)	0.00 (0.00, 0.00)
2018	65,199	39,220,781	166.24	166.24 (164.96, 167.51)	0.00 (0.00, 0.00)
2019	69,394	40,752,990	170.28	170.28 (169.01, 171.55)	0.00 (0.00, 0.00)
2020	64,390	40,199,980	160.17	160.17 (158.94, 161.41)	0.00 (0.00, 0.00)
2021	18,039	16,117,679	111.92	111.92 (110.29, 113.55)	0.00 (0.00, 0.00)
2022	16,432	16,250,611	101.12	101.12 (99.57, 102.66)	0.00 (0.00, 0.00)
2023	13,845	15,224,689	90.94	90.94 (89.42, 92.45)	0.00 (0.00, 0.00)
2024	789	3,173,539	24.86	24.86 (23.13, 26.60)	0.00 (0.00, 0.00)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
Hepatitis B					
2015	5,237	23,916,440	21.90	21.90 (21.30, 22.49)	0.00 (0.00, 0.00)
2016	37,581	40,536,915	92.71	92.71 (91.77, 93.64)	0.00 (0.00, 0.00)
2017	43,177	40,697,215	106.09	106.09 (105.09, 107.09)	0.00 (0.00, 0.00)
2018	41,375	39,220,781	105.49	105.49 (104.48, 106.51)	0.00 (0.00, 0.00)
2019	41,537	40,752,990	101.92	101.92 (100.94, 102.90)	0.00 (0.00, 0.00)
2020	36,899	40,199,980	91.79	91.79 (90.85, 92.72)	0.00 (0.00, 0.00)
2021	12,459	16,117,679	77.30	77.30 (75.94, 78.66)	0.00 (0.00, 0.00)
2022	12,130	16,250,611	74.64	74.64 (73.32, 75.97)	0.00 (0.00, 0.00)
2023	10,177	15,224,689	66.85	66.85 (65.55, 68.14)	0.00 (0.00, 0.00)
2024	530	3,173,539	16.70	16.70 (15.28, 18.12)	0.00 (0.00, 0.00)
Hepatitis C					
2015	24,860	23,916,440	103.95	103.95 (102.65, 105.24)	0.00 (0.00, 0.00)
2016	123,135	40,536,915	303.76	303.76 (302.07, 305.45)	0.00 (0.00, 0.00)
2017	127,938	40,697,215	314.37	314.37 (312.65, 316.09)	0.00 (0.00, 0.00)
2018	110,356	39,220,781	281.37	281.37 (279.71, 283.03)	0.00 (0.00, 0.00)
2019	115,827	40,752,990	284.22	284.22 (282.58, 285.85)	0.00 (0.00, 0.00)
2020	103,084	40,199,980	256.43	256.43 (254.86, 257.99)	0.00 (0.00, 0.00)
2021	16,127	16,117,679	100.06	100.06 (98.51, 101.60)	0.00 (0.00, 0.00)
2022	13,102	16,250,611	80.62	80.62 (79.24, 82.00)	0.00 (0.00, 0.00)
2023	9,725	15,224,689	63.88	63.88 (62.61, 65.15)	0.00 (0.00, 0.00)
2024	370	3,173,539	11.66	11.66 (10.47, 12.85)	0.00 (0.00, 0.00)
Drug Use Disorders					
2015	199,040	23,916,440	832.23	832.23 (828.59, 835.87)	0.01 (0.01, 0.01)
2016	888,235	40,536,915	2,191.18	2,191.18 (2,186.67, 2,195.68)	0.02 (0.02, 0.02)
2017	984,975	40,697,215	2,420.25	2,420.25 (2,415.53, 2,424.97)	0.02 (0.02, 0.02)
2018	967,365	39,220,781	2,466.46	2,466.46 (2,461.61, 2,471.31)	0.02 (0.02, 0.02)
2019	1,083,531	40,752,990	2,658.78	2,658.78 (2,653.84, 2,663.72)	0.03 (0.03, 0.03)
2020	1,106,179	40,199,980	2,751.69	2,751.69 (2,746.63, 2,756.75)	0.03 (0.03, 0.03)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
2021	237,835	16,117,679	1,475.62	1,475.62 (1,469.73, 1,481.50)	0.01 (0.01, 0.01)
2022	226,470	16,250,611	1,393.61	1,393.61 (1,387.91, 1,399.31)	0.01 (0.01, 0.01)
2023	191,173	15,224,689	1,255.68	1,255.68 (1,250.08, 1,261.27)	0.01 (0.01, 0.01)
2024	9,736	3,173,539	306.79	306.79 (300.70, 312.87)	0.00 (0.00, 0.00)
Tobacco Use					
2015	246,375	23,916,440	1,030.15	1,030.15 (1,026.10, 1,034.20)	0.01 (0.01, 0.01)
2016	1,393,860	40,536,915	3,438.50	3,438.50 (3,432.89, 3,444.10)	0.03 (0.03, 0.03)
2017	1,661,799	40,697,215	4,083.32	4,083.32 (4,077.24, 4,089.40)	0.04 (0.04, 0.04)
2018	1,550,721	39,220,781	3,953.82	3,953.82 (3,947.73, 3,959.92)	0.04 (0.04, 0.04)
2019	1,642,591	40,752,990	4,030.60	4,030.60 (4,024.56, 4,036.64)	0.04 (0.04, 0.04)
2020	1,469,642	40,199,980	3,655.83	3,655.83 (3,650.03, 3,661.63)	0.04 (0.04, 0.04)
2021	492,825	16,117,679	3,057.67	3,057.67 (3,049.26, 3,066.07)	0.03 (0.03, 0.03)
2022	438,910	16,250,611	2,700.88	2,700.88 (2,693.00, 2,708.76)	0.03 (0.03, 0.03)
2023	355,664	15,224,689	2,336.10	2,336.10 (2,328.51, 2,343.69)	0.02 (0.02, 0.02)
2024	11,997	3,173,539	378.03	378.03 (371.28, 384.78)	0.00 (0.00, 0.00)
Alcohol Use Disorders					
2015	65,828	23,916,440	275.24	275.24 (273.14, 277.34)	0.00 (0.00, 0.00)
2016	308,715	40,536,915	761.57	761.57 (758.89, 764.24)	0.01 (0.01, 0.01)
2017	336,389	40,697,215	826.57	826.57 (823.78, 829.35)	0.01 (0.01, 0.01)
2018	326,022	39,220,781	831.25	831.25 (828.41, 834.09)	0.01 (0.01, 0.01)
2019	354,747	40,752,990	870.48	870.48 (867.63, 873.33)	0.01 (0.01, 0.01)
2020	358,725	40,199,980	892.35	892.35 (889.44, 895.26)	0.01 (0.01, 0.01)
2021	93,611	16,117,679	580.80	580.80 (577.09, 584.51)	0.01 (0.01, 0.01)
2022	92,377	16,250,611	568.45	568.45 (564.80, 572.11)	0.01 (0.01, 0.01)
2023	77,742	15,224,689	510.63	510.63 (507.05, 514.21)	0.01 (0.01, 0.01)
2024	4,424	3,173,539	139.40	139.40 (135.30, 143.51)	0.00 (0.00, 0.00)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
Anemia					
2015	239,322	23,916,440	1,000.66	1,000.66 (996.67, 1,004.65)	0.01 (0.01, 0.01)
2016	1,175,850	40,536,915	2,900.69	2,900.69 (2,895.52, 2,905.86)	0.03 (0.03, 0.03)
2017	1,401,298	40,697,215	3,443.23	3,443.23 (3,437.63, 3,448.83)	0.03 (0.03, 0.03)
2018	1,422,269	39,220,781	3,626.31	3,626.31 (3,620.46, 3,632.17)	0.04 (0.04, 0.04)
2019	1,550,222	40,752,990	3,803.95	3,803.95 (3,798.07, 3,809.82)	0.04 (0.04, 0.04)
2020	1,493,795	40,199,980	3,715.91	3,715.91 (3,710.06, 3,721.76)	0.04 (0.04, 0.04)
2021	690,178	16,117,679	4,282.12	4,282.12 (4,272.23, 4,292.00)	0.04 (0.04, 0.04)
2022	688,196	16,250,611	4,234.89	4,234.89 (4,225.10, 4,244.68)	0.04 (0.04, 0.04)
2023	614,692	15,224,689	4,037.47	4,037.47 (4,027.58, 4,047.36)	0.04 (0.04, 0.04)
2024	25,493	3,173,539	803.30	803.30 (793.48, 813.12)	0.01 (0.01, 0.01)
Sickle Cell Disease					
2015	7,825	23,916,440	32.72	32.72 (31.99, 33.44)	0.00 (0.00, 0.00)
2016	19,283	40,536,915	47.57	47.57 (46.90, 48.24)	0.00 (0.00, 0.00)
2017	19,837	40,697,215	48.74	48.74 (48.06, 49.42)	0.00 (0.00, 0.00)
2018	19,321	39,220,781	49.26	49.26 (48.57, 49.96)	0.00 (0.00, 0.00)
2019	22,257	40,752,990	54.61	54.61 (53.90, 55.33)	0.00 (0.00, 0.00)
2020	21,393	40,199,980	53.22	53.22 (52.50, 53.93)	0.00 (0.00, 0.00)
2021	7,357	16,117,679	45.65	45.65 (44.60, 46.69)	0.00 (0.00, 0.00)
2022	7,088	16,250,611	43.62	43.62 (42.60, 44.63)	0.00 (0.00, 0.00)
2023	6,287	15,224,689	41.29	41.29 (40.27, 42.32)	0.00 (0.00, 0.00)
2024	417	3,173,539	13.14	13.14 (11.88, 14.40)	0.00 (0.00, 0.00)
Liver Disease, Cirrhosis, and Other Liver Conditions					
2015	51,340	23,916,440	214.66	214.66 (212.81, 216.52)	0.00 (0.00, 0.00)
2016	285,060	40,536,915	703.21	703.21 (700.64, 705.78)	0.01 (0.01, 0.01)
2017	344,285	40,697,215	845.97	845.97 (843.15, 848.78)	0.01 (0.01, 0.01)
2018	354,945	39,220,781	904.99	904.99 (902.03, 907.96)	0.01 (0.01, 0.01)
2019	384,705	40,752,990	943.99	943.99 (941.02, 946.96)	0.01 (0.01, 0.01)
2020	384,958	40,199,980	957.61	957.61 (954.60, 960.62)	0.01 (0.01, 0.01)

Table 2c. Prevalence of the Selected Health Conditions Among Eligible Individuals with Childbearing Potential in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024, by Year¹

	Total Number of ICBP ² with the Evaluated Condition	Total Number of Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ²	Number of ICBP ² with the Evaluated Condition per 100,000 Eligible ³ ICBP ² (95% Confidence Interval)	Number of ICBP ² with the Evaluated Condition per Eligible ³ ICBP ² (95% Confidence Interval)
2021	199,301	16,117,679	1,236.54	1,236.54 (1,231.14, 1,241.93)	0.01 (0.01, 0.01)
2022	203,950	16,250,611	1,255.03	1,255.03 (1,249.62, 1,260.44)	0.01 (0.01, 0.01)
2023	182,591	15,224,689	1,199.31	1,199.31 (1,193.84, 1,204.78)	0.01 (0.01, 0.01)
2024	6,721	3,173,539	211.78	211.78 (206.72, 216.84)	0.00 (0.00, 0.00)
Cataract					
2015	67,603	23,916,440	282.66	282.66 (280.54, 284.79)	0.00 (0.00, 0.00)
2016	287,915	40,536,915	710.25	710.25 (707.67, 712.84)	0.01 (0.01, 0.01)
2017	292,225	40,697,215	718.05	718.05 (715.45, 720.64)	0.01 (0.01, 0.01)
2018	280,311	39,220,781	714.70	714.70 (712.06, 717.34)	0.01 (0.01, 0.01)
2019	281,223	40,752,990	690.07	690.07 (687.53, 692.61)	0.01 (0.01, 0.01)
2020	233,584	40,199,980	581.06	581.06 (578.71, 583.40)	0.01 (0.01, 0.01)
2021	158,061	16,117,679	980.67	980.67 (975.86, 985.48)	0.01 (0.01, 0.01)
2022	151,701	16,250,611	933.51	933.51 (928.83, 938.19)	0.01 (0.01, 0.01)
2023	118,175	15,224,689	776.21	776.21 (771.80, 780.61)	0.01 (0.01, 0.01)
2024	3,353	3,173,539	105.65	105.65 (102.08, 109.23)	0.00 (0.00, 0.00)
Glaucoma					
2015	75,878	23,916,440	317.26	317.26 (315.01, 319.52)	0.00 (0.00, 0.00)
2016	312,254	40,536,915	770.30	770.30 (767.60, 772.99)	0.01 (0.01, 0.01)
2017	330,558	40,697,215	812.24	812.24 (809.48, 815.00)	0.01 (0.01, 0.01)
2018	327,926	39,220,781	836.10	836.10 (833.25, 838.95)	0.01 (0.01, 0.01)
2019	347,778	40,752,990	853.38	853.38 (850.56, 856.20)	0.01 (0.01, 0.01)
2020	314,156	40,199,980	781.48	781.48 (778.76, 784.21)	0.01 (0.01, 0.01)
2021	158,949	16,117,679	986.18	986.18 (981.35, 991.00)	0.01 (0.01, 0.01)
2022	158,557	16,250,611	975.70	975.70 (970.92, 980.48)	0.01 (0.01, 0.01)
2023	135,518	15,224,689	890.12	890.12 (885.40, 894.84)	0.01 (0.01, 0.01)
2024	4,440	3,173,539	139.91	139.91 (135.79, 144.02)	0.00 (0.00, 0.00)

¹As the query start date was October 1, 2015, the year 2015 only included data from October 1 to December 31. There were partial data in years 2023 and 2024 due to the Data Partners' end dates.

²Individuals with Childbearing Potential (ICBP)

³Eligible Individuals and Eligible Person-Years are reflective of the number of patients that met all cohort entry criteria on at least one day during the query period.

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Rheumatoid		Lupus		Psoriasis or Psoriatic Arthritis	
	Arthritis/Osteoarthritis					
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	891,266	92,138,637	395,776	92,634,127	539,406	92,490,497
Claim recorded during specified age range	663,906	227,360	353,672	42,104	465,470	73,936
Episode defining index claim recorded during the query period	663,906	0	353,672	0	465,470	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	663,906	0	353,672	0	465,470	0
Met inclusion and exclusion criteria ⁴	663,906	0	353,672	0	465,470	0
Had sufficient post-index continuous enrollment	663,906	0	353,672	0	465,470	0
Final cohort						
Number of members	663,906	N/A ³	353,672	N/A ³	465,470	N/A ³
Number of episodes	663,906	N/A ³	353,672	N/A ³	465,470	N/A ³

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Crohn's Disease		Ulcerative Colitis		Hypothyroidism	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	230,804	92,799,099	209,386	92,820,517	4,748,656	88,281,247
Claim recorded during specified age range	211,392	19,412	185,762	23,624	4,108,260	640,396
Episode defining index claim recorded during the query period	211,392	0	185,762	0	4,108,260	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	211,392	0	185,762	0	4,108,260	0
Met inclusion and exclusion criteria ⁴	211,392	0	185,762	0	4,108,260	0
Had sufficient post-index continuous enrollment	211,392	0	185,762	0	4,108,260	0
Final cohort						
Number of members	211,392	N/A ³	185,762	N/A ³	4,108,260	N/A ³
Number of episodes	211,392	N/A ³	185,762	N/A ³	4,108,260	N/A ³

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Hyperthyroidism		Breast Cancer		Colorectal Cancer	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	555,410	92,474,493	668,949	92,360,954	118,253	92,911,650
Claim recorded during specified age range	494,060	61,350	515,483	153,466	87,958	30,295
Episode defining index claim recorded during the query period	494,060	0	515,483	0	87,958	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	494,060	0	515,483	0	87,958	0
Met inclusion and exclusion criteria ⁴	494,060	0	515,483	0	87,958	0
Had sufficient post-index continuous enrollment	494,060	0	515,483	0	87,958	0
Final cohort						
Number of members	494,060	N/A ³	515,483	N/A ³	87,958	N/A ³
Number of episodes	494,060	N/A ³	515,483	N/A ³	87,958	N/A ³

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Cervical Cancer		Leukemia and Lymphoma		Melanoma	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	59,847	92,970,056	184,101	92,845,802	1,064,348	91,965,555
Claim recorded during specified age range	51,891	7,956	151,803	32,298	841,625	222,723
Episode defining index claim recorded during the query period	51,891	0	151,803	0	841,625	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	51,891	0	151,803	0	841,625	0
Met inclusion and exclusion criteria ⁴	51,891	0	151,803	0	841,625	0
Had sufficient post-index continuous enrollment	51,891	0	151,803	0	841,625	0
Final cohort						
Number of members	51,891	N/A ³	151,803	N/A ³	841,625	N/A ³
Number of episodes	51,891	N/A ³	151,803	N/A ³	841,625	N/A ³

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Thyroid Cancer		Endometrial Cancer		Lung Cancer	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	230,336	92,799,567	95,954	92,933,949	91,008	92,938,895
Claim recorded during specified age range	201,375	28,961	67,885	28,069	55,800	35,208
Episode defining index claim recorded during the query period	201,375	0	67,885	0	55,800	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	201,375	0	67,885	0	55,800	0
Met inclusion and exclusion criteria ⁴	201,375	0	67,885	0	55,800	0
Had sufficient post-index continuous enrollment	201,375	0	67,885	0	55,800	0
Final cohort						
Number of members	201,375	N/A ³	67,885	N/A ³	55,800	N/A ³
Number of episodes	201,375	N/A ³	67,885	N/A ³	55,800	N/A ³

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Urologic Cancer		Osteoporosis		Hip/Pelvic Fracture	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	51,764	92,978,139	468,416	92,561,487	158,905	92,870,998
Claim recorded during specified age range	38,775	12,989	254,094	214,322	121,662	37,243
Episode defining index claim recorded during the query period	38,775	0	254,094	0	121,662	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	38,775	0	254,094	0	121,662	0
Met inclusion and exclusion criteria ⁴	38,775	0	254,094	0	121,662	0
Had sufficient post-index continuous enrollment	38,775	0	254,094	0	121,662	0
Final cohort						
Number of members	38,775	N/A ³	254,094	N/A ³	121,662	N/A ³
Number of episodes	38,775	N/A ³	254,094	N/A ³	121,662	N/A ³

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	All-Cause Pneumonia		Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome (HIV/AIDS)		Hepatitis B	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	1,665,976	91,363,927	176,252	92,853,651	129,517	92,900,386
Claim recorded during specified age range	1,291,939	374,037	163,660	12,592	117,612	11,905
Episode defining index claim recorded during the query period	1,291,939	0	163,660	0	117,612	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	1,291,939	0	163,660	0	117,612	0
Met inclusion and exclusion criteria ⁴	1,291,939	0	163,660	0	117,612	0
Had sufficient post-index continuous enrollment	1,291,939	0	163,660	0	117,612	0
Final cohort						
Number of members	1,291,939	N/A ³	163,660	N/A ³	117,612	N/A ³
Number of episodes	1,291,939	N/A ³	163,660	N/A ³	117,612	N/A ³

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Hepatitis C		Drug Use Disorders		Tobacco Use	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	410,476	92,619,427	3,438,546	89,591,357	5,774,165	87,255,738
Claim recorded during specified age range	363,874	46,602	3,176,049	262,497	5,205,081	569,084
Episode defining index claim recorded during the query period	363,874	0	3,176,049	0	5,205,081	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	363,874	0	3,176,049	0	5,205,081	0
Met inclusion and exclusion criteria ⁴	363,874	0	3,176,049	0	5,205,081	0
Had sufficient post-index continuous enrollment	363,874	0	3,176,049	0	5,205,081	0
Final cohort						
Number of members	363,874	N/A ³	3,176,049	N/A ³	5,205,081	N/A ³
Number of episodes	363,874	N/A ³	3,176,049	N/A ³	5,205,081	N/A ³

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Alcohol Use Disorders		Anemia		Sickle Cell Disease	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	1,364,952	91,664,951	6,273,743	86,756,160	49,897	92,980,006
Claim recorded during specified age range	1,245,996	118,956	5,689,694	584,049	47,031	2,866
Episode defining index claim recorded during the query period	1,245,996	0	5,689,694	0	47,031	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	1,245,996	0	5,689,694	0	47,031	0
Met inclusion and exclusion criteria ⁴	1,245,996	0	5,689,694	0	47,031	0
Had sufficient post-index continuous enrollment	1,245,996	0	5,689,694	0	47,031	0
Final cohort						
Number of members	1,245,996	N/A ³	5,689,694	N/A ³	47,031	N/A ³
Number of episodes	1,245,996	N/A ³	5,689,694	N/A ³	47,031	N/A ³

Table 3. Summary of Patient-Level Cohort Attrition in the Sentinel Distributed Database (SDD) from October 1, 2015 to January 31, 2024

	Liver Disease, Cirrhosis, and Other Liver Conditions		Cataract		Glaucoma	
	Remaining	Excluded	Remaining	Excluded	Remaining	Excluded
Members meeting enrollment and demographic requirements¹						
Enrolled at any point during the query period	267,487,474	N/A ³	267,487,474	N/A ³	267,487,474	N/A ³
Had required coverage type (medical and drug coverage)	193,351,981	74,135,493	193,351,981	74,135,493	193,351,981	74,135,493
Enrolled during specified age range	144,158,495	49,193,486	144,158,495	49,193,486	144,158,495	49,193,486
Had requestable medical charts	144,158,495	0	144,158,495	0	144,158,495	0
Met demographic requirements (sex, female only) ²	93,029,903	51,128,592	93,029,903	51,128,592	93,029,903	51,128,592
Members with a valid index event						
Had any cohort-defining claim during the query period	1,954,996	91,074,907	2,060,484	90,969,419	1,628,883	91,401,020
Claim recorded during specified age range	1,604,010	350,986	1,258,527	801,957	1,325,470	303,413
Episode defining index claim recorded during the query period	1,604,010	0	1,258,527	0	1,325,470	0
Members with required pre-index history						
Had sufficient pre-index continuous enrollment	1,604,010	0	1,258,527	0	1,325,470	0
Met inclusion and exclusion criteria ⁴	1,604,010	0	1,258,527	0	1,325,470	0
Had sufficient post-index continuous enrollment	1,604,010	0	1,258,527	0	1,325,470	0
Final cohort						
Number of members	1,604,010	N/A ³	1,258,527	N/A ³	1,325,470	N/A ³
Number of episodes	1,604,010	N/A ³	1,258,527	N/A ³	1,325,470	N/A ³

¹Two of the Data Partners applied an exclusion criterion to remove patients whose date of birth was prior to October 1, 1960 and identified as male as the first step of cohort creation to increase the program runtime efficiency.

²The number of members after applied demographic requirements might not suffice all query inclusion criteria (e.g., the date that a member was satisfied age requirement would not be necessarily required to have enrollment coverage). The true denominator for the prevalence calculation is 87,414,324 which is shown as "Total Number of Eligible ICBP" in Table 2a.

³N/A: Not Applicable

⁴Patients can meet multiple inclusion and/or exclusion criteria; therefore, the total number of patients excluded overall may not equal the sum of all patients in each criterion.

Appendix A. Dates of Available Data for Each Data Partner (DP) as of Request Distribution Date (July 11, 2024)

Masked DP ID	DP Start Date	DP End Date ¹
DP01	01/01/2000	01/31/2024
DP02	01/01/2000	01/31/2024
DP03	01/01/2008	08/31/2023
DP04	01/01/2006	10/31/2023
DP05	01/01/2005	07/31/2022
DP06	01/01/2000	04/30/2023
DP07	01/01/2004	07/31/2023
DP08	01/01/2000	10/31/2022
DP09	01/01/2007	10/31/2023
DP10	01/01/2000	08/31/2022
DP11	01/01/2014	12/31/2020
DP12	01/01/2008	01/31/2024
DP13	01/01/2010	06/30/2023

¹End Date represents the earliest of: (1) query end date, or (2) last day of the most recent month for which all of a Data Partner's data tables (enrollment, dispensing, etc.) have at least 80% of the record count relative to the prior month.

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
Rheumatoid Arthritis/Osteoarthritis			
L40.50	Arthropathic psoriasis, unspecified	Diagnosis	ICD-10-CM
L40.51	Distal interphalangeal psoriatic arthropathy	Diagnosis	ICD-10-CM
L40.54	Psoriatic juvenile arthropathy	Diagnosis	ICD-10-CM
L40.59	Other psoriatic arthropathy	Diagnosis	ICD-10-CM
M05.00	Felty's syndrome, unspecified site	Diagnosis	ICD-10-CM
M05.011	Felty's syndrome, right shoulder	Diagnosis	ICD-10-CM
M05.012	Felty's syndrome, left shoulder	Diagnosis	ICD-10-CM
M05.019	Felty's syndrome, unspecified shoulder	Diagnosis	ICD-10-CM
M05.021	Felty's syndrome, right elbow	Diagnosis	ICD-10-CM
M05.022	Felty's syndrome, left elbow	Diagnosis	ICD-10-CM
M05.029	Felty's syndrome, unspecified elbow	Diagnosis	ICD-10-CM
M05.031	Felty's syndrome, right wrist	Diagnosis	ICD-10-CM
M05.032	Felty's syndrome, left wrist	Diagnosis	ICD-10-CM
M05.039	Felty's syndrome, unspecified wrist	Diagnosis	ICD-10-CM
M05.041	Felty's syndrome, right hand	Diagnosis	ICD-10-CM
M05.042	Felty's syndrome, left hand	Diagnosis	ICD-10-CM
M05.049	Felty's syndrome, unspecified hand	Diagnosis	ICD-10-CM
M05.051	Felty's syndrome, right hip	Diagnosis	ICD-10-CM
M05.052	Felty's syndrome, left hip	Diagnosis	ICD-10-CM
M05.059	Felty's syndrome, unspecified hip	Diagnosis	ICD-10-CM
M05.061	Felty's syndrome, right knee	Diagnosis	ICD-10-CM
M05.062	Felty's syndrome, left knee	Diagnosis	ICD-10-CM
M05.069	Felty's syndrome, unspecified knee	Diagnosis	ICD-10-CM
M05.071	Felty's syndrome, right ankle and foot	Diagnosis	ICD-10-CM
M05.072	Felty's syndrome, left ankle and foot	Diagnosis	ICD-10-CM
M05.079	Felty's syndrome, unspecified ankle and foot	Diagnosis	ICD-10-CM
M05.09	Felty's syndrome, multiple sites	Diagnosis	ICD-10-CM
M05.10	Rheumatoid lung disease with rheumatoid arthritis of unspecified site	Diagnosis	ICD-10-CM
M05.111	Rheumatoid lung disease with rheumatoid arthritis of right shoulder	Diagnosis	ICD-10-CM
M05.112	Rheumatoid lung disease with rheumatoid arthritis of left shoulder	Diagnosis	ICD-10-CM
M05.119	Rheumatoid lung disease with rheumatoid arthritis of unspecified shoulder	Diagnosis	ICD-10-CM
M05.121	Rheumatoid lung disease with rheumatoid arthritis of right elbow	Diagnosis	ICD-10-CM
M05.122	Rheumatoid lung disease with rheumatoid arthritis of left elbow	Diagnosis	ICD-10-CM
M05.129	Rheumatoid lung disease with rheumatoid arthritis of unspecified elbow	Diagnosis	ICD-10-CM
M05.131	Rheumatoid lung disease with rheumatoid arthritis of right wrist	Diagnosis	ICD-10-CM
M05.132	Rheumatoid lung disease with rheumatoid arthritis of left wrist	Diagnosis	ICD-10-CM
M05.139	Rheumatoid lung disease with rheumatoid arthritis of unspecified wrist	Diagnosis	ICD-10-CM
M05.141	Rheumatoid lung disease with rheumatoid arthritis of right hand	Diagnosis	ICD-10-CM
M05.142	Rheumatoid lung disease with rheumatoid arthritis of left hand	Diagnosis	ICD-10-CM
M05.149	Rheumatoid lung disease with rheumatoid arthritis of unspecified hand	Diagnosis	ICD-10-CM
M05.151	Rheumatoid lung disease with rheumatoid arthritis of right hip	Diagnosis	ICD-10-CM
M05.152	Rheumatoid lung disease with rheumatoid arthritis of left hip	Diagnosis	ICD-10-CM
M05.159	Rheumatoid lung disease with rheumatoid arthritis of unspecified hip	Diagnosis	ICD-10-CM
M05.161	Rheumatoid lung disease with rheumatoid arthritis of right knee	Diagnosis	ICD-10-CM
M05.162	Rheumatoid lung disease with rheumatoid arthritis of left knee	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M05.169	Rheumatoid lung disease with rheumatoid arthritis of unspecified knee	Diagnosis	ICD-10-CM
M05.171	Rheumatoid lung disease with rheumatoid arthritis of right ankle and foot	Diagnosis	ICD-10-CM
M05.172	Rheumatoid lung disease with rheumatoid arthritis of left ankle and foot	Diagnosis	ICD-10-CM
M05.179	Rheumatoid lung disease with rheumatoid arthritis of unspecified ankle and foot	Diagnosis	ICD-10-CM
M05.19	Rheumatoid lung disease with rheumatoid arthritis of multiple sites	Diagnosis	ICD-10-CM
M05.20	Rheumatoid vasculitis with rheumatoid arthritis of unspecified site	Diagnosis	ICD-10-CM
M05.211	Rheumatoid vasculitis with rheumatoid arthritis of right shoulder	Diagnosis	ICD-10-CM
M05.212	Rheumatoid vasculitis with rheumatoid arthritis of left shoulder	Diagnosis	ICD-10-CM
M05.219	Rheumatoid vasculitis with rheumatoid arthritis of unspecified shoulder	Diagnosis	ICD-10-CM
M05.221	Rheumatoid vasculitis with rheumatoid arthritis of right elbow	Diagnosis	ICD-10-CM
M05.222	Rheumatoid vasculitis with rheumatoid arthritis of left elbow	Diagnosis	ICD-10-CM
M05.229	Rheumatoid vasculitis with rheumatoid arthritis of unspecified elbow	Diagnosis	ICD-10-CM
M05.231	Rheumatoid vasculitis with rheumatoid arthritis of right wrist	Diagnosis	ICD-10-CM
M05.232	Rheumatoid vasculitis with rheumatoid arthritis of left wrist	Diagnosis	ICD-10-CM
M05.239	Rheumatoid vasculitis with rheumatoid arthritis of unspecified wrist	Diagnosis	ICD-10-CM
M05.241	Rheumatoid vasculitis with rheumatoid arthritis of right hand	Diagnosis	ICD-10-CM
M05.242	Rheumatoid vasculitis with rheumatoid arthritis of left hand	Diagnosis	ICD-10-CM
M05.249	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hand	Diagnosis	ICD-10-CM
M05.251	Rheumatoid vasculitis with rheumatoid arthritis of right hip	Diagnosis	ICD-10-CM
M05.252	Rheumatoid vasculitis with rheumatoid arthritis of left hip	Diagnosis	ICD-10-CM
M05.259	Rheumatoid vasculitis with rheumatoid arthritis of unspecified hip	Diagnosis	ICD-10-CM
M05.261	Rheumatoid vasculitis with rheumatoid arthritis of right knee	Diagnosis	ICD-10-CM
M05.262	Rheumatoid vasculitis with rheumatoid arthritis of left knee	Diagnosis	ICD-10-CM
M05.269	Rheumatoid vasculitis with rheumatoid arthritis of unspecified knee	Diagnosis	ICD-10-CM
M05.271	Rheumatoid vasculitis with rheumatoid arthritis of right ankle and foot	Diagnosis	ICD-10-CM
M05.272	Rheumatoid vasculitis with rheumatoid arthritis of left ankle and foot	Diagnosis	ICD-10-CM
M05.279	Rheumatoid vasculitis with rheumatoid arthritis of unspecified ankle and foot	Diagnosis	ICD-10-CM
M05.29	Rheumatoid vasculitis with rheumatoid arthritis of multiple sites	Diagnosis	ICD-10-CM
M05.30	Rheumatoid heart disease with rheumatoid arthritis of unspecified site	Diagnosis	ICD-10-CM
M05.311	Rheumatoid heart disease with rheumatoid arthritis of right shoulder	Diagnosis	ICD-10-CM
M05.312	Rheumatoid heart disease with rheumatoid arthritis of left shoulder	Diagnosis	ICD-10-CM
M05.319	Rheumatoid heart disease with rheumatoid arthritis of unspecified shoulder	Diagnosis	ICD-10-CM
M05.321	Rheumatoid heart disease with rheumatoid arthritis of right elbow	Diagnosis	ICD-10-CM
M05.322	Rheumatoid heart disease with rheumatoid arthritis of left elbow	Diagnosis	ICD-10-CM
M05.329	Rheumatoid heart disease with rheumatoid arthritis of unspecified elbow	Diagnosis	ICD-10-CM
M05.331	Rheumatoid heart disease with rheumatoid arthritis of right wrist	Diagnosis	ICD-10-CM
M05.332	Rheumatoid heart disease with rheumatoid arthritis of left wrist	Diagnosis	ICD-10-CM
M05.339	Rheumatoid heart disease with rheumatoid arthritis of unspecified wrist	Diagnosis	ICD-10-CM
M05.341	Rheumatoid heart disease with rheumatoid arthritis of right hand	Diagnosis	ICD-10-CM
M05.342	Rheumatoid heart disease with rheumatoid arthritis of left hand	Diagnosis	ICD-10-CM
M05.349	Rheumatoid heart disease with rheumatoid arthritis of unspecified hand	Diagnosis	ICD-10-CM
M05.351	Rheumatoid heart disease with rheumatoid arthritis of right hip	Diagnosis	ICD-10-CM
M05.352	Rheumatoid heart disease with rheumatoid arthritis of left hip	Diagnosis	ICD-10-CM
M05.359	Rheumatoid heart disease with rheumatoid arthritis of unspecified hip	Diagnosis	ICD-10-CM
M05.361	Rheumatoid heart disease with rheumatoid arthritis of right knee	Diagnosis	ICD-10-CM
M05.362	Rheumatoid heart disease with rheumatoid arthritis of left knee	Diagnosis	ICD-10-CM
M05.369	Rheumatoid heart disease with rheumatoid arthritis of unspecified knee	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M05.371	Rheumatoid heart disease with rheumatoid arthritis of right ankle and foot	Diagnosis	ICD-10-CM
M05.372	Rheumatoid heart disease with rheumatoid arthritis of left ankle and foot	Diagnosis	ICD-10-CM
M05.379	Rheumatoid heart disease with rheumatoid arthritis of unspecified ankle and foot	Diagnosis	ICD-10-CM
M05.39	Rheumatoid heart disease with rheumatoid arthritis of multiple sites	Diagnosis	ICD-10-CM
M05.40	Rheumatoid myopathy with rheumatoid arthritis of unspecified site	Diagnosis	ICD-10-CM
M05.411	Rheumatoid myopathy with rheumatoid arthritis of right shoulder	Diagnosis	ICD-10-CM
M05.412	Rheumatoid myopathy with rheumatoid arthritis of left shoulder	Diagnosis	ICD-10-CM
M05.419	Rheumatoid myopathy with rheumatoid arthritis of unspecified shoulder	Diagnosis	ICD-10-CM
M05.421	Rheumatoid myopathy with rheumatoid arthritis of right elbow	Diagnosis	ICD-10-CM
M05.422	Rheumatoid myopathy with rheumatoid arthritis of left elbow	Diagnosis	ICD-10-CM
M05.429	Rheumatoid myopathy with rheumatoid arthritis of unspecified elbow	Diagnosis	ICD-10-CM
M05.431	Rheumatoid myopathy with rheumatoid arthritis of right wrist	Diagnosis	ICD-10-CM
M05.432	Rheumatoid myopathy with rheumatoid arthritis of left wrist	Diagnosis	ICD-10-CM
M05.439	Rheumatoid myopathy with rheumatoid arthritis of unspecified wrist	Diagnosis	ICD-10-CM
M05.441	Rheumatoid myopathy with rheumatoid arthritis of right hand	Diagnosis	ICD-10-CM
M05.442	Rheumatoid myopathy with rheumatoid arthritis of left hand	Diagnosis	ICD-10-CM
M05.449	Rheumatoid myopathy with rheumatoid arthritis of unspecified hand	Diagnosis	ICD-10-CM
M05.451	Rheumatoid myopathy with rheumatoid arthritis of right hip	Diagnosis	ICD-10-CM
M05.452	Rheumatoid myopathy with rheumatoid arthritis of left hip	Diagnosis	ICD-10-CM
M05.459	Rheumatoid myopathy with rheumatoid arthritis of unspecified hip	Diagnosis	ICD-10-CM
M05.461	Rheumatoid myopathy with rheumatoid arthritis of right knee	Diagnosis	ICD-10-CM
M05.462	Rheumatoid myopathy with rheumatoid arthritis of left knee	Diagnosis	ICD-10-CM
M05.469	Rheumatoid myopathy with rheumatoid arthritis of unspecified knee	Diagnosis	ICD-10-CM
M05.471	Rheumatoid myopathy with rheumatoid arthritis of right ankle and foot	Diagnosis	ICD-10-CM
M05.472	Rheumatoid myopathy with rheumatoid arthritis of left ankle and foot	Diagnosis	ICD-10-CM
M05.479	Rheumatoid myopathy with rheumatoid arthritis of unspecified ankle and foot	Diagnosis	ICD-10-CM
M05.49	Rheumatoid myopathy with rheumatoid arthritis of multiple sites	Diagnosis	ICD-10-CM
M05.50	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified site	Diagnosis	ICD-10-CM
M05.511	Rheumatoid polyneuropathy with rheumatoid arthritis of right shoulder	Diagnosis	ICD-10-CM
M05.512	Rheumatoid polyneuropathy with rheumatoid arthritis of left shoulder	Diagnosis	ICD-10-CM
M05.519	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified shoulder	Diagnosis	ICD-10-CM
M05.521	Rheumatoid polyneuropathy with rheumatoid arthritis of right elbow	Diagnosis	ICD-10-CM
M05.522	Rheumatoid polyneuropathy with rheumatoid arthritis of left elbow	Diagnosis	ICD-10-CM
M05.529	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified elbow	Diagnosis	ICD-10-CM
M05.531	Rheumatoid polyneuropathy with rheumatoid arthritis of right wrist	Diagnosis	ICD-10-CM
M05.532	Rheumatoid polyneuropathy with rheumatoid arthritis of left wrist	Diagnosis	ICD-10-CM
M05.539	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified wrist	Diagnosis	ICD-10-CM
M05.541	Rheumatoid polyneuropathy with rheumatoid arthritis of right hand	Diagnosis	ICD-10-CM
M05.542	Rheumatoid polyneuropathy with rheumatoid arthritis of left hand	Diagnosis	ICD-10-CM
M05.549	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hand	Diagnosis	ICD-10-CM
M05.551	Rheumatoid polyneuropathy with rheumatoid arthritis of right hip	Diagnosis	ICD-10-CM
M05.552	Rheumatoid polyneuropathy with rheumatoid arthritis of left hip	Diagnosis	ICD-10-CM
M05.559	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified hip	Diagnosis	ICD-10-CM
M05.561	Rheumatoid polyneuropathy with rheumatoid arthritis of right knee	Diagnosis	ICD-10-CM
M05.562	Rheumatoid polyneuropathy with rheumatoid arthritis of left knee	Diagnosis	ICD-10-CM
M05.569	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified knee	Diagnosis	ICD-10-CM
M05.571	Rheumatoid polyneuropathy with rheumatoid arthritis of right ankle and foot	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M05.572	Rheumatoid polyneuropathy with rheumatoid arthritis of left ankle and foot	Diagnosis	ICD-10-CM
M05.579	Rheumatoid polyneuropathy with rheumatoid arthritis of unspecified ankle and foot	Diagnosis	ICD-10-CM
M05.59	Rheumatoid polyneuropathy with rheumatoid arthritis of multiple sites	Diagnosis	ICD-10-CM
M05.60	Rheumatoid arthritis of unspecified site with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.611	Rheumatoid arthritis of right shoulder with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.612	Rheumatoid arthritis of left shoulder with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.619	Rheumatoid arthritis of unspecified shoulder with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.621	Rheumatoid arthritis of right elbow with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.622	Rheumatoid arthritis of left elbow with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.629	Rheumatoid arthritis of unspecified elbow with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.631	Rheumatoid arthritis of right wrist with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.632	Rheumatoid arthritis of left wrist with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.639	Rheumatoid arthritis of unspecified wrist with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.641	Rheumatoid arthritis of right hand with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.642	Rheumatoid arthritis of left hand with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.649	Rheumatoid arthritis of unspecified hand with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.651	Rheumatoid arthritis of right hip with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.652	Rheumatoid arthritis of left hip with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.659	Rheumatoid arthritis of unspecified hip with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.661	Rheumatoid arthritis of right knee with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.662	Rheumatoid arthritis of left knee with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.669	Rheumatoid arthritis of unspecified knee with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.671	Rheumatoid arthritis of right ankle and foot with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.672	Rheumatoid arthritis of left ankle and foot with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.679	Rheumatoid arthritis of unspecified ankle and foot with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.69	Rheumatoid arthritis of multiple sites with involvement of other organs and systems	Diagnosis	ICD-10-CM
M05.70	Rheumatoid arthritis with rheumatoid factor of unspecified site without organ or systems involvement	Diagnosis	ICD-10-CM
M05.711	Rheumatoid arthritis with rheumatoid factor of right shoulder without organ or systems involvement	Diagnosis	ICD-10-CM
M05.712	Rheumatoid arthritis with rheumatoid factor of left shoulder without organ or systems involvement	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M05.719	Rheumatoid arthritis with rheumatoid factor of unspecified shoulder without organ or systems involvement	Diagnosis	ICD-10-CM
M05.721	Rheumatoid arthritis with rheumatoid factor of right elbow without organ or systems involvement	Diagnosis	ICD-10-CM
M05.722	Rheumatoid arthritis with rheumatoid factor of left elbow without organ or systems involvement	Diagnosis	ICD-10-CM
M05.729	Rheumatoid arthritis with rheumatoid factor of unspecified elbow without organ or systems involvement	Diagnosis	ICD-10-CM
M05.731	Rheumatoid arthritis with rheumatoid factor of right wrist without organ or systems involvement	Diagnosis	ICD-10-CM
M05.732	Rheumatoid arthritis with rheumatoid factor of left wrist without organ or systems involvement	Diagnosis	ICD-10-CM
M05.739	Rheumatoid arthritis with rheumatoid factor of unspecified wrist without organ or systems involvement	Diagnosis	ICD-10-CM
M05.741	Rheumatoid arthritis with rheumatoid factor of right hand without organ or systems involvement	Diagnosis	ICD-10-CM
M05.742	Rheumatoid arthritis with rheumatoid factor of left hand without organ or systems involvement	Diagnosis	ICD-10-CM
M05.749	Rheumatoid arthritis with rheumatoid factor of unspecified hand without organ or systems involvement	Diagnosis	ICD-10-CM
M05.751	Rheumatoid arthritis with rheumatoid factor of right hip without organ or systems involvement	Diagnosis	ICD-10-CM
M05.752	Rheumatoid arthritis with rheumatoid factor of left hip without organ or systems involvement	Diagnosis	ICD-10-CM
M05.759	Rheumatoid arthritis with rheumatoid factor of unspecified hip without organ or systems involvement	Diagnosis	ICD-10-CM
M05.761	Rheumatoid arthritis with rheumatoid factor of right knee without organ or systems involvement	Diagnosis	ICD-10-CM
M05.762	Rheumatoid arthritis with rheumatoid factor of left knee without organ or systems involvement	Diagnosis	ICD-10-CM
M05.769	Rheumatoid arthritis with rheumatoid factor of unspecified knee without organ or systems involvement	Diagnosis	ICD-10-CM
M05.771	Rheumatoid arthritis with rheumatoid factor of right ankle and foot without organ or systems involvement	Diagnosis	ICD-10-CM
M05.772	Rheumatoid arthritis with rheumatoid factor of left ankle and foot without organ or systems involvement	Diagnosis	ICD-10-CM
M05.779	Rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot without organ or systems involvement	Diagnosis	ICD-10-CM
M05.79	Rheumatoid arthritis with rheumatoid factor of multiple sites without organ or systems involvement	Diagnosis	ICD-10-CM
M05.7A	Rheumatoid arthritis with rheumatoid factor of other specified site without organ or systems involvement	Diagnosis	ICD-10-CM
M05.80	Other rheumatoid arthritis with rheumatoid factor of unspecified site	Diagnosis	ICD-10-CM
M05.811	Other rheumatoid arthritis with rheumatoid factor of right shoulder	Diagnosis	ICD-10-CM
M05.812	Other rheumatoid arthritis with rheumatoid factor of left shoulder	Diagnosis	ICD-10-CM
M05.819	Other rheumatoid arthritis with rheumatoid factor of unspecified shoulder	Diagnosis	ICD-10-CM
M05.821	Other rheumatoid arthritis with rheumatoid factor of right elbow	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M05.822	Other rheumatoid arthritis with rheumatoid factor of left elbow	Diagnosis	ICD-10-CM
M05.829	Other rheumatoid arthritis with rheumatoid factor of unspecified elbow	Diagnosis	ICD-10-CM
M05.831	Other rheumatoid arthritis with rheumatoid factor of right wrist	Diagnosis	ICD-10-CM
M05.832	Other rheumatoid arthritis with rheumatoid factor of left wrist	Diagnosis	ICD-10-CM
M05.839	Other rheumatoid arthritis with rheumatoid factor of unspecified wrist	Diagnosis	ICD-10-CM
M05.841	Other rheumatoid arthritis with rheumatoid factor of right hand	Diagnosis	ICD-10-CM
M05.842	Other rheumatoid arthritis with rheumatoid factor of left hand	Diagnosis	ICD-10-CM
M05.849	Other rheumatoid arthritis with rheumatoid factor of unspecified hand	Diagnosis	ICD-10-CM
M05.851	Other rheumatoid arthritis with rheumatoid factor of right hip	Diagnosis	ICD-10-CM
M05.852	Other rheumatoid arthritis with rheumatoid factor of left hip	Diagnosis	ICD-10-CM
M05.859	Other rheumatoid arthritis with rheumatoid factor of unspecified hip	Diagnosis	ICD-10-CM
M05.861	Other rheumatoid arthritis with rheumatoid factor of right knee	Diagnosis	ICD-10-CM
M05.862	Other rheumatoid arthritis with rheumatoid factor of left knee	Diagnosis	ICD-10-CM
M05.869	Other rheumatoid arthritis with rheumatoid factor of unspecified knee	Diagnosis	ICD-10-CM
M05.871	Other rheumatoid arthritis with rheumatoid factor of right ankle and foot	Diagnosis	ICD-10-CM
M05.872	Other rheumatoid arthritis with rheumatoid factor of left ankle and foot	Diagnosis	ICD-10-CM
M05.879	Other rheumatoid arthritis with rheumatoid factor of unspecified ankle and foot	Diagnosis	ICD-10-CM
M05.89	Other rheumatoid arthritis with rheumatoid factor of multiple sites	Diagnosis	ICD-10-CM
M05.8A	Other rheumatoid arthritis with rheumatoid factor of other specified site	Diagnosis	ICD-10-CM
M05.9	Rheumatoid arthritis with rheumatoid factor, unspecified	Diagnosis	ICD-10-CM
M06.00	Rheumatoid arthritis without rheumatoid factor, unspecified site	Diagnosis	ICD-10-CM
M06.011	Rheumatoid arthritis without rheumatoid factor, right shoulder	Diagnosis	ICD-10-CM
M06.012	Rheumatoid arthritis without rheumatoid factor, left shoulder	Diagnosis	ICD-10-CM
M06.019	Rheumatoid arthritis without rheumatoid factor, unspecified shoulder	Diagnosis	ICD-10-CM
M06.021	Rheumatoid arthritis without rheumatoid factor, right elbow	Diagnosis	ICD-10-CM
M06.022	Rheumatoid arthritis without rheumatoid factor, left elbow	Diagnosis	ICD-10-CM
M06.029	Rheumatoid arthritis without rheumatoid factor, unspecified elbow	Diagnosis	ICD-10-CM
M06.031	Rheumatoid arthritis without rheumatoid factor, right wrist	Diagnosis	ICD-10-CM
M06.032	Rheumatoid arthritis without rheumatoid factor, left wrist	Diagnosis	ICD-10-CM
M06.039	Rheumatoid arthritis without rheumatoid factor, unspecified wrist	Diagnosis	ICD-10-CM
M06.041	Rheumatoid arthritis without rheumatoid factor, right hand	Diagnosis	ICD-10-CM
M06.042	Rheumatoid arthritis without rheumatoid factor, left hand	Diagnosis	ICD-10-CM
M06.049	Rheumatoid arthritis without rheumatoid factor, unspecified hand	Diagnosis	ICD-10-CM
M06.051	Rheumatoid arthritis without rheumatoid factor, right hip	Diagnosis	ICD-10-CM
M06.052	Rheumatoid arthritis without rheumatoid factor, left hip	Diagnosis	ICD-10-CM
M06.059	Rheumatoid arthritis without rheumatoid factor, unspecified hip	Diagnosis	ICD-10-CM
M06.061	Rheumatoid arthritis without rheumatoid factor, right knee	Diagnosis	ICD-10-CM
M06.062	Rheumatoid arthritis without rheumatoid factor, left knee	Diagnosis	ICD-10-CM
M06.069	Rheumatoid arthritis without rheumatoid factor, unspecified knee	Diagnosis	ICD-10-CM
M06.071	Rheumatoid arthritis without rheumatoid factor, right ankle and foot	Diagnosis	ICD-10-CM
M06.072	Rheumatoid arthritis without rheumatoid factor, left ankle and foot	Diagnosis	ICD-10-CM
M06.079	Rheumatoid arthritis without rheumatoid factor, unspecified ankle and foot	Diagnosis	ICD-10-CM
M06.08	Rheumatoid arthritis without rheumatoid factor, vertebrae	Diagnosis	ICD-10-CM
M06.09	Rheumatoid arthritis without rheumatoid factor, multiple sites	Diagnosis	ICD-10-CM
M06.0A	Rheumatoid arthritis without rheumatoid factor, other specified site	Diagnosis	ICD-10-CM
M06.1	Adult-onset Still's disease	Diagnosis	ICD-10-CM
M06.20	Rheumatoid bursitis, unspecified site	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M06.211	Rheumatoid bursitis, right shoulder	Diagnosis	ICD-10-CM
M06.212	Rheumatoid bursitis, left shoulder	Diagnosis	ICD-10-CM
M06.219	Rheumatoid bursitis, unspecified shoulder	Diagnosis	ICD-10-CM
M06.221	Rheumatoid bursitis, right elbow	Diagnosis	ICD-10-CM
M06.222	Rheumatoid bursitis, left elbow	Diagnosis	ICD-10-CM
M06.229	Rheumatoid bursitis, unspecified elbow	Diagnosis	ICD-10-CM
M06.231	Rheumatoid bursitis, right wrist	Diagnosis	ICD-10-CM
M06.232	Rheumatoid bursitis, left wrist	Diagnosis	ICD-10-CM
M06.239	Rheumatoid bursitis, unspecified wrist	Diagnosis	ICD-10-CM
M06.241	Rheumatoid bursitis, right hand	Diagnosis	ICD-10-CM
M06.242	Rheumatoid bursitis, left hand	Diagnosis	ICD-10-CM
M06.249	Rheumatoid bursitis, unspecified hand	Diagnosis	ICD-10-CM
M06.251	Rheumatoid bursitis, right hip	Diagnosis	ICD-10-CM
M06.252	Rheumatoid bursitis, left hip	Diagnosis	ICD-10-CM
M06.259	Rheumatoid bursitis, unspecified hip	Diagnosis	ICD-10-CM
M06.261	Rheumatoid bursitis, right knee	Diagnosis	ICD-10-CM
M06.262	Rheumatoid bursitis, left knee	Diagnosis	ICD-10-CM
M06.269	Rheumatoid bursitis, unspecified knee	Diagnosis	ICD-10-CM
M06.271	Rheumatoid bursitis, right ankle and foot	Diagnosis	ICD-10-CM
M06.272	Rheumatoid bursitis, left ankle and foot	Diagnosis	ICD-10-CM
M06.279	Rheumatoid bursitis, unspecified ankle and foot	Diagnosis	ICD-10-CM
M06.28	Rheumatoid bursitis, vertebrae	Diagnosis	ICD-10-CM
M06.29	Rheumatoid bursitis, multiple sites	Diagnosis	ICD-10-CM
M06.30	Rheumatoid nodule, unspecified site	Diagnosis	ICD-10-CM
M06.311	Rheumatoid nodule, right shoulder	Diagnosis	ICD-10-CM
M06.312	Rheumatoid nodule, left shoulder	Diagnosis	ICD-10-CM
M06.319	Rheumatoid nodule, unspecified shoulder	Diagnosis	ICD-10-CM
M06.321	Rheumatoid nodule, right elbow	Diagnosis	ICD-10-CM
M06.322	Rheumatoid nodule, left elbow	Diagnosis	ICD-10-CM
M06.329	Rheumatoid nodule, unspecified elbow	Diagnosis	ICD-10-CM
M06.331	Rheumatoid nodule, right wrist	Diagnosis	ICD-10-CM
M06.332	Rheumatoid nodule, left wrist	Diagnosis	ICD-10-CM
M06.339	Rheumatoid nodule, unspecified wrist	Diagnosis	ICD-10-CM
M06.341	Rheumatoid nodule, right hand	Diagnosis	ICD-10-CM
M06.342	Rheumatoid nodule, left hand	Diagnosis	ICD-10-CM
M06.349	Rheumatoid nodule, unspecified hand	Diagnosis	ICD-10-CM
M06.351	Rheumatoid nodule, right hip	Diagnosis	ICD-10-CM
M06.352	Rheumatoid nodule, left hip	Diagnosis	ICD-10-CM
M06.359	Rheumatoid nodule, unspecified hip	Diagnosis	ICD-10-CM
M06.361	Rheumatoid nodule, right knee	Diagnosis	ICD-10-CM
M06.362	Rheumatoid nodule, left knee	Diagnosis	ICD-10-CM
M06.369	Rheumatoid nodule, unspecified knee	Diagnosis	ICD-10-CM
M06.371	Rheumatoid nodule, right ankle and foot	Diagnosis	ICD-10-CM
M06.372	Rheumatoid nodule, left ankle and foot	Diagnosis	ICD-10-CM
M06.379	Rheumatoid nodule, unspecified ankle and foot	Diagnosis	ICD-10-CM
M06.38	Rheumatoid nodule, vertebrae	Diagnosis	ICD-10-CM
M06.39	Rheumatoid nodule, multiple sites	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M06.80	Other specified rheumatoid arthritis, unspecified site	Diagnosis	ICD-10-CM
M06.811	Other specified rheumatoid arthritis, right shoulder	Diagnosis	ICD-10-CM
M06.812	Other specified rheumatoid arthritis, left shoulder	Diagnosis	ICD-10-CM
M06.819	Other specified rheumatoid arthritis, unspecified shoulder	Diagnosis	ICD-10-CM
M06.821	Other specified rheumatoid arthritis, right elbow	Diagnosis	ICD-10-CM
M06.822	Other specified rheumatoid arthritis, left elbow	Diagnosis	ICD-10-CM
M06.829	Other specified rheumatoid arthritis, unspecified elbow	Diagnosis	ICD-10-CM
M06.831	Other specified rheumatoid arthritis, right wrist	Diagnosis	ICD-10-CM
M06.832	Other specified rheumatoid arthritis, left wrist	Diagnosis	ICD-10-CM
M06.839	Other specified rheumatoid arthritis, unspecified wrist	Diagnosis	ICD-10-CM
M06.841	Other specified rheumatoid arthritis, right hand	Diagnosis	ICD-10-CM
M06.842	Other specified rheumatoid arthritis, left hand	Diagnosis	ICD-10-CM
M06.849	Other specified rheumatoid arthritis, unspecified hand	Diagnosis	ICD-10-CM
M06.851	Other specified rheumatoid arthritis, right hip	Diagnosis	ICD-10-CM
M06.852	Other specified rheumatoid arthritis, left hip	Diagnosis	ICD-10-CM
M06.859	Other specified rheumatoid arthritis, unspecified hip	Diagnosis	ICD-10-CM
M06.861	Other specified rheumatoid arthritis, right knee	Diagnosis	ICD-10-CM
M06.862	Other specified rheumatoid arthritis, left knee	Diagnosis	ICD-10-CM
M06.869	Other specified rheumatoid arthritis, unspecified knee	Diagnosis	ICD-10-CM
M06.871	Other specified rheumatoid arthritis, right ankle and foot	Diagnosis	ICD-10-CM
M06.872	Other specified rheumatoid arthritis, left ankle and foot	Diagnosis	ICD-10-CM
M06.879	Other specified rheumatoid arthritis, unspecified ankle and foot	Diagnosis	ICD-10-CM
M06.88	Other specified rheumatoid arthritis, vertebrae	Diagnosis	ICD-10-CM
M06.89	Other specified rheumatoid arthritis, multiple sites	Diagnosis	ICD-10-CM
M06.8A	Other specified rheumatoid arthritis, other specified site	Diagnosis	ICD-10-CM
M06.9	Rheumatoid arthritis, unspecified	Diagnosis	ICD-10-CM
M08.00	Unspecified juvenile rheumatoid arthritis of unspecified site	Diagnosis	ICD-10-CM
M08.011	Unspecified juvenile rheumatoid arthritis, right shoulder	Diagnosis	ICD-10-CM
M08.012	Unspecified juvenile rheumatoid arthritis, left shoulder	Diagnosis	ICD-10-CM
M08.019	Unspecified juvenile rheumatoid arthritis, unspecified shoulder	Diagnosis	ICD-10-CM
M08.021	Unspecified juvenile rheumatoid arthritis, right elbow	Diagnosis	ICD-10-CM
M08.022	Unspecified juvenile rheumatoid arthritis, left elbow	Diagnosis	ICD-10-CM
M08.029	Unspecified juvenile rheumatoid arthritis, unspecified elbow	Diagnosis	ICD-10-CM
M08.031	Unspecified juvenile rheumatoid arthritis, right wrist	Diagnosis	ICD-10-CM
M08.032	Unspecified juvenile rheumatoid arthritis, left wrist	Diagnosis	ICD-10-CM
M08.039	Unspecified juvenile rheumatoid arthritis, unspecified wrist	Diagnosis	ICD-10-CM
M08.041	Unspecified juvenile rheumatoid arthritis, right hand	Diagnosis	ICD-10-CM
M08.042	Unspecified juvenile rheumatoid arthritis, left hand	Diagnosis	ICD-10-CM
M08.049	Unspecified juvenile rheumatoid arthritis, unspecified hand	Diagnosis	ICD-10-CM
M08.051	Unspecified juvenile rheumatoid arthritis, right hip	Diagnosis	ICD-10-CM
M08.052	Unspecified juvenile rheumatoid arthritis, left hip	Diagnosis	ICD-10-CM
M08.059	Unspecified juvenile rheumatoid arthritis, unspecified hip	Diagnosis	ICD-10-CM
M08.061	Unspecified juvenile rheumatoid arthritis, right knee	Diagnosis	ICD-10-CM
M08.062	Unspecified juvenile rheumatoid arthritis, left knee	Diagnosis	ICD-10-CM
M08.069	Unspecified juvenile rheumatoid arthritis, unspecified knee	Diagnosis	ICD-10-CM
M08.071	Unspecified juvenile rheumatoid arthritis, right ankle and foot	Diagnosis	ICD-10-CM
M08.072	Unspecified juvenile rheumatoid arthritis, left ankle and foot	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M08.079	Unspecified juvenile rheumatoid arthritis, unspecified ankle and foot	Diagnosis	ICD-10-CM
M08.08	Unspecified juvenile rheumatoid arthritis, vertebrae	Diagnosis	ICD-10-CM
M08.09	Unspecified juvenile rheumatoid arthritis, multiple sites	Diagnosis	ICD-10-CM
M08.0A	Unspecified juvenile rheumatoid arthritis, other specified site	Diagnosis	ICD-10-CM
M08.1	Juvenile ankylosing spondylitis	Diagnosis	ICD-10-CM
M08.20	Juvenile rheumatoid arthritis with systemic onset, unspecified site	Diagnosis	ICD-10-CM
M08.211	Juvenile rheumatoid arthritis with systemic onset, right shoulder	Diagnosis	ICD-10-CM
M08.212	Juvenile rheumatoid arthritis with systemic onset, left shoulder	Diagnosis	ICD-10-CM
M08.219	Juvenile rheumatoid arthritis with systemic onset, unspecified shoulder	Diagnosis	ICD-10-CM
M08.221	Juvenile rheumatoid arthritis with systemic onset, right elbow	Diagnosis	ICD-10-CM
M08.222	Juvenile rheumatoid arthritis with systemic onset, left elbow	Diagnosis	ICD-10-CM
M08.229	Juvenile rheumatoid arthritis with systemic onset, unspecified elbow	Diagnosis	ICD-10-CM
M08.231	Juvenile rheumatoid arthritis with systemic onset, right wrist	Diagnosis	ICD-10-CM
M08.232	Juvenile rheumatoid arthritis with systemic onset, left wrist	Diagnosis	ICD-10-CM
M08.239	Juvenile rheumatoid arthritis with systemic onset, unspecified wrist	Diagnosis	ICD-10-CM
M08.241	Juvenile rheumatoid arthritis with systemic onset, right hand	Diagnosis	ICD-10-CM
M08.242	Juvenile rheumatoid arthritis with systemic onset, left hand	Diagnosis	ICD-10-CM
M08.249	Juvenile rheumatoid arthritis with systemic onset, unspecified hand	Diagnosis	ICD-10-CM
M08.251	Juvenile rheumatoid arthritis with systemic onset, right hip	Diagnosis	ICD-10-CM
M08.252	Juvenile rheumatoid arthritis with systemic onset, left hip	Diagnosis	ICD-10-CM
M08.259	Juvenile rheumatoid arthritis with systemic onset, unspecified hip	Diagnosis	ICD-10-CM
M08.261	Juvenile rheumatoid arthritis with systemic onset, right knee	Diagnosis	ICD-10-CM
M08.262	Juvenile rheumatoid arthritis with systemic onset, left knee	Diagnosis	ICD-10-CM
M08.269	Juvenile rheumatoid arthritis with systemic onset, unspecified knee	Diagnosis	ICD-10-CM
M08.271	Juvenile rheumatoid arthritis with systemic onset, right ankle and foot	Diagnosis	ICD-10-CM
M08.272	Juvenile rheumatoid arthritis with systemic onset, left ankle and foot	Diagnosis	ICD-10-CM
M08.279	Juvenile rheumatoid arthritis with systemic onset, unspecified ankle and foot	Diagnosis	ICD-10-CM
M08.28	Juvenile rheumatoid arthritis with systemic onset, vertebrae	Diagnosis	ICD-10-CM
M08.29	Juvenile rheumatoid arthritis with systemic onset, multiple sites	Diagnosis	ICD-10-CM
M08.2A	Juvenile rheumatoid arthritis with systemic onset, other specified site	Diagnosis	ICD-10-CM
M08.3	Juvenile rheumatoid polyarthritis (seronegative)	Diagnosis	ICD-10-CM
M08.40	Pauciarticular juvenile rheumatoid arthritis, unspecified site	Diagnosis	ICD-10-CM
M08.411	Pauciarticular juvenile rheumatoid arthritis, right shoulder	Diagnosis	ICD-10-CM
M08.412	Pauciarticular juvenile rheumatoid arthritis, left shoulder	Diagnosis	ICD-10-CM
M08.419	Pauciarticular juvenile rheumatoid arthritis, unspecified shoulder	Diagnosis	ICD-10-CM
M08.421	Pauciarticular juvenile rheumatoid arthritis, right elbow	Diagnosis	ICD-10-CM
M08.422	Pauciarticular juvenile rheumatoid arthritis, left elbow	Diagnosis	ICD-10-CM
M08.429	Pauciarticular juvenile rheumatoid arthritis, unspecified elbow	Diagnosis	ICD-10-CM
M08.431	Pauciarticular juvenile rheumatoid arthritis, right wrist	Diagnosis	ICD-10-CM
M08.432	Pauciarticular juvenile rheumatoid arthritis, left wrist	Diagnosis	ICD-10-CM
M08.439	Pauciarticular juvenile rheumatoid arthritis, unspecified wrist	Diagnosis	ICD-10-CM
M08.441	Pauciarticular juvenile rheumatoid arthritis, right hand	Diagnosis	ICD-10-CM
M08.442	Pauciarticular juvenile rheumatoid arthritis, left hand	Diagnosis	ICD-10-CM
M08.449	Pauciarticular juvenile rheumatoid arthritis, unspecified hand	Diagnosis	ICD-10-CM
M08.451	Pauciarticular juvenile rheumatoid arthritis, right hip	Diagnosis	ICD-10-CM
M08.452	Pauciarticular juvenile rheumatoid arthritis, left hip	Diagnosis	ICD-10-CM
M08.459	Pauciarticular juvenile rheumatoid arthritis, unspecified hip	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M08.461	Pauciarticular juvenile rheumatoid arthritis, right knee	Diagnosis	ICD-10-CM
M08.462	Pauciarticular juvenile rheumatoid arthritis, left knee	Diagnosis	ICD-10-CM
M08.469	Pauciarticular juvenile rheumatoid arthritis, unspecified knee	Diagnosis	ICD-10-CM
M08.471	Pauciarticular juvenile rheumatoid arthritis, right ankle and foot	Diagnosis	ICD-10-CM
M08.472	Pauciarticular juvenile rheumatoid arthritis, left ankle and foot	Diagnosis	ICD-10-CM
M08.479	Pauciarticular juvenile rheumatoid arthritis, unspecified ankle and foot	Diagnosis	ICD-10-CM
M08.48	Pauciarticular juvenile rheumatoid arthritis, vertebrae	Diagnosis	ICD-10-CM
M08.4A	Pauciarticular juvenile rheumatoid arthritis, other specified site	Diagnosis	ICD-10-CM
M08.80	Other juvenile arthritis, unspecified site	Diagnosis	ICD-10-CM
M08.811	Other juvenile arthritis, right shoulder	Diagnosis	ICD-10-CM
M08.812	Other juvenile arthritis, left shoulder	Diagnosis	ICD-10-CM
M08.819	Other juvenile arthritis, unspecified shoulder	Diagnosis	ICD-10-CM
M08.821	Other juvenile arthritis, right elbow	Diagnosis	ICD-10-CM
M08.822	Other juvenile arthritis, left elbow	Diagnosis	ICD-10-CM
M08.829	Other juvenile arthritis, unspecified elbow	Diagnosis	ICD-10-CM
M08.831	Other juvenile arthritis, right wrist	Diagnosis	ICD-10-CM
M08.832	Other juvenile arthritis, left wrist	Diagnosis	ICD-10-CM
M08.839	Other juvenile arthritis, unspecified wrist	Diagnosis	ICD-10-CM
M08.841	Other juvenile arthritis, right hand	Diagnosis	ICD-10-CM
M08.842	Other juvenile arthritis, left hand	Diagnosis	ICD-10-CM
M08.849	Other juvenile arthritis, unspecified hand	Diagnosis	ICD-10-CM
M08.851	Other juvenile arthritis, right hip	Diagnosis	ICD-10-CM
M08.852	Other juvenile arthritis, left hip	Diagnosis	ICD-10-CM
M08.859	Other juvenile arthritis, unspecified hip	Diagnosis	ICD-10-CM
M08.861	Other juvenile arthritis, right knee	Diagnosis	ICD-10-CM
M08.862	Other juvenile arthritis, left knee	Diagnosis	ICD-10-CM
M08.869	Other juvenile arthritis, unspecified knee	Diagnosis	ICD-10-CM
M08.871	Other juvenile arthritis, right ankle and foot	Diagnosis	ICD-10-CM
M08.872	Other juvenile arthritis, left ankle and foot	Diagnosis	ICD-10-CM
M08.879	Other juvenile arthritis, unspecified ankle and foot	Diagnosis	ICD-10-CM
M08.88	Other juvenile arthritis, other specified site	Diagnosis	ICD-10-CM
M08.89	Other juvenile arthritis, multiple sites	Diagnosis	ICD-10-CM
M08.90	Juvenile arthritis, unspecified, unspecified site	Diagnosis	ICD-10-CM
M08.911	Juvenile arthritis, unspecified, right shoulder	Diagnosis	ICD-10-CM
M08.912	Juvenile arthritis, unspecified, left shoulder	Diagnosis	ICD-10-CM
M08.919	Juvenile arthritis, unspecified, unspecified shoulder	Diagnosis	ICD-10-CM
M08.921	Juvenile arthritis, unspecified, right elbow	Diagnosis	ICD-10-CM
M08.922	Juvenile arthritis, unspecified, left elbow	Diagnosis	ICD-10-CM
M08.929	Juvenile arthritis, unspecified, unspecified elbow	Diagnosis	ICD-10-CM
M08.931	Juvenile arthritis, unspecified, right wrist	Diagnosis	ICD-10-CM
M08.932	Juvenile arthritis, unspecified, left wrist	Diagnosis	ICD-10-CM
M08.939	Juvenile arthritis, unspecified, unspecified wrist	Diagnosis	ICD-10-CM
M08.941	Juvenile arthritis, unspecified, right hand	Diagnosis	ICD-10-CM
M08.942	Juvenile arthritis, unspecified, left hand	Diagnosis	ICD-10-CM
M08.949	Juvenile arthritis, unspecified, unspecified hand	Diagnosis	ICD-10-CM
M08.951	Juvenile arthritis, unspecified, right hip	Diagnosis	ICD-10-CM
M08.952	Juvenile arthritis, unspecified, left hip	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M08.959	Juvenile arthritis, unspecified, unspecified hip	Diagnosis	ICD-10-CM
M08.961	Juvenile arthritis, unspecified, right knee	Diagnosis	ICD-10-CM
M08.962	Juvenile arthritis, unspecified, left knee	Diagnosis	ICD-10-CM
M08.969	Juvenile arthritis, unspecified, unspecified knee	Diagnosis	ICD-10-CM
M08.971	Juvenile arthritis, unspecified, right ankle and foot	Diagnosis	ICD-10-CM
M08.972	Juvenile arthritis, unspecified, left ankle and foot	Diagnosis	ICD-10-CM
M08.979	Juvenile arthritis, unspecified, unspecified ankle and foot	Diagnosis	ICD-10-CM
M08.98	Juvenile arthritis, unspecified, vertebrae	Diagnosis	ICD-10-CM
M08.99	Juvenile arthritis, unspecified, multiple sites	Diagnosis	ICD-10-CM
M08.9A	Juvenile arthritis, unspecified, other specified site	Diagnosis	ICD-10-CM
M15.0	Primary generalized (osteo)arthritis	Diagnosis	ICD-10-CM
M15.1	Heberden's nodes (with arthropathy)	Diagnosis	ICD-10-CM
M15.2	Bouchard's nodes (with arthropathy)	Diagnosis	ICD-10-CM
M15.3	Secondary multiple arthritis	Diagnosis	ICD-10-CM
M15.4	Erosive (osteo)arthritis	Diagnosis	ICD-10-CM
M15.8	Other polyosteoarthritis	Diagnosis	ICD-10-CM
M15.9	Polyosteoarthritis, unspecified	Diagnosis	ICD-10-CM
M16.0	Bilateral primary osteoarthritis of hip	Diagnosis	ICD-10-CM
M16.10	Unilateral primary osteoarthritis, unspecified hip	Diagnosis	ICD-10-CM
M16.11	Unilateral primary osteoarthritis, right hip	Diagnosis	ICD-10-CM
M16.12	Unilateral primary osteoarthritis, left hip	Diagnosis	ICD-10-CM
M16.2	Bilateral osteoarthritis resulting from hip dysplasia	Diagnosis	ICD-10-CM
M16.30	Unilateral osteoarthritis resulting from hip dysplasia, unspecified hip	Diagnosis	ICD-10-CM
M16.31	Unilateral osteoarthritis resulting from hip dysplasia, right hip	Diagnosis	ICD-10-CM
M16.32	Unilateral osteoarthritis resulting from hip dysplasia, left hip	Diagnosis	ICD-10-CM
M16.4	Bilateral post-traumatic osteoarthritis of hip	Diagnosis	ICD-10-CM
M16.50	Unilateral post-traumatic osteoarthritis, unspecified hip	Diagnosis	ICD-10-CM
M16.51	Unilateral post-traumatic osteoarthritis, right hip	Diagnosis	ICD-10-CM
M16.52	Unilateral post-traumatic osteoarthritis, left hip	Diagnosis	ICD-10-CM
M16.6	Other bilateral secondary osteoarthritis of hip	Diagnosis	ICD-10-CM
M16.7	Other unilateral secondary osteoarthritis of hip	Diagnosis	ICD-10-CM
M16.9	Osteoarthritis of hip, unspecified	Diagnosis	ICD-10-CM
M17.0	Bilateral primary osteoarthritis of knee	Diagnosis	ICD-10-CM
M17.10	Unilateral primary osteoarthritis, unspecified knee	Diagnosis	ICD-10-CM
M17.11	Unilateral primary osteoarthritis, right knee	Diagnosis	ICD-10-CM
M17.12	Unilateral primary osteoarthritis, left knee	Diagnosis	ICD-10-CM
M17.2	Bilateral post-traumatic osteoarthritis of knee	Diagnosis	ICD-10-CM
M17.30	Unilateral post-traumatic osteoarthritis, unspecified knee	Diagnosis	ICD-10-CM
M17.31	Unilateral post-traumatic osteoarthritis, right knee	Diagnosis	ICD-10-CM
M17.32	Unilateral post-traumatic osteoarthritis, left knee	Diagnosis	ICD-10-CM
M17.4	Other bilateral secondary osteoarthritis of knee	Diagnosis	ICD-10-CM
M17.5	Other unilateral secondary osteoarthritis of knee	Diagnosis	ICD-10-CM
M17.9	Osteoarthritis of knee, unspecified	Diagnosis	ICD-10-CM
M18.0	Bilateral primary osteoarthritis of first carpometacarpal joints	Diagnosis	ICD-10-CM
M18.10	Unilateral primary osteoarthritis of first carpometacarpal joint, unspecified hand	Diagnosis	ICD-10-CM
M18.11	Unilateral primary osteoarthritis of first carpometacarpal joint, right hand	Diagnosis	ICD-10-CM
M18.12	Unilateral primary osteoarthritis of first carpometacarpal joint, left hand	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M18.2	Bilateral post-traumatic osteoarthritis of first carpometacarpal joints	Diagnosis	ICD-10-CM
M18.30	Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, unspecified hand	Diagnosis	ICD-10-CM
M18.31	Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, right hand	Diagnosis	ICD-10-CM
M18.32	Unilateral post-traumatic osteoarthritis of first carpometacarpal joint, left hand	Diagnosis	ICD-10-CM
M18.4	Other bilateral secondary osteoarthritis of first carpometacarpal joints	Diagnosis	ICD-10-CM
M18.50	Other unilateral secondary osteoarthritis of first carpometacarpal joint, unspecified hand	Diagnosis	ICD-10-CM
M18.51	Other unilateral secondary osteoarthritis of first carpometacarpal joint, right hand	Diagnosis	ICD-10-CM
M18.52	Other unilateral secondary osteoarthritis of first carpometacarpal joint, left hand	Diagnosis	ICD-10-CM
M18.9	Osteoarthritis of first carpometacarpal joint, unspecified	Diagnosis	ICD-10-CM
M19.011	Primary osteoarthritis, right shoulder	Diagnosis	ICD-10-CM
M19.012	Primary osteoarthritis, left shoulder	Diagnosis	ICD-10-CM
M19.019	Primary osteoarthritis, unspecified shoulder	Diagnosis	ICD-10-CM
M19.021	Primary osteoarthritis, right elbow	Diagnosis	ICD-10-CM
M19.022	Primary osteoarthritis, left elbow	Diagnosis	ICD-10-CM
M19.029	Primary osteoarthritis, unspecified elbow	Diagnosis	ICD-10-CM
M19.031	Primary osteoarthritis, right wrist	Diagnosis	ICD-10-CM
M19.032	Primary osteoarthritis, left wrist	Diagnosis	ICD-10-CM
M19.039	Primary osteoarthritis, unspecified wrist	Diagnosis	ICD-10-CM
M19.041	Primary osteoarthritis, right hand	Diagnosis	ICD-10-CM
M19.042	Primary osteoarthritis, left hand	Diagnosis	ICD-10-CM
M19.049	Primary osteoarthritis, unspecified hand	Diagnosis	ICD-10-CM
M19.071	Primary osteoarthritis, right ankle and foot	Diagnosis	ICD-10-CM
M19.072	Primary osteoarthritis, left ankle and foot	Diagnosis	ICD-10-CM
M19.079	Primary osteoarthritis, unspecified ankle and foot	Diagnosis	ICD-10-CM
M19.09	Primary osteoarthritis, other specified site	Diagnosis	ICD-10-CM
M19.111	Post-traumatic osteoarthritis, right shoulder	Diagnosis	ICD-10-CM
M19.112	Post-traumatic osteoarthritis, left shoulder	Diagnosis	ICD-10-CM
M19.119	Post-traumatic osteoarthritis, unspecified shoulder	Diagnosis	ICD-10-CM
M19.121	Post-traumatic osteoarthritis, right elbow	Diagnosis	ICD-10-CM
M19.122	Post-traumatic osteoarthritis, left elbow	Diagnosis	ICD-10-CM
M19.129	Post-traumatic osteoarthritis, unspecified elbow	Diagnosis	ICD-10-CM
M19.131	Post-traumatic osteoarthritis, right wrist	Diagnosis	ICD-10-CM
M19.132	Post-traumatic osteoarthritis, left wrist	Diagnosis	ICD-10-CM
M19.139	Post-traumatic osteoarthritis, unspecified wrist	Diagnosis	ICD-10-CM
M19.141	Post-traumatic osteoarthritis, right hand	Diagnosis	ICD-10-CM
M19.142	Post-traumatic osteoarthritis, left hand	Diagnosis	ICD-10-CM
M19.149	Post-traumatic osteoarthritis, unspecified hand	Diagnosis	ICD-10-CM
M19.171	Post-traumatic osteoarthritis, right ankle and foot	Diagnosis	ICD-10-CM
M19.172	Post-traumatic osteoarthritis, left ankle and foot	Diagnosis	ICD-10-CM
M19.179	Post-traumatic osteoarthritis, unspecified ankle and foot	Diagnosis	ICD-10-CM
M19.19	Post-traumatic osteoarthritis, other specified site	Diagnosis	ICD-10-CM
M19.211	Secondary osteoarthritis, right shoulder	Diagnosis	ICD-10-CM
M19.212	Secondary osteoarthritis, left shoulder	Diagnosis	ICD-10-CM
M19.219	Secondary osteoarthritis, unspecified shoulder	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M19.221	Secondary osteoarthritis, right elbow	Diagnosis	ICD-10-CM
M19.222	Secondary osteoarthritis, left elbow	Diagnosis	ICD-10-CM
M19.229	Secondary osteoarthritis, unspecified elbow	Diagnosis	ICD-10-CM
M19.231	Secondary osteoarthritis, right wrist	Diagnosis	ICD-10-CM
M19.232	Secondary osteoarthritis, left wrist	Diagnosis	ICD-10-CM
M19.239	Secondary osteoarthritis, unspecified wrist	Diagnosis	ICD-10-CM
M19.241	Secondary osteoarthritis, right hand	Diagnosis	ICD-10-CM
M19.242	Secondary osteoarthritis, left hand	Diagnosis	ICD-10-CM
M19.249	Secondary osteoarthritis, unspecified hand	Diagnosis	ICD-10-CM
M19.271	Secondary osteoarthritis, right ankle and foot	Diagnosis	ICD-10-CM
M19.272	Secondary osteoarthritis, left ankle and foot	Diagnosis	ICD-10-CM
M19.279	Secondary osteoarthritis, unspecified ankle and foot	Diagnosis	ICD-10-CM
M19.29	Secondary osteoarthritis, other specified site	Diagnosis	ICD-10-CM
M19.90	Unspecified osteoarthritis, unspecified site	Diagnosis	ICD-10-CM
M19.91	Primary osteoarthritis, unspecified site	Diagnosis	ICD-10-CM
M19.92	Post-traumatic osteoarthritis, unspecified site	Diagnosis	ICD-10-CM
M19.93	Secondary osteoarthritis, unspecified site	Diagnosis	ICD-10-CM
M45.0	Ankylosing spondylitis of multiple sites in spine	Diagnosis	ICD-10-CM
M45.1	Ankylosing spondylitis of occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M45.2	Ankylosing spondylitis of cervical region	Diagnosis	ICD-10-CM
M45.3	Ankylosing spondylitis of cervicothoracic region	Diagnosis	ICD-10-CM
M45.4	Ankylosing spondylitis of thoracic region	Diagnosis	ICD-10-CM
M45.5	Ankylosing spondylitis of thoracolumbar region	Diagnosis	ICD-10-CM
M45.6	Ankylosing spondylitis lumbar region	Diagnosis	ICD-10-CM
M45.7	Ankylosing spondylitis of lumbosacral region	Diagnosis	ICD-10-CM
M45.8	Ankylosing spondylitis sacral and sacrococcygeal region	Diagnosis	ICD-10-CM
M45.9	Ankylosing spondylitis of unspecified sites in spine	Diagnosis	ICD-10-CM
M45.A0	Non-radiographic axial spondyloarthritis of unspecified sites in spine	Diagnosis	ICD-10-CM
M45.A1	Non-radiographic axial spondyloarthritis of occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M45.A2	Non-radiographic axial spondyloarthritis of cervical region	Diagnosis	ICD-10-CM
M45.A3	Non-radiographic axial spondyloarthritis of cervicothoracic region	Diagnosis	ICD-10-CM
M45.A4	Non-radiographic axial spondyloarthritis of thoracic region	Diagnosis	ICD-10-CM
M45.A5	Non-radiographic axial spondyloarthritis of thoracolumbar region	Diagnosis	ICD-10-CM
M45.A6	Non-radiographic axial spondyloarthritis of lumbar region	Diagnosis	ICD-10-CM
M45.A7	Non-radiographic axial spondyloarthritis of lumbosacral region	Diagnosis	ICD-10-CM
M45.A8	Non-radiographic axial spondyloarthritis of sacral and sacrococcygeal region	Diagnosis	ICD-10-CM
M45.AB	Non-radiographic axial spondyloarthritis of multiple sites in spine	Diagnosis	ICD-10-CM
M46.80	Other specified inflammatory spondylopathies, site unspecified	Diagnosis	ICD-10-CM
M46.81	Other specified inflammatory spondylopathies, occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M46.82	Other specified inflammatory spondylopathies, cervical region	Diagnosis	ICD-10-CM
M46.83	Other specified inflammatory spondylopathies, cervicothoracic region	Diagnosis	ICD-10-CM
M46.84	Other specified inflammatory spondylopathies, thoracic region	Diagnosis	ICD-10-CM
M46.85	Other specified inflammatory spondylopathies, thoracolumbar region	Diagnosis	ICD-10-CM
M46.86	Other specified inflammatory spondylopathies, lumbar region	Diagnosis	ICD-10-CM
M46.87	Other specified inflammatory spondylopathies, lumbosacral region	Diagnosis	ICD-10-CM
M46.88	Other specified inflammatory spondylopathies, sacral and sacrococcygeal region	Diagnosis	ICD-10-CM
M46.89	Other specified inflammatory spondylopathies, multiple sites in spine	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M46.90	Unspecified inflammatory spondylopathy, site unspecified	Diagnosis	ICD-10-CM
M46.91	Unspecified inflammatory spondylopathy, occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M46.92	Unspecified inflammatory spondylopathy, cervical region	Diagnosis	ICD-10-CM
M46.93	Unspecified inflammatory spondylopathy, cervicothoracic region	Diagnosis	ICD-10-CM
M46.94	Unspecified inflammatory spondylopathy, thoracic region	Diagnosis	ICD-10-CM
M46.95	Unspecified inflammatory spondylopathy, thoracolumbar region	Diagnosis	ICD-10-CM
M46.96	Unspecified inflammatory spondylopathy, lumbar region	Diagnosis	ICD-10-CM
M46.97	Unspecified inflammatory spondylopathy, lumbosacral region	Diagnosis	ICD-10-CM
M46.98	Unspecified inflammatory spondylopathy, sacral and sacrococcygeal region	Diagnosis	ICD-10-CM
M46.99	Unspecified inflammatory spondylopathy, multiple sites in spine	Diagnosis	ICD-10-CM
M47.011	Anterior spinal artery compression syndromes, occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M47.012	Anterior spinal artery compression syndromes, cervical region	Diagnosis	ICD-10-CM
M47.013	Anterior spinal artery compression syndromes, cervicothoracic region	Diagnosis	ICD-10-CM
M47.014	Anterior spinal artery compression syndromes, thoracic region	Diagnosis	ICD-10-CM
M47.015	Anterior spinal artery compression syndromes, thoracolumbar region	Diagnosis	ICD-10-CM
M47.016	Anterior spinal artery compression syndromes, lumbar region	Diagnosis	ICD-10-CM
M47.019	Anterior spinal artery compression syndromes, site unspecified	Diagnosis	ICD-10-CM
M47.021	Vertebral artery compression syndromes, occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M47.022	Vertebral artery compression syndromes, cervical region	Diagnosis	ICD-10-CM
M47.029	Vertebral artery compression syndromes, site unspecified	Diagnosis	ICD-10-CM
M47.10	Other spondylosis with myelopathy, site unspecified	Diagnosis	ICD-10-CM
M47.11	Other spondylosis with myelopathy, occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M47.12	Other spondylosis with myelopathy, cervical region	Diagnosis	ICD-10-CM
M47.13	Other spondylosis with myelopathy, cervicothoracic region	Diagnosis	ICD-10-CM
M47.14	Other spondylosis with myelopathy, thoracic region	Diagnosis	ICD-10-CM
M47.15	Other spondylosis with myelopathy, thoracolumbar region	Diagnosis	ICD-10-CM
M47.16	Other spondylosis with myelopathy, lumbar region	Diagnosis	ICD-10-CM
M47.20	Other spondylosis with radiculopathy, site unspecified	Diagnosis	ICD-10-CM
M47.21	Other spondylosis with radiculopathy, occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M47.22	Other spondylosis with radiculopathy, cervical region	Diagnosis	ICD-10-CM
M47.23	Other spondylosis with radiculopathy, cervicothoracic region	Diagnosis	ICD-10-CM
M47.24	Other spondylosis with radiculopathy, thoracic region	Diagnosis	ICD-10-CM
M47.25	Other spondylosis with radiculopathy, thoracolumbar region	Diagnosis	ICD-10-CM
M47.26	Other spondylosis with radiculopathy, lumbar region	Diagnosis	ICD-10-CM
M47.27	Other spondylosis with radiculopathy, lumbosacral region	Diagnosis	ICD-10-CM
M47.28	Other spondylosis with radiculopathy, sacral and sacrococcygeal region	Diagnosis	ICD-10-CM
M47.811	Spondylosis without myelopathy or radiculopathy, occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M47.812	Spondylosis without myelopathy or radiculopathy, cervical region	Diagnosis	ICD-10-CM
M47.813	Spondylosis without myelopathy or radiculopathy, cervicothoracic region	Diagnosis	ICD-10-CM
M47.814	Spondylosis without myelopathy or radiculopathy, thoracic region	Diagnosis	ICD-10-CM
M47.815	Spondylosis without myelopathy or radiculopathy, thoracolumbar region	Diagnosis	ICD-10-CM
M47.816	Spondylosis without myelopathy or radiculopathy, lumbar region	Diagnosis	ICD-10-CM
M47.817	Spondylosis without myelopathy or radiculopathy, lumbosacral region	Diagnosis	ICD-10-CM
M47.818	Spondylosis without myelopathy or radiculopathy, sacral and sacrococcygeal region	Diagnosis	ICD-10-CM
M47.819	Spondylosis without myelopathy or radiculopathy, site unspecified	Diagnosis	ICD-10-CM
M47.891	Other spondylosis, occipito-atlanto-axial region	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M47.892	Other spondylosis, cervical region	Diagnosis	ICD-10-CM
M47.893	Other spondylosis, cervicothoracic region	Diagnosis	ICD-10-CM
M47.894	Other spondylosis, thoracic region	Diagnosis	ICD-10-CM
M47.895	Other spondylosis, thoracolumbar region	Diagnosis	ICD-10-CM
M47.896	Other spondylosis, lumbar region	Diagnosis	ICD-10-CM
M47.897	Other spondylosis, lumbosacral region	Diagnosis	ICD-10-CM
M47.898	Other spondylosis, sacral and sacrococcygeal region	Diagnosis	ICD-10-CM
M47.899	Other spondylosis, site unspecified	Diagnosis	ICD-10-CM
M47.9	Spondylosis, unspecified	Diagnosis	ICD-10-CM
M48.8X1	Other specified spondylopathies, occipito-atlanto-axial region	Diagnosis	ICD-10-CM
M48.8X2	Other specified spondylopathies, cervical region	Diagnosis	ICD-10-CM
M48.8X3	Other specified spondylopathies, cervicothoracic region	Diagnosis	ICD-10-CM
M48.8X4	Other specified spondylopathies, thoracic region	Diagnosis	ICD-10-CM
M48.8X5	Other specified spondylopathies, thoracolumbar region	Diagnosis	ICD-10-CM
M48.8X6	Other specified spondylopathies, lumbar region	Diagnosis	ICD-10-CM
M48.8X7	Other specified spondylopathies, lumbosacral region	Diagnosis	ICD-10-CM
M48.8X8	Other specified spondylopathies, sacral and sacrococcygeal region	Diagnosis	ICD-10-CM
M48.8X9	Other specified spondylopathies, site unspecified	Diagnosis	ICD-10-CM
Lupus			
D68.62	Lupus anticoagulant syndrome	Diagnosis	ICD-10-CM
L93	Lupus erythematosus	Diagnosis	ICD-10-CM
L93.0	Discoid lupus erythematosus	Diagnosis	ICD-10-CM
L93.1	Subacute cutaneous lupus erythematosus	Diagnosis	ICD-10-CM
L93.2	Other local lupus erythematosus	Diagnosis	ICD-10-CM
M32	Systemic lupus erythematosus (SLE)	Diagnosis	ICD-10-CM
M32.0	Drug-induced systemic lupus erythematosus	Diagnosis	ICD-10-CM
M32.1	Systemic lupus erythematosus with organ or system involvement	Diagnosis	ICD-10-CM
M32.10	Systemic lupus erythematosus, organ or system involvement unspecified	Diagnosis	ICD-10-CM
M32.11	Endocarditis in systemic lupus erythematosus	Diagnosis	ICD-10-CM
M32.12	Pericarditis in systemic lupus erythematosus	Diagnosis	ICD-10-CM
M32.13	Lung involvement in systemic lupus erythematosus	Diagnosis	ICD-10-CM
M32.14	Glomerular disease in systemic lupus erythematosus	Diagnosis	ICD-10-CM
M32.15	Tubulo-interstitial nephropathy in systemic lupus erythematosus	Diagnosis	ICD-10-CM
M32.19	Other organ or system involvement in systemic lupus erythematosus	Diagnosis	ICD-10-CM
M32.8	Other forms of systemic lupus erythematosus	Diagnosis	ICD-10-CM
M32.9	Systemic lupus erythematosus, unspecified	Diagnosis	ICD-10-CM
Psoriasis or Psoriatic Arthritis			
L40	Psoriasis	Diagnosis	ICD-10-CM
L40.0	Psoriasis vulgaris	Diagnosis	ICD-10-CM
L40.1	Generalized pustular psoriasis	Diagnosis	ICD-10-CM
L40.2	Acrodermatitis continua	Diagnosis	ICD-10-CM
L40.3	Pustulosis palmaris et plantaris	Diagnosis	ICD-10-CM
L40.4	Guttate psoriasis	Diagnosis	ICD-10-CM
L40.5	Arthropathic psoriasis	Diagnosis	ICD-10-CM
L40.50	Arthropathic psoriasis, unspecified	Diagnosis	ICD-10-CM
L40.51	Distal interphalangeal psoriatic arthropathy	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
L40.52	Psoriatic arthritis mutilans	Diagnosis	ICD-10-CM
L40.53	Psoriatic spondylitis	Diagnosis	ICD-10-CM
L40.54	Psoriatic juvenile arthropathy	Diagnosis	ICD-10-CM
L40.59	Other psoriatic arthropathy	Diagnosis	ICD-10-CM
L40.8	Other psoriasis	Diagnosis	ICD-10-CM
L40.9	Psoriasis, unspecified	Diagnosis	ICD-10-CM
Crohn's Disease			
K50	Crohn's disease [regional enteritis]	Diagnosis	ICD-10-CM
K50.0	Crohn's disease of small intestine	Diagnosis	ICD-10-CM
K50.00	Crohn's disease of small intestine without complications	Diagnosis	ICD-10-CM
K50.01	Crohn's disease of small intestine with complications	Diagnosis	ICD-10-CM
K50.011	Crohn's disease of small intestine with rectal bleeding	Diagnosis	ICD-10-CM
K50.012	Crohn's disease of small intestine with intestinal obstruction	Diagnosis	ICD-10-CM
K50.013	Crohn's disease of small intestine with fistula	Diagnosis	ICD-10-CM
K50.014	Crohn's disease of small intestine with abscess	Diagnosis	ICD-10-CM
K50.018	Crohn's disease of small intestine with other complication	Diagnosis	ICD-10-CM
K50.019	Crohn's disease of small intestine with unspecified complications	Diagnosis	ICD-10-CM
K50.1	Crohn's disease of large intestine	Diagnosis	ICD-10-CM
K50.10	Crohn's disease of large intestine without complications	Diagnosis	ICD-10-CM
K50.11	Crohn's disease of large intestine with complications	Diagnosis	ICD-10-CM
K50.111	Crohn's disease of large intestine with rectal bleeding	Diagnosis	ICD-10-CM
K50.112	Crohn's disease of large intestine with intestinal obstruction	Diagnosis	ICD-10-CM
K50.113	Crohn's disease of large intestine with fistula	Diagnosis	ICD-10-CM
K50.114	Crohn's disease of large intestine with abscess	Diagnosis	ICD-10-CM
K50.118	Crohn's disease of large intestine with other complication	Diagnosis	ICD-10-CM
K50.119	Crohn's disease of large intestine with unspecified complications	Diagnosis	ICD-10-CM
K50.8	Crohn's disease of both small and large intestine	Diagnosis	ICD-10-CM
K50.80	Crohn's disease of both small and large intestine without complications	Diagnosis	ICD-10-CM
K50.81	Crohn's disease of both small and large intestine with complications	Diagnosis	ICD-10-CM
K50.811	Crohn's disease of both small and large intestine with rectal bleeding	Diagnosis	ICD-10-CM
K50.812	Crohn's disease of both small and large intestine with intestinal obstruction	Diagnosis	ICD-10-CM
K50.813	Crohn's disease of both small and large intestine with fistula	Diagnosis	ICD-10-CM
K50.814	Crohn's disease of both small and large intestine with abscess	Diagnosis	ICD-10-CM
K50.818	Crohn's disease of both small and large intestine with other complication	Diagnosis	ICD-10-CM
K50.819	Crohn's disease of both small and large intestine with unspecified complications	Diagnosis	ICD-10-CM
K50.9	Crohn's disease, unspecified	Diagnosis	ICD-10-CM
K50.90	Crohn's disease, unspecified, without complications	Diagnosis	ICD-10-CM
K50.91	Crohn's disease, unspecified, with complications	Diagnosis	ICD-10-CM
K50.911	Crohn's disease, unspecified, with rectal bleeding	Diagnosis	ICD-10-CM
K50.912	Crohn's disease, unspecified, with intestinal obstruction	Diagnosis	ICD-10-CM
K50.913	Crohn's disease, unspecified, with fistula	Diagnosis	ICD-10-CM
K50.914	Crohn's disease, unspecified, with abscess	Diagnosis	ICD-10-CM
K50.918	Crohn's disease, unspecified, with other complication	Diagnosis	ICD-10-CM
K50.919	Crohn's disease, unspecified, with unspecified complications	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
Ulcerative Colitis			
K51.0	Ulcerative (chronic) pancolitis	Diagnosis	ICD-10-CM
K51.00	Ulcerative (chronic) pancolitis without complications	Diagnosis	ICD-10-CM
K51.01	Ulcerative (chronic) pancolitis with complications	Diagnosis	ICD-10-CM
K51.011	Ulcerative (chronic) pancolitis with rectal bleeding	Diagnosis	ICD-10-CM
K51.012	Ulcerative (chronic) pancolitis with intestinal obstruction	Diagnosis	ICD-10-CM
K51.013	Ulcerative (chronic) pancolitis with fistula	Diagnosis	ICD-10-CM
K51.014	Ulcerative (chronic) pancolitis with abscess	Diagnosis	ICD-10-CM
K51.018	Ulcerative (chronic) pancolitis with other complication	Diagnosis	ICD-10-CM
K51.019	Ulcerative (chronic) pancolitis with unspecified complications	Diagnosis	ICD-10-CM
K51.2	Ulcerative (chronic) proctitis	Diagnosis	ICD-10-CM
K51.20	Ulcerative (chronic) proctitis without complications	Diagnosis	ICD-10-CM
K51.21	Ulcerative (chronic) proctitis with complications	Diagnosis	ICD-10-CM
K51.211	Ulcerative (chronic) proctitis with rectal bleeding	Diagnosis	ICD-10-CM
K51.212	Ulcerative (chronic) proctitis with intestinal obstruction	Diagnosis	ICD-10-CM
K51.213	Ulcerative (chronic) proctitis with fistula	Diagnosis	ICD-10-CM
K51.214	Ulcerative (chronic) proctitis with abscess	Diagnosis	ICD-10-CM
K51.218	Ulcerative (chronic) proctitis with other complication	Diagnosis	ICD-10-CM
K51.219	Ulcerative (chronic) proctitis with unspecified complications	Diagnosis	ICD-10-CM
K51.3	Ulcerative (chronic) rectosigmoiditis	Diagnosis	ICD-10-CM
K51.30	Ulcerative (chronic) rectosigmoiditis without complications	Diagnosis	ICD-10-CM
K51.31	Ulcerative (chronic) rectosigmoiditis with complications	Diagnosis	ICD-10-CM
K51.311	Ulcerative (chronic) rectosigmoiditis with rectal bleeding	Diagnosis	ICD-10-CM
K51.312	Ulcerative (chronic) rectosigmoiditis with intestinal obstruction	Diagnosis	ICD-10-CM
K51.313	Ulcerative (chronic) rectosigmoiditis with fistula	Diagnosis	ICD-10-CM
K51.314	Ulcerative (chronic) rectosigmoiditis with abscess	Diagnosis	ICD-10-CM
K51.318	Ulcerative (chronic) rectosigmoiditis with other complication	Diagnosis	ICD-10-CM
K51.319	Ulcerative (chronic) rectosigmoiditis with unspecified complications	Diagnosis	ICD-10-CM
K51.5	Left sided colitis	Diagnosis	ICD-10-CM
K51.50	Left sided colitis without complications	Diagnosis	ICD-10-CM
K51.51	Left sided colitis with complications	Diagnosis	ICD-10-CM
K51.511	Left sided colitis with rectal bleeding	Diagnosis	ICD-10-CM
K51.512	Left sided colitis with intestinal obstruction	Diagnosis	ICD-10-CM
K51.513	Left sided colitis with fistula	Diagnosis	ICD-10-CM
K51.514	Left sided colitis with abscess	Diagnosis	ICD-10-CM
K51.518	Left sided colitis with other complication	Diagnosis	ICD-10-CM
K51.519	Left sided colitis with unspecified complications	Diagnosis	ICD-10-CM
K51.8	Other ulcerative colitis	Diagnosis	ICD-10-CM
K51.80	Other ulcerative colitis without complications	Diagnosis	ICD-10-CM
K51.81	Other ulcerative colitis with complications	Diagnosis	ICD-10-CM
K51.811	Other ulcerative colitis with rectal bleeding	Diagnosis	ICD-10-CM
K51.812	Other ulcerative colitis with intestinal obstruction	Diagnosis	ICD-10-CM
K51.813	Other ulcerative colitis with fistula	Diagnosis	ICD-10-CM
K51.814	Other ulcerative colitis with abscess	Diagnosis	ICD-10-CM
K51.818	Other ulcerative colitis with other complication	Diagnosis	ICD-10-CM
K51.819	Other ulcerative colitis with unspecified complications	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
K51.9	Ulcerative colitis, unspecified	Diagnosis	ICD-10-CM
K51.90	Ulcerative colitis, unspecified, without complications	Diagnosis	ICD-10-CM
K51.91	Ulcerative colitis, unspecified, with complications	Diagnosis	ICD-10-CM
K51.911	Ulcerative colitis, unspecified with rectal bleeding	Diagnosis	ICD-10-CM
K51.912	Ulcerative colitis, unspecified with intestinal obstruction	Diagnosis	ICD-10-CM
K51.913	Ulcerative colitis, unspecified with fistula	Diagnosis	ICD-10-CM
K51.914	Ulcerative colitis, unspecified with abscess	Diagnosis	ICD-10-CM
K51.918	Ulcerative colitis, unspecified with other complication	Diagnosis	ICD-10-CM
K51.919	Ulcerative colitis, unspecified with unspecified complications	Diagnosis	ICD-10-CM
Hypothyroidism			
E00.0	Congenital iodine-deficiency syndrome, neurological type	Diagnosis	ICD-10-CM
E00.1	Congenital iodine-deficiency syndrome, myxedematous type	Diagnosis	ICD-10-CM
E00.2	Congenital iodine-deficiency syndrome, mixed type	Diagnosis	ICD-10-CM
E00.9	Congenital iodine-deficiency syndrome, unspecified	Diagnosis	ICD-10-CM
E01.8	Other iodine-deficiency related thyroid disorders and allied conditions	Diagnosis	ICD-10-CM
E02	Subclinical iodine-deficiency hypothyroidism	Diagnosis	ICD-10-CM
E03.0	Congenital hypothyroidism with diffuse goiter	Diagnosis	ICD-10-CM
E03.1	Congenital hypothyroidism without goiter	Diagnosis	ICD-10-CM
E03.2	Hypothyroidism due to medicaments and other exogenous substances	Diagnosis	ICD-10-CM
E03.3	Postinfectious hypothyroidism	Diagnosis	ICD-10-CM
E03.4	Atrophy of thyroid (acquired)	Diagnosis	ICD-10-CM
E03.8	Other specified hypothyroidism	Diagnosis	ICD-10-CM
E03.9	Hypothyroidism, unspecified	Diagnosis	ICD-10-CM
E89.0	Postprocedural hypothyroidism	Diagnosis	ICD-10-CM
Hyperthyroidism			
E05	Thyrotoxicosis [hyperthyroidism]	Diagnosis	ICD-10-CM
E05.0	Thyrotoxicosis with diffuse goiter	Diagnosis	ICD-10-CM
E05.00	Thyrotoxicosis with diffuse goiter without thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.01	Thyrotoxicosis with diffuse goiter with thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.1	Thyrotoxicosis with toxic single thyroid nodule	Diagnosis	ICD-10-CM
E05.10	Thyrotoxicosis with toxic single thyroid nodule without thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.11	Thyrotoxicosis with toxic single thyroid nodule with thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.2	Thyrotoxicosis with toxic multinodular goiter	Diagnosis	ICD-10-CM
E05.20	Thyrotoxicosis with toxic multinodular goiter without thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.21	Thyrotoxicosis with toxic multinodular goiter with thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.3	Thyrotoxicosis from ectopic thyroid tissue	Diagnosis	ICD-10-CM
E05.30	Thyrotoxicosis from ectopic thyroid tissue without thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.31	Thyrotoxicosis from ectopic thyroid tissue with thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.4	Thyrotoxicosis factitia	Diagnosis	ICD-10-CM
E05.40	Thyrotoxicosis factitia without thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.41	Thyrotoxicosis factitia with thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.8	Other thyrotoxicosis	Diagnosis	ICD-10-CM
E05.80	Other thyrotoxicosis without thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.81	Other thyrotoxicosis with thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
E05.9	Thyrotoxicosis, unspecified	Diagnosis	ICD-10-CM
E05.90	Thyrotoxicosis, unspecified without thyrotoxic crisis or storm	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
E05.91	Thyrotoxicosis, unspecified with thyrotoxic crisis or storm	Diagnosis	ICD-10-CM
Breast Cancer			
C50.011	Malignant neoplasm of nipple and areola, right female breast	Diagnosis	ICD-10-CM
C50.012	Malignant neoplasm of nipple and areola, left female breast	Diagnosis	ICD-10-CM
C50.019	Malignant neoplasm of nipple and areola, unspecified female breast	Diagnosis	ICD-10-CM
C50.021	Malignant neoplasm of nipple and areola, right male breast	Diagnosis	ICD-10-CM
C50.022	Malignant neoplasm of nipple and areola, left male breast	Diagnosis	ICD-10-CM
C50.029	Malignant neoplasm of nipple and areola, unspecified male breast	Diagnosis	ICD-10-CM
C50.111	Malignant neoplasm of central portion of right female breast	Diagnosis	ICD-10-CM
C50.112	Malignant neoplasm of central portion of left female breast	Diagnosis	ICD-10-CM
C50.119	Malignant neoplasm of central portion of unspecified female breast	Diagnosis	ICD-10-CM
C50.121	Malignant neoplasm of central portion of right male breast	Diagnosis	ICD-10-CM
C50.122	Malignant neoplasm of central portion of left male breast	Diagnosis	ICD-10-CM
C50.129	Malignant neoplasm of central portion of unspecified male breast	Diagnosis	ICD-10-CM
C50.211	Malignant neoplasm of upper-inner quadrant of right female breast	Diagnosis	ICD-10-CM
C50.212	Malignant neoplasm of upper-inner quadrant of left female breast	Diagnosis	ICD-10-CM
C50.219	Malignant neoplasm of upper-inner quadrant of unspecified female breast	Diagnosis	ICD-10-CM
C50.221	Malignant neoplasm of upper-inner quadrant of right male breast	Diagnosis	ICD-10-CM
C50.222	Malignant neoplasm of upper-inner quadrant of left male breast	Diagnosis	ICD-10-CM
C50.229	Malignant neoplasm of upper-inner quadrant of unspecified male breast	Diagnosis	ICD-10-CM
C50.311	Malignant neoplasm of lower-inner quadrant of right female breast	Diagnosis	ICD-10-CM
C50.312	Malignant neoplasm of lower-inner quadrant of left female breast	Diagnosis	ICD-10-CM
C50.319	Malignant neoplasm of lower-inner quadrant of unspecified female breast	Diagnosis	ICD-10-CM
C50.321	Malignant neoplasm of lower-inner quadrant of right male breast	Diagnosis	ICD-10-CM
C50.322	Malignant neoplasm of lower-inner quadrant of left male breast	Diagnosis	ICD-10-CM
C50.329	Malignant neoplasm of lower-inner quadrant of unspecified male breast	Diagnosis	ICD-10-CM
C50.411	Malignant neoplasm of upper-outer quadrant of right female breast	Diagnosis	ICD-10-CM
C50.412	Malignant neoplasm of upper-outer quadrant of left female breast	Diagnosis	ICD-10-CM
C50.419	Malignant neoplasm of upper-outer quadrant of unspecified female breast	Diagnosis	ICD-10-CM
C50.421	Malignant neoplasm of upper-outer quadrant of right male breast	Diagnosis	ICD-10-CM
C50.422	Malignant neoplasm of upper-outer quadrant of left male breast	Diagnosis	ICD-10-CM
C50.429	Malignant neoplasm of upper-outer quadrant of unspecified male breast	Diagnosis	ICD-10-CM
C50.511	Malignant neoplasm of lower-outer quadrant of right female breast	Diagnosis	ICD-10-CM
C50.512	Malignant neoplasm of lower-outer quadrant of left female breast	Diagnosis	ICD-10-CM
C50.519	Malignant neoplasm of lower-outer quadrant of unspecified female breast	Diagnosis	ICD-10-CM
C50.521	Malignant neoplasm of lower-outer quadrant of right male breast	Diagnosis	ICD-10-CM
C50.522	Malignant neoplasm of lower-outer quadrant of left male breast	Diagnosis	ICD-10-CM
C50.529	Malignant neoplasm of lower-outer quadrant of unspecified male breast	Diagnosis	ICD-10-CM
C50.611	Malignant neoplasm of axillary tail of right female breast	Diagnosis	ICD-10-CM
C50.612	Malignant neoplasm of axillary tail of left female breast	Diagnosis	ICD-10-CM
C50.619	Malignant neoplasm of axillary tail of unspecified female breast	Diagnosis	ICD-10-CM
C50.621	Malignant neoplasm of axillary tail of right male breast	Diagnosis	ICD-10-CM
C50.622	Malignant neoplasm of axillary tail of left male breast	Diagnosis	ICD-10-CM
C50.629	Malignant neoplasm of axillary tail of unspecified male breast	Diagnosis	ICD-10-CM
C50.811	Malignant neoplasm of overlapping sites of right female breast	Diagnosis	ICD-10-CM
C50.812	Malignant neoplasm of overlapping sites of left female breast	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C50.819	Malignant neoplasm of overlapping sites of unspecified female breast	Diagnosis	ICD-10-CM
C50.821	Malignant neoplasm of overlapping sites of right male breast	Diagnosis	ICD-10-CM
C50.822	Malignant neoplasm of overlapping sites of left male breast	Diagnosis	ICD-10-CM
C50.829	Malignant neoplasm of overlapping sites of unspecified male breast	Diagnosis	ICD-10-CM
C50.911	Malignant neoplasm of unspecified site of right female breast	Diagnosis	ICD-10-CM
C50.912	Malignant neoplasm of unspecified site of left female breast	Diagnosis	ICD-10-CM
C50.919	Malignant neoplasm of unspecified site of unspecified female breast	Diagnosis	ICD-10-CM
C50.921	Malignant neoplasm of unspecified site of right male breast	Diagnosis	ICD-10-CM
C50.922	Malignant neoplasm of unspecified site of left male breast	Diagnosis	ICD-10-CM
C50.929	Malignant neoplasm of unspecified site of unspecified male breast	Diagnosis	ICD-10-CM
D05.00	Lobular carcinoma in situ of unspecified breast	Diagnosis	ICD-10-CM
D05.01	Lobular carcinoma in situ of right breast	Diagnosis	ICD-10-CM
D05.02	Lobular carcinoma in situ of left breast	Diagnosis	ICD-10-CM
D05.10	Intraductal carcinoma in situ of unspecified breast	Diagnosis	ICD-10-CM
D05.11	Intraductal carcinoma in situ of right breast	Diagnosis	ICD-10-CM
D05.12	Intraductal carcinoma in situ of left breast	Diagnosis	ICD-10-CM
D05.80	Other specified type of carcinoma in situ of unspecified breast	Diagnosis	ICD-10-CM
D05.81	Other specified type of carcinoma in situ of right breast	Diagnosis	ICD-10-CM
D05.82	Other specified type of carcinoma in situ of left breast	Diagnosis	ICD-10-CM
D05.90	Unspecified type of carcinoma in situ of unspecified breast	Diagnosis	ICD-10-CM
D05.91	Unspecified type of carcinoma in situ of right breast	Diagnosis	ICD-10-CM
D05.92	Unspecified type of carcinoma in situ of left breast	Diagnosis	ICD-10-CM
Z17.0	Estrogen receptor positive status [ER+]	Diagnosis	ICD-10-CM
Z17.1	Estrogen receptor negative status [ER-]	Diagnosis	ICD-10-CM
Z19.1	Hormone sensitive malignancy status	Diagnosis	ICD-10-CM
Z19.2	Hormone resistant malignancy status	Diagnosis	ICD-10-CM
Z85.3	Personal history of malignant neoplasm of breast	Diagnosis	ICD-10-CM
Z86.000	Personal history of in-situ neoplasm of breast	Diagnosis	ICD-10-CM
Colorectal Cancer			
C18.0	Malignant neoplasm of cecum	Diagnosis	ICD-10-CM
C18.1	Malignant neoplasm of appendix	Diagnosis	ICD-10-CM
C18.2	Malignant neoplasm of ascending colon	Diagnosis	ICD-10-CM
C18.3	Malignant neoplasm of hepatic flexure	Diagnosis	ICD-10-CM
C18.4	Malignant neoplasm of transverse colon	Diagnosis	ICD-10-CM
C18.5	Malignant neoplasm of splenic flexure	Diagnosis	ICD-10-CM
C18.6	Malignant neoplasm of descending colon	Diagnosis	ICD-10-CM
C18.7	Malignant neoplasm of sigmoid colon	Diagnosis	ICD-10-CM
C18.8	Malignant neoplasm of overlapping sites of colon	Diagnosis	ICD-10-CM
C18.9	Malignant neoplasm of colon, unspecified	Diagnosis	ICD-10-CM
C19	Malignant neoplasm of rectosigmoid junction	Diagnosis	ICD-10-CM
C20	Malignant neoplasm of rectum	Diagnosis	ICD-10-CM
C49.A4	Gastrointestinal stromal tumor of large intestine	Diagnosis	ICD-10-CM
C49.A5	Gastrointestinal stromal tumor of rectum	Diagnosis	ICD-10-CM
D01.0	Carcinoma in situ of colon	Diagnosis	ICD-10-CM
D01.1	Carcinoma in situ of rectosigmoid junction	Diagnosis	ICD-10-CM
D01.2	Carcinoma in situ of rectum	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
Z85.030	Personal history of malignant carcinoid tumor of large intestine	Diagnosis	ICD-10-CM
Z85.038	Personal history of other malignant neoplasm of large intestine	Diagnosis	ICD-10-CM
Z85.040	Personal history of malignant carcinoid tumor of rectum	Diagnosis	ICD-10-CM
Z85.048	Personal history of other malignant neoplasm of rectum, rectosigmoid junction, and anus	Diagnosis	ICD-10-CM
Cervical Cancer			
C53	Malignant neoplasm of cervix uteri	Diagnosis	ICD-10-CM
C53.0	Malignant neoplasm of endocervix	Diagnosis	ICD-10-CM
C53.1	Malignant neoplasm of exocervix	Diagnosis	ICD-10-CM
C53.8	Malignant neoplasm of overlapping sites of cervix uteri	Diagnosis	ICD-10-CM
C53.9	Malignant neoplasm of cervix uteri, unspecified	Diagnosis	ICD-10-CM
Leukemia and Lymphoma			
C81.00	Nodular lymphocyte predominant Hodgkin lymphoma, unspecified site	Diagnosis	ICD-10-CM
C81.01	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C81.02	Nodular lymphocyte predominant Hodgkin lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C81.03	Nodular lymphocyte predominant Hodgkin lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C81.04	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C81.05	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C81.06	Nodular lymphocyte predominant Hodgkin lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C81.07	Nodular lymphocyte predominant Hodgkin lymphoma, spleen	Diagnosis	ICD-10-CM
C81.08	Nodular lymphocyte predominant Hodgkin lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C81.09	Nodular lymphocyte predominant Hodgkin lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C81.10	Nodular sclerosis Hodgkin lymphoma, unspecified site	Diagnosis	ICD-10-CM
C81.11	Nodular sclerosis Hodgkin lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C81.12	Nodular sclerosis Hodgkin lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C81.13	Nodular sclerosis Hodgkin lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C81.14	Nodular sclerosis Hodgkin lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C81.15	Nodular sclerosis Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C81.16	Nodular sclerosis Hodgkin lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C81.17	Nodular sclerosis Hodgkin lymphoma, spleen	Diagnosis	ICD-10-CM
C81.18	Nodular sclerosis Hodgkin lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C81.19	Nodular sclerosis Hodgkin lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C81.20	Mixed cellularity Hodgkin lymphoma, unspecified site	Diagnosis	ICD-10-CM
C81.21	Mixed cellularity Hodgkin lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C81.22	Mixed cellularity Hodgkin lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C81.23	Mixed cellularity Hodgkin lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C81.24	Mixed cellularity Hodgkin lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C81.25	Mixed cellularity Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C81.26	Mixed cellularity Hodgkin lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C81.27	Mixed cellularity Hodgkin lymphoma, spleen	Diagnosis	ICD-10-CM
C81.28	Mixed cellularity Hodgkin lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C81.29	Mixed cellularity Hodgkin lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C81.30	Lymphocyte depleted Hodgkin lymphoma, unspecified site	Diagnosis	ICD-10-CM
C81.31	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C81.32	Lymphocyte depleted Hodgkin lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C81.33	Lymphocyte depleted Hodgkin lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C81.34	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C81.35	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C81.36	Lymphocyte depleted Hodgkin lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C81.37	Lymphocyte depleted Hodgkin lymphoma, spleen	Diagnosis	ICD-10-CM
C81.38	Lymphocyte depleted Hodgkin lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C81.39	Lymphocyte depleted Hodgkin lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C81.40	Lymphocyte-rich Hodgkin lymphoma, unspecified site	Diagnosis	ICD-10-CM
C81.41	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C81.42	Lymphocyte-rich Hodgkin lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C81.43	Lymphocyte-rich Hodgkin lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C81.44	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C81.45	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C81.46	Lymphocyte-rich Hodgkin lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C81.47	Lymphocyte-rich Hodgkin lymphoma, spleen	Diagnosis	ICD-10-CM
C81.48	Lymphocyte-rich Hodgkin lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C81.49	Lymphocyte-rich Hodgkin lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C81.70	Other Hodgkin lymphoma, unspecified site	Diagnosis	ICD-10-CM
C81.71	Other Hodgkin lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C81.72	Other Hodgkin lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C81.73	Other Hodgkin lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C81.74	Other Hodgkin lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C81.75	Other Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C81.76	Other Hodgkin lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C81.77	Other Hodgkin lymphoma, spleen	Diagnosis	ICD-10-CM
C81.78	Other Hodgkin lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C81.79	Other Hodgkin lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C81.90	Hodgkin lymphoma, unspecified, unspecified site	Diagnosis	ICD-10-CM
C81.91	Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C81.92	Hodgkin lymphoma, unspecified, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C81.93	Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C81.94	Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C81.95	Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C81.96	Hodgkin lymphoma, unspecified, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C81.97	Hodgkin lymphoma, unspecified, spleen	Diagnosis	ICD-10-CM
C81.98	Hodgkin lymphoma, unspecified, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C81.99	Hodgkin lymphoma, unspecified, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C82.00	Follicular lymphoma grade I, unspecified site	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C82.01	Follicular lymphoma grade I, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C82.02	Follicular lymphoma grade I, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C82.03	Follicular lymphoma grade I, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C82.04	Follicular lymphoma grade I, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C82.05	Follicular lymphoma grade I, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C82.06	Follicular lymphoma grade I, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C82.07	Follicular lymphoma grade I, spleen	Diagnosis	ICD-10-CM
C82.08	Follicular lymphoma grade I, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C82.09	Follicular lymphoma grade I, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C82.10	Follicular lymphoma grade II, unspecified site	Diagnosis	ICD-10-CM
C82.11	Follicular lymphoma grade II, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C82.12	Follicular lymphoma grade II, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C82.13	Follicular lymphoma grade II, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C82.14	Follicular lymphoma grade II, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C82.15	Follicular lymphoma grade II, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C82.16	Follicular lymphoma grade II, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C82.17	Follicular lymphoma grade II, spleen	Diagnosis	ICD-10-CM
C82.18	Follicular lymphoma grade II, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C82.19	Follicular lymphoma grade II, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C82.20	Follicular lymphoma grade III, unspecified, unspecified site	Diagnosis	ICD-10-CM
C82.21	Follicular lymphoma grade III, unspecified, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C82.22	Follicular lymphoma grade III, unspecified, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C82.23	Follicular lymphoma grade III, unspecified, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C82.24	Follicular lymphoma grade III, unspecified, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C82.25	Follicular lymphoma grade III, unspecified, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C82.26	Follicular lymphoma grade III, unspecified, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C82.27	Follicular lymphoma grade III, unspecified, spleen	Diagnosis	ICD-10-CM
C82.28	Follicular lymphoma grade III, unspecified, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C82.29	Follicular lymphoma grade III, unspecified, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C82.30	Follicular lymphoma grade IIIa, unspecified site	Diagnosis	ICD-10-CM
C82.31	Follicular lymphoma grade IIIa, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C82.32	Follicular lymphoma grade IIIa, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C82.33	Follicular lymphoma grade IIIa, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C82.34	Follicular lymphoma grade IIIa, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C82.35	Follicular lymphoma grade IIIa, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C82.36	Follicular lymphoma grade IIIa, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C82.37	Follicular lymphoma grade IIIa, spleen	Diagnosis	ICD-10-CM
C82.38	Follicular lymphoma grade IIIa, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C82.39	Follicular lymphoma grade IIIa, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C82.40	Follicular lymphoma grade IIIb, unspecified site	Diagnosis	ICD-10-CM
C82.41	Follicular lymphoma grade IIIb, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C82.42	Follicular lymphoma grade IIIb, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C82.43	Follicular lymphoma grade IIIb, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C82.44	Follicular lymphoma grade IIIb, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C82.45	Follicular lymphoma grade IIIb, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C82.46	Follicular lymphoma grade IIIb, intrapelvic lymph nodes	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C82.47	Follicular lymphoma grade IIIb, spleen	Diagnosis	ICD-10-CM
C82.48	Follicular lymphoma grade IIIb, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C82.49	Follicular lymphoma grade IIIb, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C82.50	Diffuse follicle center lymphoma, unspecified site	Diagnosis	ICD-10-CM
C82.51	Diffuse follicle center lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C82.52	Diffuse follicle center lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C82.53	Diffuse follicle center lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C82.54	Diffuse follicle center lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C82.55	Diffuse follicle center lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C82.56	Diffuse follicle center lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C82.57	Diffuse follicle center lymphoma, spleen	Diagnosis	ICD-10-CM
C82.58	Diffuse follicle center lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C82.59	Diffuse follicle center lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C82.60	Cutaneous follicle center lymphoma, unspecified site	Diagnosis	ICD-10-CM
C82.61	Cutaneous follicle center lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C82.62	Cutaneous follicle center lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C82.63	Cutaneous follicle center lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C82.64	Cutaneous follicle center lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C82.65	Cutaneous follicle center lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C82.66	Cutaneous follicle center lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C82.67	Cutaneous follicle center lymphoma, spleen	Diagnosis	ICD-10-CM
C82.68	Cutaneous follicle center lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C82.69	Cutaneous follicle center lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C82.80	Other types of follicular lymphoma, unspecified site	Diagnosis	ICD-10-CM
C82.81	Other types of follicular lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C82.82	Other types of follicular lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C82.83	Other types of follicular lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C82.84	Other types of follicular lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C82.85	Other types of follicular lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C82.86	Other types of follicular lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C82.87	Other types of follicular lymphoma, spleen	Diagnosis	ICD-10-CM
C82.88	Other types of follicular lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C82.89	Other types of follicular lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C82.90	Follicular lymphoma, unspecified, unspecified site	Diagnosis	ICD-10-CM
C82.91	Follicular lymphoma, unspecified, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C82.92	Follicular lymphoma, unspecified, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C82.93	Follicular lymphoma, unspecified, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C82.94	Follicular lymphoma, unspecified, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C82.95	Follicular lymphoma, unspecified, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C82.96	Follicular lymphoma, unspecified, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C82.97	Follicular lymphoma, unspecified, spleen	Diagnosis	ICD-10-CM
C82.98	Follicular lymphoma, unspecified, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C82.99	Follicular lymphoma, unspecified, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C83.00	Small cell B-cell lymphoma, unspecified site	Diagnosis	ICD-10-CM
C83.01	Small cell B-cell lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C83.02	Small cell B-cell lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C83.03	Small cell B-cell lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C83.04	Small cell B-cell lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C83.05	Small cell B-cell lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C83.06	Small cell B-cell lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C83.07	Small cell B-cell lymphoma, spleen	Diagnosis	ICD-10-CM
C83.08	Small cell B-cell lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C83.09	Small cell B-cell lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C83.10	Mantle cell lymphoma, unspecified site	Diagnosis	ICD-10-CM
C83.11	Mantle cell lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C83.12	Mantle cell lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C83.13	Mantle cell lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C83.14	Mantle cell lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C83.15	Mantle cell lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C83.16	Mantle cell lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C83.17	Mantle cell lymphoma, spleen	Diagnosis	ICD-10-CM
C83.18	Mantle cell lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C83.19	Mantle cell lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C83.30	Diffuse large B-cell lymphoma, unspecified site	Diagnosis	ICD-10-CM
C83.31	Diffuse large B-cell lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C83.32	Diffuse large B-cell lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C83.33	Diffuse large B-cell lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C83.34	Diffuse large B-cell lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C83.35	Diffuse large B-cell lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C83.36	Diffuse large B-cell lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C83.37	Diffuse large B-cell lymphoma, spleen	Diagnosis	ICD-10-CM
C83.38	Diffuse large B-cell lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C83.39	Diffuse large B-cell lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C83.50	Lymphoblastic (diffuse) lymphoma, unspecified site	Diagnosis	ICD-10-CM
C83.51	Lymphoblastic (diffuse) lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C83.52	Lymphoblastic (diffuse) lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C83.53	Lymphoblastic (diffuse) lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C83.54	Lymphoblastic (diffuse) lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C83.55	Lymphoblastic (diffuse) lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C83.56	Lymphoblastic (diffuse) lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C83.57	Lymphoblastic (diffuse) lymphoma, spleen	Diagnosis	ICD-10-CM
C83.58	Lymphoblastic (diffuse) lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C83.59	Lymphoblastic (diffuse) lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C83.70	Burkitt lymphoma, unspecified site	Diagnosis	ICD-10-CM
C83.71	Burkitt lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C83.72	Burkitt lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C83.73	Burkitt lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C83.74	Burkitt lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C83.75	Burkitt lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C83.76	Burkitt lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C83.77	Burkitt lymphoma, spleen	Diagnosis	ICD-10-CM
C83.78	Burkitt lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C83.79	Burkitt lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C83.80	Other non-follicular lymphoma, unspecified site	Diagnosis	ICD-10-CM
C83.81	Other non-follicular lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C83.82	Other non-follicular lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C83.83	Other non-follicular lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C83.84	Other non-follicular lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C83.85	Other non-follicular lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C83.86	Other non-follicular lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C83.87	Other non-follicular lymphoma, spleen	Diagnosis	ICD-10-CM
C83.88	Other non-follicular lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C83.89	Other non-follicular lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C83.90	Non-follicular (diffuse) lymphoma, unspecified, unspecified site	Diagnosis	ICD-10-CM
C83.91	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C83.92	Non-follicular (diffuse) lymphoma, unspecified, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C83.93	Non-follicular (diffuse) lymphoma, unspecified, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C83.94	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C83.95	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C83.96	Non-follicular (diffuse) lymphoma, unspecified, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C83.97	Non-follicular (diffuse) lymphoma, unspecified, spleen	Diagnosis	ICD-10-CM
C83.98	Non-follicular (diffuse) lymphoma, unspecified, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C83.99	Non-follicular (diffuse) lymphoma, unspecified, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C84.00	Mycosis fungoides, unspecified site	Diagnosis	ICD-10-CM
C84.01	Mycosis fungoides, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C84.02	Mycosis fungoides, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C84.03	Mycosis fungoides, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C84.04	Mycosis fungoides, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C84.05	Mycosis fungoides, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C84.06	Mycosis fungoides, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C84.07	Mycosis fungoides, spleen	Diagnosis	ICD-10-CM
C84.08	Mycosis fungoides, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C84.09	Mycosis fungoides, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C84.10	Sezary disease, unspecified site	Diagnosis	ICD-10-CM
C84.11	Sezary disease, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C84.12	Sezary disease, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C84.13	Sezary disease, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C84.14	Sezary disease, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C84.15	Sezary disease, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C84.16	Sezary disease, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C84.17	Sezary disease, spleen	Diagnosis	ICD-10-CM
C84.18	Sezary disease, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C84.19	Sezary disease, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C84.40	Peripheral T-cell lymphoma, not elsewhere classified, unspecified site	Diagnosis	ICD-10-CM
C84.41	Peripheral T-cell lymphoma, not elsewhere classified, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C84.42	Peripheral T-cell lymphoma, not elsewhere classified, intrathoracic lymph nodes	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C84.43	Peripheral T-cell lymphoma, not elsewhere classified, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C84.44	Peripheral T-cell lymphoma, not elsewhere classified, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C84.45	Peripheral T-cell lymphoma, not elsewhere classified, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C84.46	Peripheral T-cell lymphoma, not elsewhere classified, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C84.47	Peripheral T-cell lymphoma, not elsewhere classified, spleen	Diagnosis	ICD-10-CM
C84.48	Peripheral T-cell lymphoma, not elsewhere classified, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C84.49	Peripheral T-cell lymphoma, not elsewhere classified, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C84.60	Anaplastic large cell lymphoma, ALK-positive, unspecified site	Diagnosis	ICD-10-CM
C84.61	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C84.62	Anaplastic large cell lymphoma, ALK-positive, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C84.63	Anaplastic large cell lymphoma, ALK-positive, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C84.64	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C84.65	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C84.66	Anaplastic large cell lymphoma, ALK-positive, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C84.67	Anaplastic large cell lymphoma, ALK-positive, spleen	Diagnosis	ICD-10-CM
C84.68	Anaplastic large cell lymphoma, ALK-positive, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C84.69	Anaplastic large cell lymphoma, ALK-positive, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C84.70	Anaplastic large cell lymphoma, ALK-negative, unspecified site	Diagnosis	ICD-10-CM
C84.71	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C84.72	Anaplastic large cell lymphoma, ALK-negative, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C84.73	Anaplastic large cell lymphoma, ALK-negative, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C84.74	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C84.75	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C84.76	Anaplastic large cell lymphoma, ALK-negative, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C84.77	Anaplastic large cell lymphoma, ALK-negative, spleen	Diagnosis	ICD-10-CM
C84.78	Anaplastic large cell lymphoma, ALK-negative, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C84.79	Anaplastic large cell lymphoma, ALK-negative, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C84.7A	Anaplastic large cell lymphoma, ALK-negative, breast	Diagnosis	ICD-10-CM
C84.90	Mature T/NK-cell lymphomas, unspecified, unspecified site	Diagnosis	ICD-10-CM
C84.91	Mature T/NK-cell lymphomas, unspecified, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C84.92	Mature T/NK-cell lymphomas, unspecified, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C84.93	Mature T/NK-cell lymphomas, unspecified, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C84.94	Mature T/NK-cell lymphomas, unspecified, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C84.95	Mature T/NK-cell lymphomas, unspecified, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C84.96	Mature T/NK-cell lymphomas, unspecified, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C84.97	Mature T/NK-cell lymphomas, unspecified, spleen	Diagnosis	ICD-10-CM
C84.98	Mature T/NK-cell lymphomas, unspecified, lymph nodes of multiple sites	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C84.99	Mature T/NK-cell lymphomas, unspecified, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C84.A0	Cutaneous T-cell lymphoma, unspecified, unspecified site	Diagnosis	ICD-10-CM
C84.A1	Cutaneous T-cell lymphoma, unspecified lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C84.A2	Cutaneous T-cell lymphoma, unspecified, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C84.A3	Cutaneous T-cell lymphoma, unspecified, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C84.A4	Cutaneous T-cell lymphoma, unspecified, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C84.A5	Cutaneous T-cell lymphoma, unspecified, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C84.A6	Cutaneous T-cell lymphoma, unspecified, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C84.A7	Cutaneous T-cell lymphoma, unspecified, spleen	Diagnosis	ICD-10-CM
C84.A8	Cutaneous T-cell lymphoma, unspecified, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C84.A9	Cutaneous T-cell lymphoma, unspecified, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C84.Z0	Other mature T/NK-cell lymphomas, unspecified site	Diagnosis	ICD-10-CM
C84.Z1	Other mature T/NK-cell lymphomas, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C84.Z2	Other mature T/NK-cell lymphomas, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C84.Z3	Other mature T/NK-cell lymphomas, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C84.Z4	Other mature T/NK-cell lymphomas, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C84.Z5	Other mature T/NK-cell lymphomas, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C84.Z6	Other mature T/NK-cell lymphomas, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C84.Z7	Other mature T/NK-cell lymphomas, spleen	Diagnosis	ICD-10-CM
C84.Z8	Other mature T/NK-cell lymphomas, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C84.Z9	Other mature T/NK-cell lymphomas, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C85.10	Unspecified B-cell lymphoma, unspecified site	Diagnosis	ICD-10-CM
C85.11	Unspecified B-cell lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C85.12	Unspecified B-cell lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C85.13	Unspecified B-cell lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C85.14	Unspecified B-cell lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C85.15	Unspecified B-cell lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C85.16	Unspecified B-cell lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C85.17	Unspecified B-cell lymphoma, spleen	Diagnosis	ICD-10-CM
C85.18	Unspecified B-cell lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C85.19	Unspecified B-cell lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C85.20	Mediastinal (thymic) large B-cell lymphoma, unspecified site	Diagnosis	ICD-10-CM
C85.21	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C85.22	Mediastinal (thymic) large B-cell lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C85.23	Mediastinal (thymic) large B-cell lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C85.24	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C85.25	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C85.26	Mediastinal (thymic) large B-cell lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C85.27	Mediastinal (thymic) large B-cell lymphoma, spleen	Diagnosis	ICD-10-CM
C85.28	Mediastinal (thymic) large B-cell lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C85.29	Mediastinal (thymic) large B-cell lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C85.80	Other specified types of non-Hodgkin lymphoma, unspecified site	Diagnosis	ICD-10-CM
C85.81	Other specified types of non-Hodgkin lymphoma, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C85.82	Other specified types of non-Hodgkin lymphoma, intrathoracic lymph nodes	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C85.83	Other specified types of non-Hodgkin lymphoma, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C85.84	Other specified types of non-Hodgkin lymphoma, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C85.85	Other specified types of non-Hodgkin lymphoma, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C85.86	Other specified types of non-Hodgkin lymphoma, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C85.87	Other specified types of non-Hodgkin lymphoma, spleen	Diagnosis	ICD-10-CM
C85.88	Other specified types of non-Hodgkin lymphoma, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C85.89	Other specified types of non-Hodgkin lymphoma, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C85.90	Non-Hodgkin lymphoma, unspecified, unspecified site	Diagnosis	ICD-10-CM
C85.91	Non-Hodgkin lymphoma, unspecified, lymph nodes of head, face, and neck	Diagnosis	ICD-10-CM
C85.92	Non-Hodgkin lymphoma, unspecified, intrathoracic lymph nodes	Diagnosis	ICD-10-CM
C85.93	Non-Hodgkin lymphoma, unspecified, intra-abdominal lymph nodes	Diagnosis	ICD-10-CM
C85.94	Non-Hodgkin lymphoma, unspecified, lymph nodes of axilla and upper limb	Diagnosis	ICD-10-CM
C85.95	Non-Hodgkin lymphoma, unspecified, lymph nodes of inguinal region and lower limb	Diagnosis	ICD-10-CM
C85.96	Non-Hodgkin lymphoma, unspecified, intrapelvic lymph nodes	Diagnosis	ICD-10-CM
C85.97	Non-Hodgkin lymphoma, unspecified, spleen	Diagnosis	ICD-10-CM
C85.98	Non-Hodgkin lymphoma, unspecified, lymph nodes of multiple sites	Diagnosis	ICD-10-CM
C85.99	Non-Hodgkin lymphoma, unspecified, extranodal and solid organ sites	Diagnosis	ICD-10-CM
C86.0	Extranodal NK/T-cell lymphoma, nasal type	Diagnosis	ICD-10-CM
C86.1	Hepatosplenic T-cell lymphoma	Diagnosis	ICD-10-CM
C86.2	Enteropathy-type (intestinal) T-cell lymphoma	Diagnosis	ICD-10-CM
C86.3	Subcutaneous panniculitis-like T-cell lymphoma	Diagnosis	ICD-10-CM
C86.4	Blastic NK-cell lymphoma	Diagnosis	ICD-10-CM
C86.5	Angioimmunoblastic T-cell lymphoma	Diagnosis	ICD-10-CM
C86.6	Primary cutaneous CD30-positive T-cell proliferations	Diagnosis	ICD-10-CM
C88.4	Extranodal marginal zone B-cell lymphoma of mucosa-associated lymphoid tissue [MALT-lymphoma]	Diagnosis	ICD-10-CM
C90.10	Plasma cell leukemia not having achieved remission	Diagnosis	ICD-10-CM
C90.11	Plasma cell leukemia in remission	Diagnosis	ICD-10-CM
C90.12	Plasma cell leukemia in relapse	Diagnosis	ICD-10-CM
C91.00	Acute lymphoblastic leukemia not having achieved remission	Diagnosis	ICD-10-CM
C91.01	Acute lymphoblastic leukemia, in remission	Diagnosis	ICD-10-CM
C91.02	Acute lymphoblastic leukemia, in relapse	Diagnosis	ICD-10-CM
C91.10	Chronic lymphocytic leukemia of B-cell type not having achieved remission	Diagnosis	ICD-10-CM
C91.11	Chronic lymphocytic leukemia of B-cell type in remission	Diagnosis	ICD-10-CM
C91.12	Chronic lymphocytic leukemia of B-cell type in relapse	Diagnosis	ICD-10-CM
C91.30	Prolymphocytic leukemia of B-cell type not having achieved remission	Diagnosis	ICD-10-CM
C91.31	Prolymphocytic leukemia of B-cell type, in remission	Diagnosis	ICD-10-CM
C91.32	Prolymphocytic leukemia of B-cell type, in relapse	Diagnosis	ICD-10-CM
C91.40	Hairy cell leukemia not having achieved remission	Diagnosis	ICD-10-CM
C91.41	Hairy cell leukemia, in remission	Diagnosis	ICD-10-CM
C91.42	Hairy cell leukemia, in relapse	Diagnosis	ICD-10-CM
C91.50	Adult T-cell lymphoma/leukemia (HTLV-1-associated) not having achieved remission	Diagnosis	ICD-10-CM
C91.51	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in remission	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C91.52	Adult T-cell lymphoma/leukemia (HTLV-1-associated), in relapse	Diagnosis	ICD-10-CM
C91.60	Prolymphocytic leukemia of T-cell type not having achieved remission	Diagnosis	ICD-10-CM
C91.61	Prolymphocytic leukemia of T-cell type, in remission	Diagnosis	ICD-10-CM
C91.62	Prolymphocytic leukemia of T-cell type, in relapse	Diagnosis	ICD-10-CM
C91.90	Lymphoid leukemia, unspecified not having achieved remission	Diagnosis	ICD-10-CM
C91.91	Lymphoid leukemia, unspecified, in remission	Diagnosis	ICD-10-CM
C91.92	Lymphoid leukemia, unspecified, in relapse	Diagnosis	ICD-10-CM
C91.A0	Mature B-cell leukemia Burkitt-type not having achieved remission	Diagnosis	ICD-10-CM
C91.A1	Mature B-cell leukemia Burkitt-type, in remission	Diagnosis	ICD-10-CM
C91.A2	Mature B-cell leukemia Burkitt-type, in relapse	Diagnosis	ICD-10-CM
C91.Z0	Other lymphoid leukemia not having achieved remission	Diagnosis	ICD-10-CM
C91.Z1	Other lymphoid leukemia, in remission	Diagnosis	ICD-10-CM
C91.Z2	Other lymphoid leukemia, in relapse	Diagnosis	ICD-10-CM
C92.00	Acute myeloblastic leukemia, not having achieved remission	Diagnosis	ICD-10-CM
C92.01	Acute myeloblastic leukemia, in remission	Diagnosis	ICD-10-CM
C92.02	Acute myeloblastic leukemia, in relapse	Diagnosis	ICD-10-CM
C92.10	Chronic myeloid leukemia, BCR/ABL-positive, not having achieved remission	Diagnosis	ICD-10-CM
C92.11	Chronic myeloid leukemia, BCR/ABL-positive, in remission	Diagnosis	ICD-10-CM
C92.12	Chronic myeloid leukemia, BCR/ABL-positive, in relapse	Diagnosis	ICD-10-CM
C92.20	Atypical chronic myeloid leukemia, BCR/ABL-negative, not having achieved remission	Diagnosis	ICD-10-CM
C92.21	Atypical chronic myeloid leukemia, BCR/ABL-negative, in remission	Diagnosis	ICD-10-CM
C92.22	Atypical chronic myeloid leukemia, BCR/ABL-negative, in relapse	Diagnosis	ICD-10-CM
C92.30	Myeloid sarcoma, not having achieved remission	Diagnosis	ICD-10-CM
C92.31	Myeloid sarcoma, in remission	Diagnosis	ICD-10-CM
C92.32	Myeloid sarcoma, in relapse	Diagnosis	ICD-10-CM
C92.40	Acute promyelocytic leukemia, not having achieved remission	Diagnosis	ICD-10-CM
C92.41	Acute promyelocytic leukemia, in remission	Diagnosis	ICD-10-CM
C92.42	Acute promyelocytic leukemia, in relapse	Diagnosis	ICD-10-CM
C92.50	Acute myelomonocytic leukemia, not having achieved remission	Diagnosis	ICD-10-CM
C92.51	Acute myelomonocytic leukemia, in remission	Diagnosis	ICD-10-CM
C92.52	Acute myelomonocytic leukemia, in relapse	Diagnosis	ICD-10-CM
C92.60	Acute myeloid leukemia with 11q23-abnormality not having achieved remission	Diagnosis	ICD-10-CM
C92.61	Acute myeloid leukemia with 11q23-abnormality in remission	Diagnosis	ICD-10-CM
C92.62	Acute myeloid leukemia with 11q23-abnormality in relapse	Diagnosis	ICD-10-CM
C92.90	Myeloid leukemia, unspecified, not having achieved remission	Diagnosis	ICD-10-CM
C92.91	Myeloid leukemia, unspecified in remission	Diagnosis	ICD-10-CM
C92.92	Myeloid leukemia, unspecified in relapse	Diagnosis	ICD-10-CM
C92.A0	Acute myeloid leukemia with multilineage dysplasia, not having achieved remission	Diagnosis	ICD-10-CM
C92.A1	Acute myeloid leukemia with multilineage dysplasia, in remission	Diagnosis	ICD-10-CM
C92.A2	Acute myeloid leukemia with multilineage dysplasia, in relapse	Diagnosis	ICD-10-CM
C92.Z0	Other myeloid leukemia not having achieved remission	Diagnosis	ICD-10-CM
C92.Z1	Other myeloid leukemia, in remission	Diagnosis	ICD-10-CM
C92.Z2	Other myeloid leukemia, in relapse	Diagnosis	ICD-10-CM
C93.00	Acute monoblastic/monocytic leukemia, not having achieved remission	Diagnosis	ICD-10-CM
C93.01	Acute monoblastic/monocytic leukemia, in remission	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C93.02	Acute monoblastic/monocytic leukemia, in relapse	Diagnosis	ICD-10-CM
C93.10	Chronic myelomonocytic leukemia not having achieved remission	Diagnosis	ICD-10-CM
C93.11	Chronic myelomonocytic leukemia, in remission	Diagnosis	ICD-10-CM
C93.12	Chronic myelomonocytic leukemia, in relapse	Diagnosis	ICD-10-CM
C93.30	Juvenile myelomonocytic leukemia, not having achieved remission	Diagnosis	ICD-10-CM
C93.31	Juvenile myelomonocytic leukemia, in remission	Diagnosis	ICD-10-CM
C93.32	Juvenile myelomonocytic leukemia, in relapse	Diagnosis	ICD-10-CM
C93.90	Monocytic leukemia, unspecified, not having achieved remission	Diagnosis	ICD-10-CM
C93.91	Monocytic leukemia, unspecified in remission	Diagnosis	ICD-10-CM
C93.92	Monocytic leukemia, unspecified in relapse	Diagnosis	ICD-10-CM
C93.Z0	Other monocytic leukemia, not having achieved remission	Diagnosis	ICD-10-CM
C93.Z1	Other monocytic leukemia, in remission	Diagnosis	ICD-10-CM
C93.Z2	Other monocytic leukemia, in relapse	Diagnosis	ICD-10-CM
C94.00	Acute erythroid leukemia, not having achieved remission	Diagnosis	ICD-10-CM
C94.01	Acute erythroid leukemia, in remission	Diagnosis	ICD-10-CM
C94.02	Acute erythroid leukemia, in relapse	Diagnosis	ICD-10-CM
C94.20	Acute megakaryoblastic leukemia not having achieved remission	Diagnosis	ICD-10-CM
C94.21	Acute megakaryoblastic leukemia, in remission	Diagnosis	ICD-10-CM
C94.22	Acute megakaryoblastic leukemia, in relapse	Diagnosis	ICD-10-CM
C94.30	Mast cell leukemia not having achieved remission	Diagnosis	ICD-10-CM
C94.31	Mast cell leukemia, in remission	Diagnosis	ICD-10-CM
C94.32	Mast cell leukemia, in relapse	Diagnosis	ICD-10-CM
C94.80	Other specified leukemias not having achieved remission	Diagnosis	ICD-10-CM
C94.81	Other specified leukemias, in remission	Diagnosis	ICD-10-CM
C94.82	Other specified leukemias, in relapse	Diagnosis	ICD-10-CM
C95.00	Acute leukemia of unspecified cell type not having achieved remission	Diagnosis	ICD-10-CM
C95.01	Acute leukemia of unspecified cell type, in remission	Diagnosis	ICD-10-CM
C95.02	Acute leukemia of unspecified cell type, in relapse	Diagnosis	ICD-10-CM
C95.10	Chronic leukemia of unspecified cell type not having achieved remission	Diagnosis	ICD-10-CM
C95.11	Chronic leukemia of unspecified cell type, in remission	Diagnosis	ICD-10-CM
C95.12	Chronic leukemia of unspecified cell type, in relapse	Diagnosis	ICD-10-CM
C95.90	Leukemia, unspecified not having achieved remission	Diagnosis	ICD-10-CM
C95.91	Leukemia, unspecified, in remission	Diagnosis	ICD-10-CM
C95.92	Leukemia, unspecified, in relapse	Diagnosis	ICD-10-CM
C96.4	Sarcoma of dendritic cells (accessory cells)	Diagnosis	ICD-10-CM
C96.9	Malignant neoplasm of lymphoid, hematopoietic and related tissue, unspecified	Diagnosis	ICD-10-CM
C96.Z	Other specified malignant neoplasms of lymphoid, hematopoietic and related tissue	Diagnosis	ICD-10-CM
D45	Polycythemia vera	Diagnosis	ICD-10-CM
Z85.6	Personal history of leukemia	Diagnosis	ICD-10-CM
Z85.71	Personal history of Hodgkin lymphoma	Diagnosis	ICD-10-CM
Z85.72	Personal history of non-Hodgkin lymphomas	Diagnosis	ICD-10-CM
Z85.79	Personal history of other malignant neoplasms of lymphoid, hematopoietic and related tissues	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
Melanoma			
C43	Malignant melanoma of skin	Diagnosis	ICD-10-CM
C43.0	Malignant melanoma of lip	Diagnosis	ICD-10-CM
C43.1	Malignant melanoma of eyelid, including canthus	Diagnosis	ICD-10-CM
C43.10	Malignant melanoma of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
C43.11	Malignant melanoma of right eyelid, including canthus	Diagnosis	ICD-10-CM
C43.111	Malignant melanoma of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
C43.112	Malignant melanoma of right lower eyelid, including canthus	Diagnosis	ICD-10-CM
C43.12	Malignant melanoma of left eyelid, including canthus	Diagnosis	ICD-10-CM
C43.121	Malignant melanoma of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
C43.122	Malignant melanoma of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
C43.2	Malignant melanoma of ear and external auricular canal	Diagnosis	ICD-10-CM
C43.20	Malignant melanoma of unspecified ear and external auricular canal	Diagnosis	ICD-10-CM
C43.21	Malignant melanoma of right ear and external auricular canal	Diagnosis	ICD-10-CM
C43.22	Malignant melanoma of left ear and external auricular canal	Diagnosis	ICD-10-CM
C43.3	Malignant melanoma of other and unspecified parts of face	Diagnosis	ICD-10-CM
C43.30	Malignant melanoma of unspecified part of face	Diagnosis	ICD-10-CM
C43.31	Malignant melanoma of nose	Diagnosis	ICD-10-CM
C43.39	Malignant melanoma of other parts of face	Diagnosis	ICD-10-CM
C43.4	Malignant melanoma of scalp and neck	Diagnosis	ICD-10-CM
C43.5	Malignant melanoma of trunk	Diagnosis	ICD-10-CM
C43.51	Malignant melanoma of anal skin	Diagnosis	ICD-10-CM
C43.52	Malignant melanoma of skin of breast	Diagnosis	ICD-10-CM
C43.59	Malignant melanoma of other part of trunk	Diagnosis	ICD-10-CM
C43.6	Malignant melanoma of upper limb, including shoulder	Diagnosis	ICD-10-CM
C43.60	Malignant melanoma of unspecified upper limb, including shoulder	Diagnosis	ICD-10-CM
C43.61	Malignant melanoma of right upper limb, including shoulder	Diagnosis	ICD-10-CM
C43.62	Malignant melanoma of left upper limb, including shoulder	Diagnosis	ICD-10-CM
C43.7	Malignant melanoma of lower limb, including hip	Diagnosis	ICD-10-CM
C43.70	Malignant melanoma of unspecified lower limb, including hip	Diagnosis	ICD-10-CM
C43.71	Malignant melanoma of right lower limb, including hip	Diagnosis	ICD-10-CM
C43.72	Malignant melanoma of left lower limb, including hip	Diagnosis	ICD-10-CM
C43.8	Malignant melanoma of overlapping sites of skin	Diagnosis	ICD-10-CM
C43.9	Malignant melanoma of skin, unspecified	Diagnosis	ICD-10-CM
C44	Other and unspecified malignant neoplasm of skin	Diagnosis	ICD-10-CM
C44.0	Other and unspecified malignant neoplasm of skin of lip	Diagnosis	ICD-10-CM
C44.00	Unspecified malignant neoplasm of skin of lip	Diagnosis	ICD-10-CM
C44.01	Basal cell carcinoma of skin of lip	Diagnosis	ICD-10-CM
C44.02	Squamous cell carcinoma of skin of lip	Diagnosis	ICD-10-CM
C44.09	Other specified malignant neoplasm of skin of lip	Diagnosis	ICD-10-CM
C44.1	Other and unspecified malignant neoplasm of skin of eyelid, including canthus	Diagnosis	ICD-10-CM
C44.10	Unspecified malignant neoplasm of skin of eyelid, including canthus	Diagnosis	ICD-10-CM
C44.101	Unspecified malignant neoplasm of skin of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
C44.102	Unspecified malignant neoplasm of skin of right eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1021	Unspecified malignant neoplasm of skin of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1022	Unspecified malignant neoplasm of skin of right lower eyelid, including canthus	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C44.109	Unspecified malignant neoplasm of skin of left eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1091	Unspecified malignant neoplasm of skin of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1092	Unspecified malignant neoplasm of skin of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
C44.11	Basal cell carcinoma of skin of eyelid, including canthus	Diagnosis	ICD-10-CM
C44.111	Basal cell carcinoma of skin of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
C44.112	Basal cell carcinoma of skin of right eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1121	Basal cell carcinoma of skin of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1122	Basal cell carcinoma of skin of right lower eyelid, including canthus	Diagnosis	ICD-10-CM
C44.119	Basal cell carcinoma of skin of left eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1191	Basal cell carcinoma of skin of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1192	Basal cell carcinoma of skin of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
C44.12	Squamous cell carcinoma of skin of eyelid, including canthus	Diagnosis	ICD-10-CM
C44.121	Squamous cell carcinoma of skin of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
C44.122	Squamous cell carcinoma of skin of right eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1221	Squamous cell carcinoma of skin of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1222	Squamous cell carcinoma of skin of right lower eyelid, including canthus	Diagnosis	ICD-10-CM
C44.129	Squamous cell carcinoma of skin of left eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1291	Squamous cell carcinoma of skin of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1292	Squamous cell carcinoma of skin of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
C44.13	Sebaceous cell carcinoma of skin of eyelid, including canthus	Diagnosis	ICD-10-CM
C44.131	Sebaceous cell carcinoma of skin of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
C44.132	Sebaceous cell carcinoma of skin of right eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1321	Sebaceous cell carcinoma of skin of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1322	Sebaceous cell carcinoma of skin of right lower eyelid, including canthus	Diagnosis	ICD-10-CM
C44.139	Sebaceous cell carcinoma of skin of left eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1391	Sebaceous cell carcinoma of skin of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1392	Sebaceous cell carcinoma of skin of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
C44.19	Other specified malignant neoplasm of skin of eyelid, including canthus	Diagnosis	ICD-10-CM
C44.191	Other specified malignant neoplasm of skin of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
C44.192	Other specified malignant neoplasm of skin of right eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1921	Other specified malignant neoplasm of skin of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1922	Other specified malignant neoplasm of skin of right lower eyelid, including canthus	Diagnosis	ICD-10-CM
C44.199	Other specified malignant neoplasm of skin of left eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1991	Other specified malignant neoplasm of skin of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
C44.1992	Other specified malignant neoplasm of skin of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
C44.2	Other and unspecified malignant neoplasm of skin of ear and external auricular canal	Diagnosis	ICD-10-CM
C44.20	Unspecified malignant neoplasm of skin of ear and external auricular canal	Diagnosis	ICD-10-CM
C44.201	Unspecified malignant neoplasm of skin of unspecified ear and external auricular canal	Diagnosis	ICD-10-CM
C44.202	Unspecified malignant neoplasm of skin of right ear and external auricular canal	Diagnosis	ICD-10-CM
C44.209	Unspecified malignant neoplasm of skin of left ear and external auricular canal	Diagnosis	ICD-10-CM
C44.21	Basal cell carcinoma of skin of ear and external auricular canal	Diagnosis	ICD-10-CM
C44.211	Basal cell carcinoma of skin of unspecified ear and external auricular canal	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C44.212	Basal cell carcinoma of skin of right ear and external auricular canal	Diagnosis	ICD-10-CM
C44.219	Basal cell carcinoma of skin of left ear and external auricular canal	Diagnosis	ICD-10-CM
C44.22	Squamous cell carcinoma of skin of ear and external auricular canal	Diagnosis	ICD-10-CM
C44.221	Squamous cell carcinoma of skin of unspecified ear and external auricular canal	Diagnosis	ICD-10-CM
C44.222	Squamous cell carcinoma of skin of right ear and external auricular canal	Diagnosis	ICD-10-CM
C44.229	Squamous cell carcinoma of skin of left ear and external auricular canal	Diagnosis	ICD-10-CM
C44.29	Other specified malignant neoplasm of skin of ear and external auricular canal	Diagnosis	ICD-10-CM
C44.291	Other specified malignant neoplasm of skin of unspecified ear and external auricular canal	Diagnosis	ICD-10-CM
C44.292	Other specified malignant neoplasm of skin of right ear and external auricular canal	Diagnosis	ICD-10-CM
C44.299	Other specified malignant neoplasm of skin of left ear and external auricular canal	Diagnosis	ICD-10-CM
C44.3	Other and unspecified malignant neoplasm of skin of other and unspecified parts of face	Diagnosis	ICD-10-CM
C44.30	Unspecified malignant neoplasm of skin of other and unspecified parts of face	Diagnosis	ICD-10-CM
C44.300	Unspecified malignant neoplasm of skin of unspecified part of face	Diagnosis	ICD-10-CM
C44.301	Unspecified malignant neoplasm of skin of nose	Diagnosis	ICD-10-CM
C44.309	Unspecified malignant neoplasm of skin of other parts of face	Diagnosis	ICD-10-CM
C44.31	Basal cell carcinoma of skin of other and unspecified parts of face	Diagnosis	ICD-10-CM
C44.310	Basal cell carcinoma of skin of unspecified parts of face	Diagnosis	ICD-10-CM
C44.311	Basal cell carcinoma of skin of nose	Diagnosis	ICD-10-CM
C44.319	Basal cell carcinoma of skin of other parts of face	Diagnosis	ICD-10-CM
C44.32	Squamous cell carcinoma of skin of other and unspecified parts of face	Diagnosis	ICD-10-CM
C44.320	Squamous cell carcinoma of skin of unspecified parts of face	Diagnosis	ICD-10-CM
C44.321	Squamous cell carcinoma of skin of nose	Diagnosis	ICD-10-CM
C44.329	Squamous cell carcinoma of skin of other parts of face	Diagnosis	ICD-10-CM
C44.39	Other specified malignant neoplasm of skin of other and unspecified parts of face	Diagnosis	ICD-10-CM
C44.390	Other specified malignant neoplasm of skin of unspecified parts of face	Diagnosis	ICD-10-CM
C44.391	Other specified malignant neoplasm of skin of nose	Diagnosis	ICD-10-CM
C44.399	Other specified malignant neoplasm of skin of other parts of face	Diagnosis	ICD-10-CM
C44.4	Other and unspecified malignant neoplasm of skin of scalp and neck	Diagnosis	ICD-10-CM
C44.40	Unspecified malignant neoplasm of skin of scalp and neck	Diagnosis	ICD-10-CM
C44.41	Basal cell carcinoma of skin of scalp and neck	Diagnosis	ICD-10-CM
C44.42	Squamous cell carcinoma of skin of scalp and neck	Diagnosis	ICD-10-CM
C44.49	Other specified malignant neoplasm of skin of scalp and neck	Diagnosis	ICD-10-CM
C44.5	Other and unspecified malignant neoplasm of skin of trunk	Diagnosis	ICD-10-CM
C44.50	Unspecified malignant neoplasm of skin of trunk	Diagnosis	ICD-10-CM
C44.500	Unspecified malignant neoplasm of anal skin	Diagnosis	ICD-10-CM
C44.501	Unspecified malignant neoplasm of skin of breast	Diagnosis	ICD-10-CM
C44.509	Unspecified malignant neoplasm of skin of other part of trunk	Diagnosis	ICD-10-CM
C44.51	Basal cell carcinoma of skin of trunk	Diagnosis	ICD-10-CM
C44.510	Basal cell carcinoma of anal skin	Diagnosis	ICD-10-CM
C44.511	Basal cell carcinoma of skin of breast	Diagnosis	ICD-10-CM
C44.519	Basal cell carcinoma of skin of other part of trunk	Diagnosis	ICD-10-CM
C44.52	Squamous cell carcinoma of skin of trunk	Diagnosis	ICD-10-CM
C44.520	Squamous cell carcinoma of anal skin	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C44.521	Squamous cell carcinoma of skin of breast	Diagnosis	ICD-10-CM
C44.529	Squamous cell carcinoma of skin of other part of trunk	Diagnosis	ICD-10-CM
C44.59	Other specified malignant neoplasm of skin of trunk	Diagnosis	ICD-10-CM
C44.590	Other specified malignant neoplasm of anal skin	Diagnosis	ICD-10-CM
C44.591	Other specified malignant neoplasm of skin of breast	Diagnosis	ICD-10-CM
C44.599	Other specified malignant neoplasm of skin of other part of trunk	Diagnosis	ICD-10-CM
C44.6	Other and unspecified malignant neoplasm of skin of upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.60	Unspecified malignant neoplasm of skin of upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.601	Unspecified malignant neoplasm of skin of unspecified upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.602	Unspecified malignant neoplasm of skin of right upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.609	Unspecified malignant neoplasm of skin of left upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.61	Basal cell carcinoma of skin of upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.611	Basal cell carcinoma of skin of unspecified upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.612	Basal cell carcinoma of skin of right upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.619	Basal cell carcinoma of skin of left upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.62	Squamous cell carcinoma of skin of upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.621	Squamous cell carcinoma of skin of unspecified upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.622	Squamous cell carcinoma of skin of right upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.629	Squamous cell carcinoma of skin of left upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.69	Other specified malignant neoplasm of skin of upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.691	Other specified malignant neoplasm of skin of unspecified upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.692	Other specified malignant neoplasm of skin of right upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.699	Other specified malignant neoplasm of skin of left upper limb, including shoulder	Diagnosis	ICD-10-CM
C44.7	Other and unspecified malignant neoplasm of skin of lower limb, including hip	Diagnosis	ICD-10-CM
C44.70	Unspecified malignant neoplasm of skin of lower limb, including hip	Diagnosis	ICD-10-CM
C44.701	Unspecified malignant neoplasm of skin of unspecified lower limb, including hip	Diagnosis	ICD-10-CM
C44.702	Unspecified malignant neoplasm of skin of right lower limb, including hip	Diagnosis	ICD-10-CM
C44.709	Unspecified malignant neoplasm of skin of left lower limb, including hip	Diagnosis	ICD-10-CM
C44.71	Basal cell carcinoma of skin of lower limb, including hip	Diagnosis	ICD-10-CM
C44.711	Basal cell carcinoma of skin of unspecified lower limb, including hip	Diagnosis	ICD-10-CM
C44.712	Basal cell carcinoma of skin of right lower limb, including hip	Diagnosis	ICD-10-CM
C44.719	Basal cell carcinoma of skin of left lower limb, including hip	Diagnosis	ICD-10-CM
C44.72	Squamous cell carcinoma of skin of lower limb, including hip	Diagnosis	ICD-10-CM
C44.721	Squamous cell carcinoma of skin of unspecified lower limb, including hip	Diagnosis	ICD-10-CM
C44.722	Squamous cell carcinoma of skin of right lower limb, including hip	Diagnosis	ICD-10-CM
C44.729	Squamous cell carcinoma of skin of left lower limb, including hip	Diagnosis	ICD-10-CM
C44.79	Other specified malignant neoplasm of skin of lower limb, including hip	Diagnosis	ICD-10-CM
C44.791	Other specified malignant neoplasm of skin of unspecified lower limb, including hip	Diagnosis	ICD-10-CM
C44.792	Other specified malignant neoplasm of skin of right lower limb, including hip	Diagnosis	ICD-10-CM
C44.799	Other specified malignant neoplasm of skin of left lower limb, including hip	Diagnosis	ICD-10-CM
C44.8	Other and unspecified malignant neoplasm of overlapping sites of skin	Diagnosis	ICD-10-CM
C44.80	Unspecified malignant neoplasm of overlapping sites of skin	Diagnosis	ICD-10-CM
C44.81	Basal cell carcinoma of overlapping sites of skin	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C44.82	Squamous cell carcinoma of overlapping sites of skin	Diagnosis	ICD-10-CM
C44.89	Other specified malignant neoplasm of overlapping sites of skin	Diagnosis	ICD-10-CM
C44.9	Other and unspecified malignant neoplasm of skin, unspecified	Diagnosis	ICD-10-CM
C44.90	Unspecified malignant neoplasm of skin, unspecified	Diagnosis	ICD-10-CM
C44.91	Basal cell carcinoma of skin, unspecified	Diagnosis	ICD-10-CM
C44.92	Squamous cell carcinoma of skin, unspecified	Diagnosis	ICD-10-CM
C44.99	Other specified malignant neoplasm of skin, unspecified	Diagnosis	ICD-10-CM
C4A	Merkel cell carcinoma	Diagnosis	ICD-10-CM
C4A.0	Merkel cell carcinoma of lip	Diagnosis	ICD-10-CM
C4A.1	Merkel cell carcinoma of eyelid, including canthus	Diagnosis	ICD-10-CM
C4A.10	Merkel cell carcinoma of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
C4A.11	Merkel cell carcinoma of right eyelid, including canthus	Diagnosis	ICD-10-CM
C4A.111	Merkel cell carcinoma of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
C4A.112	Merkel cell carcinoma of right lower eyelid, including canthus	Diagnosis	ICD-10-CM
C4A.12	Merkel cell carcinoma of left eyelid, including canthus	Diagnosis	ICD-10-CM
C4A.121	Merkel cell carcinoma of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
C4A.122	Merkel cell carcinoma of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
C4A.2	Merkel cell carcinoma of ear and external auricular canal	Diagnosis	ICD-10-CM
C4A.20	Merkel cell carcinoma of unspecified ear and external auricular canal	Diagnosis	ICD-10-CM
C4A.21	Merkel cell carcinoma of right ear and external auricular canal	Diagnosis	ICD-10-CM
C4A.22	Merkel cell carcinoma of left ear and external auricular canal	Diagnosis	ICD-10-CM
C4A.3	Merkel cell carcinoma of other and unspecified parts of face	Diagnosis	ICD-10-CM
C4A.30	Merkel cell carcinoma of unspecified part of face	Diagnosis	ICD-10-CM
C4A.31	Merkel cell carcinoma of nose	Diagnosis	ICD-10-CM
C4A.39	Merkel cell carcinoma of other parts of face	Diagnosis	ICD-10-CM
C4A.4	Merkel cell carcinoma of scalp and neck	Diagnosis	ICD-10-CM
C4A.5	Merkel cell carcinoma of trunk	Diagnosis	ICD-10-CM
C4A.51	Merkel cell carcinoma of anal skin	Diagnosis	ICD-10-CM
C4A.52	Merkel cell carcinoma of skin of breast	Diagnosis	ICD-10-CM
C4A.59	Merkel cell carcinoma of other part of trunk	Diagnosis	ICD-10-CM
C4A.6	Merkel cell carcinoma of upper limb, including shoulder	Diagnosis	ICD-10-CM
C4A.60	Merkel cell carcinoma of unspecified upper limb, including shoulder	Diagnosis	ICD-10-CM
C4A.61	Merkel cell carcinoma of right upper limb, including shoulder	Diagnosis	ICD-10-CM
C4A.62	Merkel cell carcinoma of left upper limb, including shoulder	Diagnosis	ICD-10-CM
C4A.7	Merkel cell carcinoma of lower limb, including hip	Diagnosis	ICD-10-CM
C4A.70	Merkel cell carcinoma of unspecified lower limb, including hip	Diagnosis	ICD-10-CM
C4A.71	Merkel cell carcinoma of right lower limb, including hip	Diagnosis	ICD-10-CM
C4A.72	Merkel cell carcinoma of left lower limb, including hip	Diagnosis	ICD-10-CM
C4A.8	Merkel cell carcinoma of overlapping sites	Diagnosis	ICD-10-CM
C4A.9	Merkel cell carcinoma, unspecified	Diagnosis	ICD-10-CM
D03	Melanoma in situ	Diagnosis	ICD-10-CM
D03.0	Melanoma in situ of lip	Diagnosis	ICD-10-CM
D03.1	Melanoma in situ of eyelid, including canthus	Diagnosis	ICD-10-CM
D03.10	Melanoma in situ of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
D03.11	Melanoma in situ of right eyelid, including canthus	Diagnosis	ICD-10-CM
D03.111	Melanoma in situ of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
D03.112	Melanoma in situ of right lower eyelid, including canthus	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
D03.12	Melanoma in situ of left eyelid, including canthus	Diagnosis	ICD-10-CM
D03.121	Melanoma in situ of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
D03.122	Melanoma in situ of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
D03.2	Melanoma in situ of ear and external auricular canal	Diagnosis	ICD-10-CM
D03.20	Melanoma in situ of unspecified ear and external auricular canal	Diagnosis	ICD-10-CM
D03.21	Melanoma in situ of right ear and external auricular canal	Diagnosis	ICD-10-CM
D03.22	Melanoma in situ of left ear and external auricular canal	Diagnosis	ICD-10-CM
D03.3	Melanoma in situ of other and unspecified parts of face	Diagnosis	ICD-10-CM
D03.30	Melanoma in situ of unspecified part of face	Diagnosis	ICD-10-CM
D03.39	Melanoma in situ of other parts of face	Diagnosis	ICD-10-CM
D03.4	Melanoma in situ of scalp and neck	Diagnosis	ICD-10-CM
D03.5	Melanoma in situ of trunk	Diagnosis	ICD-10-CM
D03.51	Melanoma in situ of anal skin	Diagnosis	ICD-10-CM
D03.52	Melanoma in situ of breast (skin) (soft tissue)	Diagnosis	ICD-10-CM
D03.59	Melanoma in situ of other part of trunk	Diagnosis	ICD-10-CM
D03.6	Melanoma in situ of upper limb, including shoulder	Diagnosis	ICD-10-CM
D03.60	Melanoma in situ of unspecified upper limb, including shoulder	Diagnosis	ICD-10-CM
D03.61	Melanoma in situ of right upper limb, including shoulder	Diagnosis	ICD-10-CM
D03.62	Melanoma in situ of left upper limb, including shoulder	Diagnosis	ICD-10-CM
D03.7	Melanoma in situ of lower limb, including hip	Diagnosis	ICD-10-CM
D03.70	Melanoma in situ of unspecified lower limb, including hip	Diagnosis	ICD-10-CM
D03.71	Melanoma in situ of right lower limb, including hip	Diagnosis	ICD-10-CM
D03.72	Melanoma in situ of left lower limb, including hip	Diagnosis	ICD-10-CM
D03.8	Melanoma in situ of other sites	Diagnosis	ICD-10-CM
D03.9	Melanoma in situ, unspecified	Diagnosis	ICD-10-CM
D04	Carcinoma in situ of skin	Diagnosis	ICD-10-CM
D04.0	Carcinoma in situ of skin of lip	Diagnosis	ICD-10-CM
D04.1	Carcinoma in situ of skin of eyelid, including canthus	Diagnosis	ICD-10-CM
D04.10	Carcinoma in situ of skin of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
D04.11	Carcinoma in situ of skin of right eyelid, including canthus	Diagnosis	ICD-10-CM
D04.111	Carcinoma in situ of skin of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
D04.112	Carcinoma in situ of skin of right lower eyelid, including canthus	Diagnosis	ICD-10-CM
D04.12	Carcinoma in situ of skin of left eyelid, including canthus	Diagnosis	ICD-10-CM
D04.121	Carcinoma in situ of skin of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
D04.122	Carcinoma in situ of skin of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
D04.2	Carcinoma in situ of skin of ear and external auricular canal	Diagnosis	ICD-10-CM
D04.20	Carcinoma in situ of skin of unspecified ear and external auricular canal	Diagnosis	ICD-10-CM
D04.21	Carcinoma in situ of skin of right ear and external auricular canal	Diagnosis	ICD-10-CM
D04.22	Carcinoma in situ of skin of left ear and external auricular canal	Diagnosis	ICD-10-CM
D04.3	Carcinoma in situ of skin of other and unspecified parts of face	Diagnosis	ICD-10-CM
D04.30	Carcinoma in situ of skin of unspecified part of face	Diagnosis	ICD-10-CM
D04.39	Carcinoma in situ of skin of other parts of face	Diagnosis	ICD-10-CM
D04.4	Carcinoma in situ of skin of scalp and neck	Diagnosis	ICD-10-CM
D04.5	Carcinoma in situ of skin of trunk	Diagnosis	ICD-10-CM
D04.6	Carcinoma in situ of skin of upper limb, including shoulder	Diagnosis	ICD-10-CM
D04.60	Carcinoma in situ of skin of unspecified upper limb, including shoulder	Diagnosis	ICD-10-CM
D04.61	Carcinoma in situ of skin of right upper limb, including shoulder	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
D04.62	Carcinoma in situ of skin of left upper limb, including shoulder	Diagnosis	ICD-10-CM
D04.7	Carcinoma in situ of skin of lower limb, including hip	Diagnosis	ICD-10-CM
D04.70	Carcinoma in situ of skin of unspecified lower limb, including hip	Diagnosis	ICD-10-CM
D04.71	Carcinoma in situ of skin of right lower limb, including hip	Diagnosis	ICD-10-CM
D04.72	Carcinoma in situ of skin of left lower limb, including hip	Diagnosis	ICD-10-CM
D04.8	Carcinoma in situ of skin of other sites	Diagnosis	ICD-10-CM
D04.9	Carcinoma in situ of skin, unspecified	Diagnosis	ICD-10-CM
D23	Other benign neoplasms of skin	Diagnosis	ICD-10-CM
D23.0	Other benign neoplasm of skin of lip	Diagnosis	ICD-10-CM
D23.1	Other benign neoplasm of skin of eyelid, including canthus	Diagnosis	ICD-10-CM
D23.10	Other benign neoplasm of skin of unspecified eyelid, including canthus	Diagnosis	ICD-10-CM
D23.11	Other benign neoplasm of skin of right eyelid, including canthus	Diagnosis	ICD-10-CM
D23.111	Other benign neoplasm of skin of right upper eyelid, including canthus	Diagnosis	ICD-10-CM
D23.112	Other benign neoplasm of skin of right lower eyelid, including canthus	Diagnosis	ICD-10-CM
D23.12	Other benign neoplasm of skin of left eyelid, including canthus	Diagnosis	ICD-10-CM
D23.121	Other benign neoplasm of skin of left upper eyelid, including canthus	Diagnosis	ICD-10-CM
D23.122	Other benign neoplasm of skin of left lower eyelid, including canthus	Diagnosis	ICD-10-CM
D23.2	Other benign neoplasm of skin of ear and external auricular canal	Diagnosis	ICD-10-CM
D23.20	Other benign neoplasm of skin of unspecified ear and external auricular canal	Diagnosis	ICD-10-CM
D23.21	Other benign neoplasm of skin of right ear and external auricular canal	Diagnosis	ICD-10-CM
D23.22	Other benign neoplasm of skin of left ear and external auricular canal	Diagnosis	ICD-10-CM
D23.3	Other benign neoplasm of skin of other and unspecified parts of face	Diagnosis	ICD-10-CM
D23.30	Other benign neoplasm of skin of unspecified part of face	Diagnosis	ICD-10-CM
D23.39	Other benign neoplasm of skin of other parts of face	Diagnosis	ICD-10-CM
D23.4	Other benign neoplasm of skin of scalp and neck	Diagnosis	ICD-10-CM
D23.5	Other benign neoplasm of skin of trunk	Diagnosis	ICD-10-CM
D23.6	Other benign neoplasm of skin of upper limb, including shoulder	Diagnosis	ICD-10-CM
D23.60	Other benign neoplasm of skin of unspecified upper limb, including shoulder	Diagnosis	ICD-10-CM
D23.61	Other benign neoplasm of skin of right upper limb, including shoulder	Diagnosis	ICD-10-CM
D23.62	Other benign neoplasm of skin of left upper limb, including shoulder	Diagnosis	ICD-10-CM
D23.7	Other benign neoplasm of skin of lower limb, including hip	Diagnosis	ICD-10-CM
D23.70	Other benign neoplasm of skin of unspecified lower limb, including hip	Diagnosis	ICD-10-CM
D23.71	Other benign neoplasm of skin of right lower limb, including hip	Diagnosis	ICD-10-CM
D23.72	Other benign neoplasm of skin of left lower limb, including hip	Diagnosis	ICD-10-CM
D23.9	Other benign neoplasm of skin, unspecified	Diagnosis	ICD-10-CM
Z85.820	Personal history of malignant melanoma of skin	Diagnosis	ICD-10-CM
Z86.006	Personal history of melanoma in-situ	Diagnosis	ICD-10-CM
Thyroid Cancer			
C73	Malignant neoplasm of thyroid gland	Diagnosis	ICD-10-CM
D34	Benign neoplasm of thyroid gland	Diagnosis	ICD-10-CM
D440	Neoplasm of uncertain behavior of thyroid gland	Diagnosis	ICD-10-CM
Z85.850	Personal history of malignant neoplasm of thyroid	Diagnosis	ICD-10-CM
Endometrial Cancer			
C54.0	Malignant neoplasm of isthmus uteri	Diagnosis	ICD-10-CM
C54.1	Malignant neoplasm of endometrium	Diagnosis	ICD-10-CM
C54.2	Malignant neoplasm of myometrium	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
C54.3	Malignant neoplasm of fundus uteri	Diagnosis	ICD-10-CM
C54.8	Malignant neoplasm of overlapping sites of corpus uteri	Diagnosis	ICD-10-CM
C54.9	Malignant neoplasm of corpus uteri, unspecified	Diagnosis	ICD-10-CM
D07.0	Carcinoma in situ of endometrium	Diagnosis	ICD-10-CM
Z85.42	Personal history of malignant neoplasm of other parts of uterus	Diagnosis	ICD-10-CM
Lung Cancer			
C34.00	Malignant neoplasm of unspecified main bronchus	Diagnosis	ICD-10-CM
C34.01	Malignant neoplasm of right main bronchus	Diagnosis	ICD-10-CM
C34.02	Malignant neoplasm of left main bronchus	Diagnosis	ICD-10-CM
C34.10	Malignant neoplasm of upper lobe, unspecified bronchus or lung	Diagnosis	ICD-10-CM
C34.11	Malignant neoplasm of upper lobe, right bronchus or lung	Diagnosis	ICD-10-CM
C34.12	Malignant neoplasm of upper lobe, left bronchus or lung	Diagnosis	ICD-10-CM
C34.2	Malignant neoplasm of middle lobe, bronchus or lung	Diagnosis	ICD-10-CM
C34.30	Malignant neoplasm of lower lobe, unspecified bronchus or lung	Diagnosis	ICD-10-CM
C34.31	Malignant neoplasm of lower lobe, right bronchus or lung	Diagnosis	ICD-10-CM
C34.32	Malignant neoplasm of lower lobe, left bronchus or lung	Diagnosis	ICD-10-CM
C34.80	Malignant neoplasm of overlapping sites of unspecified bronchus and lung	Diagnosis	ICD-10-CM
C34.81	Malignant neoplasm of overlapping sites of right bronchus and lung	Diagnosis	ICD-10-CM
C34.82	Malignant neoplasm of overlapping sites of left bronchus and lung	Diagnosis	ICD-10-CM
C34.90	Malignant neoplasm of unspecified part of unspecified bronchus or lung	Diagnosis	ICD-10-CM
C34.91	Malignant neoplasm of unspecified part of right bronchus or lung	Diagnosis	ICD-10-CM
C34.92	Malignant neoplasm of unspecified part of left bronchus or lung	Diagnosis	ICD-10-CM
D02.20	Carcinoma in situ of unspecified bronchus and lung	Diagnosis	ICD-10-CM
D02.21	Carcinoma in situ of right bronchus and lung	Diagnosis	ICD-10-CM
D02.22	Carcinoma in situ of left bronchus and lung	Diagnosis	ICD-10-CM
Z85.110	Personal history of malignant carcinoid tumor of bronchus and lung	Diagnosis	ICD-10-CM
Z85.118	Personal history of other malignant neoplasm of bronchus and lung	Diagnosis	ICD-10-CM
Urologic Cancer			
C64.1	Malignant neoplasm of right kidney, except renal pelvis	Diagnosis	ICD-10-CM
C64.2	Malignant neoplasm of left kidney, except renal pelvis	Diagnosis	ICD-10-CM
C64.9	Malignant neoplasm of unspecified kidney, except renal pelvis	Diagnosis	ICD-10-CM
C65.1	Malignant neoplasm of right renal pelvis	Diagnosis	ICD-10-CM
C65.2	Malignant neoplasm of left renal pelvis	Diagnosis	ICD-10-CM
C65.9	Malignant neoplasm of unspecified renal pelvis	Diagnosis	ICD-10-CM
C66.1	Malignant neoplasm of right ureter	Diagnosis	ICD-10-CM
C66.2	Malignant neoplasm of left ureter	Diagnosis	ICD-10-CM
C66.9	Malignant neoplasm of unspecified ureter	Diagnosis	ICD-10-CM
C68.8	Malignant neoplasm of overlapping sites of urinary organs	Diagnosis	ICD-10-CM
C68.9	Malignant neoplasm of urinary organ, unspecified	Diagnosis	ICD-10-CM
D09.10	Carcinoma in situ of unspecified urinary organ	Diagnosis	ICD-10-CM
D09.19	Carcinoma in situ of other urinary organs	Diagnosis	ICD-10-CM
Z85.520	Personal history of malignant carcinoid tumor of kidney	Diagnosis	ICD-10-CM
Z85.528	Personal history of other malignant neoplasm of kidney	Diagnosis	ICD-10-CM
Z85.53	Personal history of malignant neoplasm of renal pelvis	Diagnosis	ICD-10-CM
Z85.54	Personal history of malignant neoplasm of ureter	Diagnosis	ICD-10-CM
Z85.59	Personal history of malignant neoplasm of other urinary tract organ	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
Osteoporosis			
M80.00XA	Age-related osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.011A	Age-related osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.012A	Age-related osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.019A	Age-related osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.021A	Age-related osteoporosis with current pathological fracture, right humerus, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.022A	Age-related osteoporosis with current pathological fracture, left humerus, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.029A	Age-related osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.031A	Age-related osteoporosis with current pathological fracture, right forearm, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.032A	Age-related osteoporosis with current pathological fracture, left forearm, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.039A	Age-related osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.041A	Age-related osteoporosis with current pathological fracture, right hand, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.042A	Age-related osteoporosis with current pathological fracture, left hand, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.049A	Age-related osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.051A	Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.052A	Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.059A	Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.061A	Age-related osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.062A	Age-related osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.069A	Age-related osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.071A	Age-related osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.072A	Age-related osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.079A	Age-related osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M80.08XA	Age-related osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture	Diagnosis	ICD-10-CM
M80.0AXA	Age-related osteoporosis with current pathological fracture, other site, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.80XA	Other osteoporosis with current pathological fracture, unspecified site, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.811A	Other osteoporosis with current pathological fracture, right shoulder, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.812A	Other osteoporosis with current pathological fracture, left shoulder, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.819A	Other osteoporosis with current pathological fracture, unspecified shoulder, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.821A	Other osteoporosis with current pathological fracture, right humerus, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.822A	Other osteoporosis with current pathological fracture, left humerus, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.829A	Other osteoporosis with current pathological fracture, unspecified humerus, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.831A	Other osteoporosis with current pathological fracture, right forearm, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.832A	Other osteoporosis with current pathological fracture, left forearm, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.839A	Other osteoporosis with current pathological fracture, unspecified forearm, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.841A	Other osteoporosis with current pathological fracture, right hand, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.842A	Other osteoporosis with current pathological fracture, left hand, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.849A	Other osteoporosis with current pathological fracture, unspecified hand, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.851A	Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.852A	Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.859A	Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.861A	Other osteoporosis with current pathological fracture, right lower leg, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.862A	Other osteoporosis with current pathological fracture, left lower leg, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.869A	Other osteoporosis with current pathological fracture, unspecified lower leg, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.871A	Other osteoporosis with current pathological fracture, right ankle and foot, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.872A	Other osteoporosis with current pathological fracture, left ankle and foot, initial encounter for fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M80.879A	Other osteoporosis with current pathological fracture, unspecified ankle and foot, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.88XA	Other osteoporosis with current pathological fracture, vertebra(e), initial encounter for fracture	Diagnosis	ICD-10-CM
M80.8AXA	Other osteoporosis with current pathological fracture, other site, initial encounter for fracture	Diagnosis	ICD-10-CM
M81.0	Age-related osteoporosis without current pathological fracture	Diagnosis	ICD-10-CM
M81.6	Localized osteoporosis [Lequesne]	Diagnosis	ICD-10-CM
M81.8	Other osteoporosis without current pathological fracture	Diagnosis	ICD-10-CM
Hip/Pelvic Fracture			
M80.051A	Age-related osteoporosis with current pathological fracture, right femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.052A	Age-related osteoporosis with current pathological fracture, left femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.059A	Age-related osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.851A	Other osteoporosis with current pathological fracture, right femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.852A	Other osteoporosis with current pathological fracture, left femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M80.859A	Other osteoporosis with current pathological fracture, unspecified femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.350A	Stress fracture, pelvis, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.351A	Stress fracture, right femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.352A	Stress fracture, left femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.353A	Stress fracture, unspecified femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.359A	Stress fracture, hip, unspecified, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.451A	Pathological fracture, right femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.452A	Pathological fracture, left femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.453A	Pathological fracture, unspecified femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.459A	Pathological fracture, hip, unspecified, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.550A	Pathological fracture in neoplastic disease, pelvis, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.551A	Pathological fracture in neoplastic disease, right femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.552A	Pathological fracture in neoplastic disease, left femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.553A	Pathological fracture in neoplastic disease, unspecified femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.559A	Pathological fracture in neoplastic disease, hip, unspecified, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.650A	Pathological fracture in other disease, pelvis, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.651A	Pathological fracture in other disease, right femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.652A	Pathological fracture in other disease, left femur, initial encounter for fracture	Diagnosis	ICD-10-CM
M84.653A	Pathological fracture in other disease, unspecified femur, initial encounter for fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
M84.659A	Pathological fracture in other disease, hip, unspecified, initial encounter for fracture	Diagnosis	ICD-10-CM
M97.01XA	Periprosthetic fracture around internal prosthetic right hip joint, initial encounter	Diagnosis	ICD-10-CM
M97.02XA	Periprosthetic fracture around internal prosthetic left hip joint, initial encounter	Diagnosis	ICD-10-CM
S32.301A	Unspecified fracture of right ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.301B	Unspecified fracture of right ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.302A	Unspecified fracture of left ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.302B	Unspecified fracture of left ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.309A	Unspecified fracture of unspecified ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.309B	Unspecified fracture of unspecified ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.311A	Displaced avulsion fracture of right ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.311B	Displaced avulsion fracture of right ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.312A	Displaced avulsion fracture of left ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.312B	Displaced avulsion fracture of left ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.313A	Displaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.313B	Displaced avulsion fracture of unspecified ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.314A	Nondisplaced avulsion fracture of right ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.314B	Nondisplaced avulsion fracture of right ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.315A	Nondisplaced avulsion fracture of left ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.315B	Nondisplaced avulsion fracture of left ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.316A	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.316B	Nondisplaced avulsion fracture of unspecified ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.391A	Other fracture of right ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.391B	Other fracture of right ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.392A	Other fracture of left ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.392B	Other fracture of left ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.399A	Other fracture of unspecified ilium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.399B	Other fracture of unspecified ilium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.401A	Unspecified fracture of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.401B	Unspecified fracture of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.402A	Unspecified fracture of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.402B	Unspecified fracture of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.409A	Unspecified fracture of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.409B	Unspecified fracture of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.411A	Displaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.411B	Displaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.412A	Displaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.412B	Displaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S32.413A	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.413B	Displaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.414A	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.414B	Nondisplaced fracture of anterior wall of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.415A	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.415B	Nondisplaced fracture of anterior wall of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.416A	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.416B	Nondisplaced fracture of anterior wall of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.421A	Displaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.421B	Displaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.422A	Displaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.422B	Displaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.423A	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.423B	Displaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.424A	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.424B	Nondisplaced fracture of posterior wall of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.425A	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.425B	Nondisplaced fracture of posterior wall of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.426A	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.426B	Nondisplaced fracture of posterior wall of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.431A	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.431B	Displaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.432A	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S32.432B	Displaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.433A	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.433B	Displaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.434A	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.434B	Nondisplaced fracture of anterior column [iliopubic] of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.435A	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.435B	Nondisplaced fracture of anterior column [iliopubic] of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.436A	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.436B	Nondisplaced fracture of anterior column [iliopubic] of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.441A	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.441B	Displaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.442A	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.442B	Displaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.443A	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.443B	Displaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.444A	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.444B	Nondisplaced fracture of posterior column [ilioischial] of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.445A	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.445B	Nondisplaced fracture of posterior column [ilioischial] of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.446A	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.446B	Nondisplaced fracture of posterior column [ilioischial] of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.451A	Displaced transverse fracture of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.451B	Displaced transverse fracture of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S32.452A	Displaced transverse fracture of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.452B	Displaced transverse fracture of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.453A	Displaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.453B	Displaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.454A	Nondisplaced transverse fracture of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.454B	Nondisplaced transverse fracture of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.455A	Nondisplaced transverse fracture of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.455B	Nondisplaced transverse fracture of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.456A	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.456B	Nondisplaced transverse fracture of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.461A	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.461B	Displaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.462A	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.462B	Displaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.463A	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.463B	Displaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.464A	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.464B	Nondisplaced associated transverse-posterior fracture of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.465A	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.465B	Nondisplaced associated transverse-posterior fracture of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.466A	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.466B	Nondisplaced associated transverse-posterior fracture of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.471A	Displaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S32.471B	Displaced fracture of medial wall of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.472A	Displaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.472B	Displaced fracture of medial wall of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.473A	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.473B	Displaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.474A	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.474B	Nondisplaced fracture of medial wall of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.475A	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.475B	Nondisplaced fracture of medial wall of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.476A	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.476B	Nondisplaced fracture of medial wall of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.481A	Displaced dome fracture of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.481B	Displaced dome fracture of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.482A	Displaced dome fracture of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.482B	Displaced dome fracture of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.483A	Displaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.483B	Displaced dome fracture of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.484A	Nondisplaced dome fracture of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.484B	Nondisplaced dome fracture of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.485A	Nondisplaced dome fracture of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.485B	Nondisplaced dome fracture of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.486A	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.486B	Nondisplaced dome fracture of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.491A	Other specified fracture of right acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.491B	Other specified fracture of right acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.492A	Other specified fracture of left acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.492B	Other specified fracture of left acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.499A	Other specified fracture of unspecified acetabulum, initial encounter for closed fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S32.499B	Other specified fracture of unspecified acetabulum, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.501A	Unspecified fracture of right pubis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.501B	Unspecified fracture of right pubis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.502A	Unspecified fracture of left pubis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.502B	Unspecified fracture of left pubis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.509A	Unspecified fracture of unspecified pubis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.509B	Unspecified fracture of unspecified pubis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.511A	Fracture of superior rim of right pubis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.511B	Fracture of superior rim of right pubis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.512A	Fracture of superior rim of left pubis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.512B	Fracture of superior rim of left pubis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.519A	Fracture of superior rim of unspecified pubis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.519B	Fracture of superior rim of unspecified pubis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.591A	Other specified fracture of right pubis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.591B	Other specified fracture of right pubis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.592A	Other specified fracture of left pubis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.592B	Other specified fracture of left pubis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.599A	Other specified fracture of unspecified pubis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.599B	Other specified fracture of unspecified pubis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.601A	Unspecified fracture of right ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.601B	Unspecified fracture of right ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.602A	Unspecified fracture of left ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.602B	Unspecified fracture of left ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.609A	Unspecified fracture of unspecified ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.609B	Unspecified fracture of unspecified ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.611A	Displaced avulsion fracture of right ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.611B	Displaced avulsion fracture of right ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.612A	Displaced avulsion fracture of left ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.612B	Displaced avulsion fracture of left ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.613A	Displaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.613B	Displaced avulsion fracture of unspecified ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.614A	Nondisplaced avulsion fracture of right ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.614B	Nondisplaced avulsion fracture of right ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.615A	Nondisplaced avulsion fracture of left ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.615B	Nondisplaced avulsion fracture of left ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.616A	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.616B	Nondisplaced avulsion fracture of unspecified ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.691A	Other specified fracture of right ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.691B	Other specified fracture of right ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S32.692A	Other specified fracture of left ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.692B	Other specified fracture of left ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.699A	Other specified fracture of unspecified ischium, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.699B	Other specified fracture of unspecified ischium, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.810A	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.810B	Multiple fractures of pelvis with stable disruption of pelvic ring, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.811A	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.811B	Multiple fractures of pelvis with unstable disruption of pelvic ring, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.82XA	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.82XB	Multiple fractures of pelvis without disruption of pelvic ring, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.89XA	Fracture of other parts of pelvis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.89XB	Fracture of other parts of pelvis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S32.9XXA	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S32.9XXB	Fracture of unspecified parts of lumbosacral spine and pelvis, initial encounter for open fracture	Diagnosis	ICD-10-CM
S72.001A	Fracture of unspecified part of neck of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.001B	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.001C	Fracture of unspecified part of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.002A	Fracture of unspecified part of neck of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.002B	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.002C	Fracture of unspecified part of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.009A	Fracture of unspecified part of neck of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.009B	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.009C	Fracture of unspecified part of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.011A	Unspecified intracapsular fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.011B	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.011C	Unspecified intracapsular fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S72.012A	Unspecified intracapsular fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.012B	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.012C	Unspecified intracapsular fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.019A	Unspecified intracapsular fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.019B	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.019C	Unspecified intracapsular fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.021A	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.021B	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.021C	Displaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.022A	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.022B	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.022C	Displaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.023A	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.023B	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.023C	Displaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.024A	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.024B	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.024C	Nondisplaced fracture of epiphysis (separation) (upper) of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.025A	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.025B	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.025C	Nondisplaced fracture of epiphysis (separation) (upper) of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.026A	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.026B	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S72.026C	Nondisplaced fracture of epiphysis (separation) (upper) of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.031A	Displaced midcervical fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.031B	Displaced midcervical fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.031C	Displaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.032A	Displaced midcervical fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.032B	Displaced midcervical fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.032C	Displaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.033A	Displaced midcervical fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.033B	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.033C	Displaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.034A	Nondisplaced midcervical fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.034B	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.034C	Nondisplaced midcervical fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.035A	Nondisplaced midcervical fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.035B	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.035C	Nondisplaced midcervical fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.036A	Nondisplaced midcervical fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.036B	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.036C	Nondisplaced midcervical fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.041A	Displaced fracture of base of neck of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.041B	Displaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.041C	Displaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.042A	Displaced fracture of base of neck of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.042B	Displaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S72.042C	Displaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.043A	Displaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.043B	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.043C	Displaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.044A	Nondisplaced fracture of base of neck of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.044B	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.044C	Nondisplaced fracture of base of neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.045A	Nondisplaced fracture of base of neck of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.045B	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.045C	Nondisplaced fracture of base of neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.046A	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.046B	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.046C	Nondisplaced fracture of base of neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.051A	Unspecified fracture of head of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.051B	Unspecified fracture of head of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.051C	Unspecified fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.052A	Unspecified fracture of head of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.052B	Unspecified fracture of head of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.052C	Unspecified fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.059A	Unspecified fracture of head of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.059B	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.059C	Unspecified fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.061A	Displaced articular fracture of head of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.061B	Displaced articular fracture of head of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S72.061C	Displaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.062A	Displaced articular fracture of head of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.062B	Displaced articular fracture of head of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.062C	Displaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.063A	Displaced articular fracture of head of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.063B	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.063C	Displaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.064A	Nondisplaced articular fracture of head of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.064B	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.064C	Nondisplaced articular fracture of head of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.065A	Nondisplaced articular fracture of head of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.065B	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.065C	Nondisplaced articular fracture of head of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.066A	Nondisplaced articular fracture of head of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.066B	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.066C	Nondisplaced articular fracture of head of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.091A	Other fracture of head and neck of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.091B	Other fracture of head and neck of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.091C	Other fracture of head and neck of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.092A	Other fracture of head and neck of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.092B	Other fracture of head and neck of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.092C	Other fracture of head and neck of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.099A	Other fracture of head and neck of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.099B	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S72.099C	Other fracture of head and neck of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.101A	Unspecified trochanteric fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.101B	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.101C	Unspecified trochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.102A	Unspecified trochanteric fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.102B	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.102C	Unspecified trochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.109A	Unspecified trochanteric fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.109B	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.109C	Unspecified trochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.111A	Displaced fracture of greater trochanter of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.111B	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.111C	Displaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.112A	Displaced fracture of greater trochanter of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.112B	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.112C	Displaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.113A	Displaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.113B	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.113C	Displaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.114A	Nondisplaced fracture of greater trochanter of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.114B	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.114C	Nondisplaced fracture of greater trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.115A	Nondisplaced fracture of greater trochanter of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.115B	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S72.115C	Nondisplaced fracture of greater trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.116A	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.116B	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.116C	Nondisplaced fracture of greater trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.121A	Displaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.121B	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.121C	Displaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.122A	Displaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.122B	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.122C	Displaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.123A	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.123B	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.123C	Displaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.124A	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.124B	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.124C	Nondisplaced fracture of lesser trochanter of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.125A	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.125B	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.125C	Nondisplaced fracture of lesser trochanter of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.126A	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.126B	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.126C	Nondisplaced fracture of lesser trochanter of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.131A	Displaced apophyseal fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.131B	Displaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S72.131C	Displaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.132A	Displaced apophyseal fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.132B	Displaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.132C	Displaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.133A	Displaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.133B	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.133C	Displaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.134A	Nondisplaced apophyseal fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.134B	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.134C	Nondisplaced apophyseal fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.135A	Nondisplaced apophyseal fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.135B	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.135C	Nondisplaced apophyseal fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.136A	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.136B	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.136C	Nondisplaced apophyseal fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.141A	Displaced intertrochanteric fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.141B	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.141C	Displaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.142A	Displaced intertrochanteric fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.142B	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.142C	Displaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.143A	Displaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.143B	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S72.143C	Displaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.144A	Nondisplaced intertrochanteric fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.144B	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.144C	Nondisplaced intertrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.145A	Nondisplaced intertrochanteric fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.145B	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.145C	Nondisplaced intertrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.146A	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.146B	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.146C	Nondisplaced intertrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.21XA	Displaced subtrochanteric fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.21XB	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.21XC	Displaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.22XA	Displaced subtrochanteric fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.22XB	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.22XC	Displaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.23XA	Displaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.23XB	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.23XC	Displaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.24XA	Nondisplaced subtrochanteric fracture of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.24XB	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.24XC	Nondisplaced subtrochanteric fracture of right femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.25XA	Nondisplaced subtrochanteric fracture of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
S72.25XB	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.25XC	Nondisplaced subtrochanteric fracture of left femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S72.26XA	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S72.26XB	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type I or II	Diagnosis	ICD-10-CM
S72.26XC	Nondisplaced subtrochanteric fracture of unspecified femur, initial encounter for open fracture type IIIA, IIIB, or IIIC	Diagnosis	ICD-10-CM
S79.001A	Unspecified physeal fracture of upper end of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S79.002A	Unspecified physeal fracture of upper end of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S79.009A	Unspecified physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S79.011A	Salter-Harris Type I physeal fracture of upper end of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S79.012A	Salter-Harris Type I physeal fracture of upper end of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S79.019A	Salter-Harris Type I physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S79.091A	Other physeal fracture of upper end of right femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S79.092A	Other physeal fracture of upper end of left femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
S79.099A	Other physeal fracture of upper end of unspecified femur, initial encounter for closed fracture	Diagnosis	ICD-10-CM
All-Cause Pneumonia			
A01.03	Typhoid pneumonia	Diagnosis	ICD-10-CM
A02.22	Salmonella pneumonia	Diagnosis	ICD-10-CM
A06.5	Amebic lung abscess	Diagnosis	ICD-10-CM
A20.2	Pneumonic plague	Diagnosis	ICD-10-CM
A21.2	Pulmonary tularemia	Diagnosis	ICD-10-CM
A22.1	Pulmonary anthrax	Diagnosis	ICD-10-CM
A31.0	Pulmonary mycobacterial infection	Diagnosis	ICD-10-CM
A37.01	Whooping cough due to Bordetella pertussis with pneumonia	Diagnosis	ICD-10-CM
A37.11	Whooping cough due to Bordetella parapertussis with pneumonia	Diagnosis	ICD-10-CM
A37.81	Whooping cough due to other Bordetella species with pneumonia	Diagnosis	ICD-10-CM
A37.91	Whooping cough, unspecified species with pneumonia	Diagnosis	ICD-10-CM
A40.3	Sepsis due to Streptococcus pneumoniae	Diagnosis	ICD-10-CM
A42.0	Pulmonary actinomycosis	Diagnosis	ICD-10-CM
A43.0	Pulmonary nocardiosis	Diagnosis	ICD-10-CM
A48.1	Legionnaires' disease	Diagnosis	ICD-10-CM
A50.04	Early congenital syphilitic pneumonia	Diagnosis	ICD-10-CM
A54.84	Gonococcal pneumonia	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
B01.2	Varicella pneumonia	Diagnosis	ICD-10-CM
B05.2	Measles complicated by pneumonia	Diagnosis	ICD-10-CM
B06.81	Rubella pneumonia	Diagnosis	ICD-10-CM
B37.1	Pulmonary candidiasis	Diagnosis	ICD-10-CM
B38.0	Acute pulmonary coccidioidomycosis	Diagnosis	ICD-10-CM
B38.2	Pulmonary coccidioidomycosis, unspecified	Diagnosis	ICD-10-CM
B39.0	Acute pulmonary histoplasmosis capsulati	Diagnosis	ICD-10-CM
B39.2	Pulmonary histoplasmosis capsulati, unspecified	Diagnosis	ICD-10-CM
B40.0	Acute pulmonary blastomycosis	Diagnosis	ICD-10-CM
B40.2	Pulmonary blastomycosis, unspecified	Diagnosis	ICD-10-CM
B41.0	Pulmonary paracoccidioidomycosis	Diagnosis	ICD-10-CM
B58.3	Pulmonary toxoplasmosis	Diagnosis	ICD-10-CM
B59	Pneumocystosis	Diagnosis	ICD-10-CM
B66.4	Paragonimiasis	Diagnosis	ICD-10-CM
B67.1	Echinococcus granulosus infection of lung	Diagnosis	ICD-10-CM
B77.81	Ascariasis pneumonia	Diagnosis	ICD-10-CM
B95.3	Streptococcus pneumoniae as the cause of diseases classified elsewhere	Diagnosis	ICD-10-CM
B96.0	Mycoplasma pneumoniae [M. pneumoniae] as the cause of diseases classified elsewhere	Diagnosis	ICD-10-CM
B96.1	Klebsiella pneumoniae [K. pneumoniae] as the cause of diseases classified elsewhere	Diagnosis	ICD-10-CM
J09.X1	Influenza due to identified novel influenza A virus with pneumonia	Diagnosis	ICD-10-CM
J10.00	Influenza due to other identified influenza virus with unspecified type of pneumonia	Diagnosis	ICD-10-CM
J10.01	Influenza due to other identified influenza virus with the same other identified influenza virus pneumonia	Diagnosis	ICD-10-CM
J10.08	Influenza due to other identified influenza virus with other specified pneumonia	Diagnosis	ICD-10-CM
J11.00	Influenza due to unidentified influenza virus with unspecified type of pneumonia	Diagnosis	ICD-10-CM
J11.08	Influenza due to unidentified influenza virus with specified pneumonia	Diagnosis	ICD-10-CM
J12.0	Adenoviral pneumonia	Diagnosis	ICD-10-CM
J12.1	Respiratory syncytial virus pneumonia	Diagnosis	ICD-10-CM
J12.2	Parainfluenza virus pneumonia	Diagnosis	ICD-10-CM
J12.3	Human metapneumovirus pneumonia	Diagnosis	ICD-10-CM
J12.81	Pneumonia due to SARS-associated coronavirus	Diagnosis	ICD-10-CM
J12.82	Pneumonia due to coronavirus disease 2019	Diagnosis	ICD-10-CM
J12.89	Other viral pneumonia	Diagnosis	ICD-10-CM
J12.9	Viral pneumonia, unspecified	Diagnosis	ICD-10-CM
J13	Pneumonia due to Streptococcus pneumoniae	Diagnosis	ICD-10-CM
J14	Pneumonia due to Hemophilus influenzae	Diagnosis	ICD-10-CM
J15.0	Pneumonia due to Klebsiella pneumoniae	Diagnosis	ICD-10-CM
J15.1	Pneumonia due to Pseudomonas	Diagnosis	ICD-10-CM
J15.20	Pneumonia due to staphylococcus, unspecified	Diagnosis	ICD-10-CM
J15.211	Pneumonia due to Methicillin susceptible Staphylococcus aureus	Diagnosis	ICD-10-CM
J15.212	Pneumonia due to Methicillin resistant Staphylococcus aureus	Diagnosis	ICD-10-CM
J15.29	Pneumonia due to other staphylococcus	Diagnosis	ICD-10-CM
J15.3	Pneumonia due to streptococcus, group B	Diagnosis	ICD-10-CM
J15.4	Pneumonia due to other streptococci	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
J15.5	Pneumonia due to Escherichia coli	Diagnosis	ICD-10-CM
J15.6	Pneumonia due to other Gram-negative bacteria	Diagnosis	ICD-10-CM
J15.7	Pneumonia due to Mycoplasma pneumoniae	Diagnosis	ICD-10-CM
J15.8	Pneumonia due to other specified bacteria	Diagnosis	ICD-10-CM
J15.9	Unspecified bacterial pneumonia	Diagnosis	ICD-10-CM
J16.0	Chlamydial pneumonia	Diagnosis	ICD-10-CM
J16.8	Pneumonia due to other specified infectious organisms	Diagnosis	ICD-10-CM
J17	Pneumonia in diseases classified elsewhere	Diagnosis	ICD-10-CM
J18.0	Bronchopneumonia, unspecified organism	Diagnosis	ICD-10-CM
J18.1	Lobar pneumonia, unspecified organism	Diagnosis	ICD-10-CM
J18.2	Hypostatic pneumonia, unspecified organism	Diagnosis	ICD-10-CM
J18.8	Other pneumonia, unspecified organism	Diagnosis	ICD-10-CM
J18.9	Pneumonia, unspecified organism	Diagnosis	ICD-10-CM
J20.0	Acute bronchitis due to Mycoplasma pneumoniae	Diagnosis	ICD-10-CM
J84.111	Idiopathic interstitial pneumonia, not otherwise specified	Diagnosis	ICD-10-CM
J84.116	Cryptogenic organizing pneumonia	Diagnosis	ICD-10-CM
J84.117	Desquamative interstitial pneumonia	Diagnosis	ICD-10-CM
J84.178	Other interstitial pulmonary diseases with fibrosis in diseases classified elsewhere	Diagnosis	ICD-10-CM
J84.2	Lymphoid interstitial pneumonia	Diagnosis	ICD-10-CM
J85.1	Abscess of lung with pneumonia	Diagnosis	ICD-10-CM
J95.851	Ventilator associated pneumonia	Diagnosis	ICD-10-CM
P23.0	Congenital pneumonia due to viral agent	Diagnosis	ICD-10-CM
P23.1	Congenital pneumonia due to Chlamydia	Diagnosis	ICD-10-CM
P23.2	Congenital pneumonia due to staphylococcus	Diagnosis	ICD-10-CM
P23.3	Congenital pneumonia due to streptococcus, group B	Diagnosis	ICD-10-CM
P23.4	Congenital pneumonia due to Escherichia coli	Diagnosis	ICD-10-CM
P23.5	Congenital pneumonia due to Pseudomonas	Diagnosis	ICD-10-CM
P23.6	Congenital pneumonia due to other bacterial agents	Diagnosis	ICD-10-CM
P23.8	Congenital pneumonia due to other organisms	Diagnosis	ICD-10-CM
P23.9	Congenital pneumonia, unspecified	Diagnosis	ICD-10-CM
Z87.01	Personal history of pneumonia (recurrent)	Diagnosis	ICD-10-CM
Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome (HIV/AIDS)			
B20	Human immunodeficiency virus [HIV] disease	Diagnosis	ICD-10-CM
B97.35	Human immunodeficiency virus, type 2 [HIV 2] as the cause of diseases classified elsewhere	Diagnosis	ICD-10-CM
R75	Inconclusive laboratory evidence of human immunodeficiency virus [HIV]	Diagnosis	ICD-10-CM
Z21	Asymptomatic human immunodeficiency virus [HIV] infection status	Diagnosis	ICD-10-CM
Hepatitis B			
B16.0	Acute hepatitis B with delta-agent with hepatic coma	Diagnosis	ICD-10-CM
B16.1	Acute hepatitis B with delta-agent without hepatic coma	Diagnosis	ICD-10-CM
B16.2	Acute hepatitis B without delta-agent with hepatic coma	Diagnosis	ICD-10-CM
B16.9	Acute hepatitis B without delta-agent and without hepatic coma	Diagnosis	ICD-10-CM
B17.0	Acute delta-(super) infection of hepatitis B carrier	Diagnosis	ICD-10-CM
B18.0	Chronic viral hepatitis B with delta-agent	Diagnosis	ICD-10-CM
B18.1	Chronic viral hepatitis B without delta-agent	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
B19.10	Unspecified viral hepatitis B without hepatic coma	Diagnosis	ICD-10-CM
B19.11	Unspecified viral hepatitis B with hepatic coma	Diagnosis	ICD-10-CM
Z22.51	Carrier of viral hepatitis B	Diagnosis	ICD-10-CM
Hepatitis C			
B17.10	Acute hepatitis C without hepatic coma	Diagnosis	ICD-10-CM
B17.11	Acute hepatitis C with hepatic coma	Diagnosis	ICD-10-CM
B18.2	Chronic viral hepatitis C	Diagnosis	ICD-10-CM
B19.20	Unspecified viral hepatitis C without hepatic coma	Diagnosis	ICD-10-CM
B19.21	Unspecified viral hepatitis C with hepatic coma	Diagnosis	ICD-10-CM
Z22.52	Carrier of viral hepatitis C	Diagnosis	ICD-10-CM
Drug Use Disorders			
F11.10	Opioid abuse, uncomplicated	Diagnosis	ICD-10-CM
F11.120	Opioid abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11.121	Opioid abuse with intoxication delirium	Diagnosis	ICD-10-CM
F11.122	Opioid abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11.129	Opioid abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F11.13	Opioid abuse with withdrawal	Diagnosis	ICD-10-CM
F11.14	Opioid abuse with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11.150	Opioid abuse with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11.151	Opioid abuse with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11.159	Opioid abuse with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11.181	Opioid abuse with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11.182	Opioid abuse with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11.188	Opioid abuse with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.19	Opioid abuse with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F11.20	Opioid dependence, uncomplicated	Diagnosis	ICD-10-CM
F11.220	Opioid dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11.221	Opioid dependence with intoxication delirium	Diagnosis	ICD-10-CM
F11.222	Opioid dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11.229	Opioid dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F11.23	Opioid dependence with withdrawal	Diagnosis	ICD-10-CM
F11.24	Opioid dependence with opioid-induced mood disorder	Diagnosis	ICD-10-CM
F11.250	Opioid dependence with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11.251	Opioid dependence with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11.259	Opioid dependence with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11.281	Opioid dependence with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11.282	Opioid dependence with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11.288	Opioid dependence with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.29	Opioid dependence with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F11.90	Opioid use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F11.920	Opioid use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F11.921	Opioid use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F11.922	Opioid use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F11.929	Opioid use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F11.93	Opioid use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F11.94	Opioid use, unspecified with opioid-induced mood disorder	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F11.950	Opioid use, unspecified with opioid-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F11.951	Opioid use, unspecified with opioid-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F11.959	Opioid use, unspecified with opioid-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F11.981	Opioid use, unspecified with opioid-induced sexual dysfunction	Diagnosis	ICD-10-CM
F11.982	Opioid use, unspecified with opioid-induced sleep disorder	Diagnosis	ICD-10-CM
F11.988	Opioid use, unspecified with other opioid-induced disorder	Diagnosis	ICD-10-CM
F11.99	Opioid use, unspecified with unspecified opioid-induced disorder	Diagnosis	ICD-10-CM
F12.10	Cannabis abuse, uncomplicated	Diagnosis	ICD-10-CM
F12.120	Cannabis abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12.121	Cannabis abuse with intoxication delirium	Diagnosis	ICD-10-CM
F12.122	Cannabis abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12.129	Cannabis abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F12.13	Cannabis abuse with withdrawal	Diagnosis	ICD-10-CM
F12.150	Cannabis abuse with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12.151	Cannabis abuse with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12.159	Cannabis abuse with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12.180	Cannabis abuse with cannabis-induced anxiety disorder	Diagnosis	ICD-10-CM
F12.188	Cannabis abuse with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.19	Cannabis abuse with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.20	Cannabis dependence, uncomplicated	Diagnosis	ICD-10-CM
F12.220	Cannabis dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12.221	Cannabis dependence with intoxication delirium	Diagnosis	ICD-10-CM
F12.222	Cannabis dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12.229	Cannabis dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F12.250	Cannabis dependence with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12.251	Cannabis dependence with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12.259	Cannabis dependence with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12.280	Cannabis dependence with cannabis-induced anxiety disorder	Diagnosis	ICD-10-CM
F12.288	Cannabis dependence with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.29	Cannabis dependence with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.90	Cannabis use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F12.920	Cannabis use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F12.921	Cannabis use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F12.922	Cannabis use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F12.929	Cannabis use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F12.950	Cannabis use, unspecified with psychotic disorder with delusions	Diagnosis	ICD-10-CM
F12.951	Cannabis use, unspecified with psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F12.959	Cannabis use, unspecified with psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F12.980	Cannabis use, unspecified with anxiety disorder	Diagnosis	ICD-10-CM
F12.988	Cannabis use, unspecified with other cannabis-induced disorder	Diagnosis	ICD-10-CM
F12.99	Cannabis use, unspecified with unspecified cannabis-induced disorder	Diagnosis	ICD-10-CM
F13.10	Sedative, hypnotic or anxiolytic abuse, uncomplicated	Diagnosis	ICD-10-CM
F13.120	Sedative, hypnotic or anxiolytic abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13.121	Sedative, hypnotic or anxiolytic abuse with intoxication delirium	Diagnosis	ICD-10-CM
F13.129	Sedative, hypnotic or anxiolytic abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F13.130	Sedative, hypnotic or anxiolytic abuse with withdrawal, uncomplicated	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F13.131	Sedative, hypnotic or anxiolytic abuse with withdrawal delirium	Diagnosis	ICD-10-CM
F13.132	Sedative, hypnotic or anxiolytic abuse with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F13.139	Sedative, hypnotic or anxiolytic abuse with withdrawal, unspecified	Diagnosis	ICD-10-CM
F13.14	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13.150	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13.151	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13.159	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F13.180	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13.181	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13.182	Sedative, hypnotic or anxiolytic abuse with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13.188	Sedative, hypnotic or anxiolytic abuse with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.19	Sedative, hypnotic or anxiolytic abuse with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.20	Sedative, hypnotic or anxiolytic dependence, uncomplicated	Diagnosis	ICD-10-CM
F13.220	Sedative, hypnotic or anxiolytic dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13.221	Sedative, hypnotic or anxiolytic dependence with intoxication delirium	Diagnosis	ICD-10-CM
F13.229	Sedative, hypnotic or anxiolytic dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F13.230	Sedative, hypnotic or anxiolytic dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F13.231	Sedative, hypnotic or anxiolytic dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F13.232	Sedative, hypnotic or anxiolytic dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F13.239	Sedative, hypnotic or anxiolytic dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F13.24	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13.250	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13.251	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13.259	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F13.26	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F13.27	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced persisting dementia	Diagnosis	ICD-10-CM
F13.280	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13.281	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F13.282	Sedative, hypnotic or anxiolytic dependence with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13.288	Sedative, hypnotic or anxiolytic dependence with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.29	Sedative, hypnotic or anxiolytic dependence with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.90	Sedative, hypnotic, or anxiolytic use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F13.920	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F13.921	Sedative, hypnotic or anxiolytic use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F13.929	Sedative, hypnotic or anxiolytic use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F13.930	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F13.931	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal delirium	Diagnosis	ICD-10-CM
F13.932	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal with perceptual disturbances	Diagnosis	ICD-10-CM
F13.939	Sedative, hypnotic or anxiolytic use, unspecified with withdrawal, unspecified	Diagnosis	ICD-10-CM
F13.94	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced mood disorder	Diagnosis	ICD-10-CM
F13.950	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F13.951	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F13.959	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F13.96	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F13.97	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced persisting dementia	Diagnosis	ICD-10-CM
F13.980	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced anxiety disorder	Diagnosis	ICD-10-CM
F13.981	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sexual dysfunction	Diagnosis	ICD-10-CM
F13.982	Sedative, hypnotic or anxiolytic use, unspecified with sedative, hypnotic or anxiolytic-induced sleep disorder	Diagnosis	ICD-10-CM
F13.988	Sedative, hypnotic or anxiolytic use, unspecified with other sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F13.99	Sedative, hypnotic or anxiolytic use, unspecified with unspecified sedative, hypnotic or anxiolytic-induced disorder	Diagnosis	ICD-10-CM
F14.10	Cocaine abuse, uncomplicated	Diagnosis	ICD-10-CM
F14.120	Cocaine abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14.121	Cocaine abuse with intoxication with delirium	Diagnosis	ICD-10-CM
F14.122	Cocaine abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14.129	Cocaine abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F14.13	Cocaine abuse, unspecified with withdrawal	Diagnosis	ICD-10-CM
F14.14	Cocaine abuse with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14.150	Cocaine abuse with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14.151	Cocaine abuse with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14.159	Cocaine abuse with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F14.180	Cocaine abuse with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14.181	Cocaine abuse with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14.182	Cocaine abuse with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14.188	Cocaine abuse with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.19	Cocaine abuse with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.20	Cocaine dependence, uncomplicated	Diagnosis	ICD-10-CM
F14.220	Cocaine dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14.221	Cocaine dependence with intoxication delirium	Diagnosis	ICD-10-CM
F14.222	Cocaine dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14.229	Cocaine dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F14.23	Cocaine dependence with withdrawal	Diagnosis	ICD-10-CM
F14.24	Cocaine dependence with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14.250	Cocaine dependence with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14.251	Cocaine dependence with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14.259	Cocaine dependence with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14.280	Cocaine dependence with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14.281	Cocaine dependence with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14.282	Cocaine dependence with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14.288	Cocaine dependence with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.29	Cocaine dependence with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.90	Cocaine use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F14.920	Cocaine use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F14.921	Cocaine use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F14.922	Cocaine use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F14.929	Cocaine use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F14.93	Cocaine use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F14.94	Cocaine use, unspecified with cocaine-induced mood disorder	Diagnosis	ICD-10-CM
F14.950	Cocaine use, unspecified with cocaine-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F14.951	Cocaine use, unspecified with cocaine-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F14.959	Cocaine use, unspecified with cocaine-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F14.980	Cocaine use, unspecified with cocaine-induced anxiety disorder	Diagnosis	ICD-10-CM
F14.981	Cocaine use, unspecified with cocaine-induced sexual dysfunction	Diagnosis	ICD-10-CM
F14.982	Cocaine use, unspecified with cocaine-induced sleep disorder	Diagnosis	ICD-10-CM
F14.988	Cocaine use, unspecified with other cocaine-induced disorder	Diagnosis	ICD-10-CM
F14.99	Cocaine use, unspecified with unspecified cocaine-induced disorder	Diagnosis	ICD-10-CM
F15.10	Other stimulant abuse, uncomplicated	Diagnosis	ICD-10-CM
F15.120	Other stimulant abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15.121	Other stimulant abuse with intoxication delirium	Diagnosis	ICD-10-CM
F15.122	Other stimulant abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15.129	Other stimulant abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F15.13	Other stimulant abuse with withdrawal	Diagnosis	ICD-10-CM
F15.14	Other stimulant abuse with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15.150	Other stimulant abuse with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15.151	Other stimulant abuse with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15.159	Other stimulant abuse with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F15.180	Other stimulant abuse with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15.181	Other stimulant abuse with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15.182	Other stimulant abuse with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15.188	Other stimulant abuse with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.19	Other stimulant abuse with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.20	Other stimulant dependence, uncomplicated	Diagnosis	ICD-10-CM
F15.220	Other stimulant dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15.221	Other stimulant dependence with intoxication delirium	Diagnosis	ICD-10-CM
F15.222	Other stimulant dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15.229	Other stimulant dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F15.23	Other stimulant dependence with withdrawal	Diagnosis	ICD-10-CM
F15.24	Other stimulant dependence with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15.250	Other stimulant dependence with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15.251	Other stimulant dependence with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15.259	Other stimulant dependence with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15.280	Other stimulant dependence with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15.281	Other stimulant dependence with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15.282	Other stimulant dependence with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15.288	Other stimulant dependence with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.29	Other stimulant dependence with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.90	Other stimulant use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F15.920	Other stimulant use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F15.921	Other stimulant use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F15.922	Other stimulant use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F15.929	Other stimulant use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F15.93	Other stimulant use, unspecified with withdrawal	Diagnosis	ICD-10-CM
F15.94	Other stimulant use, unspecified with stimulant-induced mood disorder	Diagnosis	ICD-10-CM
F15.950	Other stimulant use, unspecified with stimulant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F15.951	Other stimulant use, unspecified with stimulant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F15.959	Other stimulant use, unspecified with stimulant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F15.980	Other stimulant use, unspecified with stimulant-induced anxiety disorder	Diagnosis	ICD-10-CM
F15.981	Other stimulant use, unspecified with stimulant-induced sexual dysfunction	Diagnosis	ICD-10-CM
F15.982	Other stimulant use, unspecified with stimulant-induced sleep disorder	Diagnosis	ICD-10-CM
F15.988	Other stimulant use, unspecified with other stimulant-induced disorder	Diagnosis	ICD-10-CM
F15.99	Other stimulant use, unspecified with unspecified stimulant-induced disorder	Diagnosis	ICD-10-CM
F16.10	Hallucinogen abuse, uncomplicated	Diagnosis	ICD-10-CM
F16.120	Hallucinogen abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16.121	Hallucinogen abuse with intoxication with delirium	Diagnosis	ICD-10-CM
F16.122	Hallucinogen abuse with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F16.129	Hallucinogen abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F16.14	Hallucinogen abuse with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F16.150	Hallucinogen abuse with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16.151	Hallucinogen abuse with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16.159	Hallucinogen abuse with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16.180	Hallucinogen abuse with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16.183	Hallucinogen abuse with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16.188	Hallucinogen abuse with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.19	Hallucinogen abuse with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.20	Hallucinogen dependence, uncomplicated	Diagnosis	ICD-10-CM
F16.220	Hallucinogen dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16.221	Hallucinogen dependence with intoxication with delirium	Diagnosis	ICD-10-CM
F16.229	Hallucinogen dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F16.24	Hallucinogen dependence with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16.250	Hallucinogen dependence with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16.251	Hallucinogen dependence with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16.259	Hallucinogen dependence with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16.280	Hallucinogen dependence with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16.283	Hallucinogen dependence with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16.288	Hallucinogen dependence with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.29	Hallucinogen dependence with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.90	Hallucinogen use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F16.920	Hallucinogen use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F16.921	Hallucinogen use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F16.929	Hallucinogen use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F16.94	Hallucinogen use, unspecified with hallucinogen-induced mood disorder	Diagnosis	ICD-10-CM
F16.950	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F16.951	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F16.959	Hallucinogen use, unspecified with hallucinogen-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F16.980	Hallucinogen use, unspecified with hallucinogen-induced anxiety disorder	Diagnosis	ICD-10-CM
F16.983	Hallucinogen use, unspecified with hallucinogen persisting perception disorder (flashbacks)	Diagnosis	ICD-10-CM
F16.988	Hallucinogen use, unspecified with other hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F16.99	Hallucinogen use, unspecified with unspecified hallucinogen-induced disorder	Diagnosis	ICD-10-CM
F17.203	Nicotine dependence unspecified, with withdrawal	Diagnosis	ICD-10-CM
F17.208	Nicotine dependence, unspecified, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.213	Nicotine dependence, cigarettes, with withdrawal	Diagnosis	ICD-10-CM
F17.218	Nicotine dependence, cigarettes, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.223	Nicotine dependence, chewing tobacco, with withdrawal	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F17.228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.293	Nicotine dependence, other tobacco product, with withdrawal	Diagnosis	ICD-10-CM
F17.298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.299	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F18.10	Inhalant abuse, uncomplicated	Diagnosis	ICD-10-CM
F18.120	Inhalant abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18.121	Inhalant abuse with intoxication delirium	Diagnosis	ICD-10-CM
F18.129	Inhalant abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F18.14	Inhalant abuse with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18.150	Inhalant abuse with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18.151	Inhalant abuse with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18.159	Inhalant abuse with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F18.17	Inhalant abuse with inhalant-induced dementia	Diagnosis	ICD-10-CM
F18.180	Inhalant abuse with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18.188	Inhalant abuse with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.19	Inhalant abuse with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.20	Inhalant dependence, uncomplicated	Diagnosis	ICD-10-CM
F18.220	Inhalant dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18.221	Inhalant dependence with intoxication delirium	Diagnosis	ICD-10-CM
F18.229	Inhalant dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F18.24	Inhalant dependence with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18.250	Inhalant dependence with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18.251	Inhalant dependence with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18.259	Inhalant dependence with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F18.27	Inhalant dependence with inhalant-induced dementia	Diagnosis	ICD-10-CM
F18.280	Inhalant dependence with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18.288	Inhalant dependence with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.29	Inhalant dependence with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.90	Inhalant use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F18.920	Inhalant use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F18.921	Inhalant use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F18.929	Inhalant use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F18.94	Inhalant use, unspecified with inhalant-induced mood disorder	Diagnosis	ICD-10-CM
F18.950	Inhalant use, unspecified with inhalant-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F18.951	Inhalant use, unspecified with inhalant-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F18.959	Inhalant use, unspecified with inhalant-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F18.97	Inhalant use, unspecified with inhalant-induced persisting dementia	Diagnosis	ICD-10-CM
F18.980	Inhalant use, unspecified with inhalant-induced anxiety disorder	Diagnosis	ICD-10-CM
F18.988	Inhalant use, unspecified with other inhalant-induced disorder	Diagnosis	ICD-10-CM
F18.99	Inhalant use, unspecified with unspecified inhalant-induced disorder	Diagnosis	ICD-10-CM
F19.10	Other psychoactive substance abuse, uncomplicated	Diagnosis	ICD-10-CM
F19.120	Other psychoactive substance abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F19.121	Other psychoactive substance abuse with intoxication delirium	Diagnosis	ICD-10-CM
F19.122	Other psychoactive substance abuse with intoxication with perceptual disturbances	Diagnosis	ICD-10-CM
F19.129	Other psychoactive substance abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F19.130	Other psychoactive substance abuse with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F19.131	Other psychoactive substance abuse with withdrawal delirium	Diagnosis	ICD-10-CM
F19.132	Other psychoactive substance abuse with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F19.139	Other psychoactive substance abuse with withdrawal, unspecified	Diagnosis	ICD-10-CM
F19.14	Other psychoactive substance abuse with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19.150	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19.151	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19.159	Other psychoactive substance abuse with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F19.16	Other psychoactive substance abuse with psychoactive substance-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F19.17	Other psychoactive substance abuse with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19.180	Other psychoactive substance abuse with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19.181	Other psychoactive substance abuse with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19.182	Other psychoactive substance abuse with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19.188	Other psychoactive substance abuse with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.19	Other psychoactive substance abuse with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.20	Other psychoactive substance dependence, uncomplicated	Diagnosis	ICD-10-CM
F19.220	Other psychoactive substance dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19.221	Other psychoactive substance dependence with intoxication delirium	Diagnosis	ICD-10-CM
F19.222	Other psychoactive substance dependence with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F19.229	Other psychoactive substance dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F19.230	Other psychoactive substance dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F19.231	Other psychoactive substance dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F19.232	Other psychoactive substance dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F19.239	Other psychoactive substance dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F19.24	Other psychoactive substance dependence with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19.250	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19.251	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F19.259	Other psychoactive substance dependence with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F19.26	Other psychoactive substance dependence with psychoactive substance-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F19.27	Other psychoactive substance dependence with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19.280	Other psychoactive substance dependence with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19.281	Other psychoactive substance dependence with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19.282	Other psychoactive substance dependence with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19.288	Other psychoactive substance dependence with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.29	Other psychoactive substance dependence with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F19.90	Other psychoactive substance use, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F19.920	Other psychoactive substance use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F19.921	Other psychoactive substance use, unspecified with intoxication with delirium	Diagnosis	ICD-10-CM
F19.922	Other psychoactive substance use, unspecified with intoxication with perceptual disturbance	Diagnosis	ICD-10-CM
F19.929	Other psychoactive substance use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F19.930	Other psychoactive substance use, unspecified with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F19.931	Other psychoactive substance use, unspecified with withdrawal delirium	Diagnosis	ICD-10-CM
F19.932	Other psychoactive substance use, unspecified with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F19.939	Other psychoactive substance use, unspecified with withdrawal, unspecified	Diagnosis	ICD-10-CM
F19.94	Other psychoactive substance use, unspecified with psychoactive substance-induced mood disorder	Diagnosis	ICD-10-CM
F19.950	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F19.951	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F19.959	Other psychoactive substance use, unspecified with psychoactive substance-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F19.96	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F19.97	Other psychoactive substance use, unspecified with psychoactive substance-induced persisting dementia	Diagnosis	ICD-10-CM
F19.980	Other psychoactive substance use, unspecified with psychoactive substance-induced anxiety disorder	Diagnosis	ICD-10-CM
F19.981	Other psychoactive substance use, unspecified with psychoactive substance-induced sexual dysfunction	Diagnosis	ICD-10-CM
F19.982	Other psychoactive substance use, unspecified with psychoactive substance-induced sleep disorder	Diagnosis	ICD-10-CM
F19.988	Other psychoactive substance use, unspecified with other psychoactive substance-induced disorder	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F19.99	Other psychoactive substance use, unspecified with unspecified psychoactive substance-induced disorder	Diagnosis	ICD-10-CM
F55.0	Abuse of antacids	Diagnosis	ICD-10-CM
F55.1	Abuse of herbal or folk remedies	Diagnosis	ICD-10-CM
F55.2	Abuse of laxatives	Diagnosis	ICD-10-CM
F55.3	Abuse of steroids or hormones	Diagnosis	ICD-10-CM
F55.4	Abuse of vitamins	Diagnosis	ICD-10-CM
F55.8	Abuse of other non-psychoactive substances	Diagnosis	ICD-10-CM
O35.5XX0	Maternal care for (suspected) damage to fetus by drugs, not applicable or unspecified	Diagnosis	ICD-10-CM
O35.5XX1	Maternal care for (suspected) damage to fetus by drugs, fetus 1	Diagnosis	ICD-10-CM
O35.5XX2	Maternal care for (suspected) damage to fetus by drugs, fetus 2	Diagnosis	ICD-10-CM
O35.5XX3	Maternal care for (suspected) damage to fetus by drugs, fetus 3	Diagnosis	ICD-10-CM
O35.5XX4	Maternal care for (suspected) damage to fetus by drugs, fetus 4	Diagnosis	ICD-10-CM
O35.5XX5	Maternal care for (suspected) damage to fetus by drugs, fetus 5	Diagnosis	ICD-10-CM
O35.5XX9	Maternal care for (suspected) damage to fetus by drugs, other fetus	Diagnosis	ICD-10-CM
O99.320	Drug use complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.321	Drug use complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.322	Drug use complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.323	Drug use complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.324	Drug use complicating childbirth	Diagnosis	ICD-10-CM
O99.325	Drug use complicating the puerperium	Diagnosis	ICD-10-CM
P04.41	Newborn affected by maternal use of cocaine	Diagnosis	ICD-10-CM
P04.49	Newborn affected by maternal use of other drugs of addiction	Diagnosis	ICD-10-CM
P96.1	Neonatal withdrawal symptoms from maternal use of drugs of addiction	Diagnosis	ICD-10-CM
P96.2	Withdrawal symptoms from therapeutic use of drugs in newborn	Diagnosis	ICD-10-CM
T40.0X1A	Poisoning by opium, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.0X3A	Poisoning by opium, assault, initial encounter	Diagnosis	ICD-10-CM
T40.0X4A	Poisoning by opium, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.0X5A	Adverse effect of opium, initial encounter	Diagnosis	ICD-10-CM
T40.0X5S	Adverse effect of opium, sequela	Diagnosis	ICD-10-CM
T40.1X1A	Poisoning by heroin, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.1X3A	Poisoning by heroin, assault, initial encounter	Diagnosis	ICD-10-CM
T40.1X4A	Poisoning by heroin, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.2X1A	Poisoning by other opioids, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.2X3A	Poisoning by other opioids, assault, initial encounter	Diagnosis	ICD-10-CM
T40.2X4A	Poisoning by other opioids, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.3X1A	Poisoning by methadone, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.3X3A	Poisoning by methadone, assault, initial encounter	Diagnosis	ICD-10-CM
T40.3X4A	Poisoning by methadone, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.3X5A	Adverse effect of methadone, initial encounter	Diagnosis	ICD-10-CM
T40.3X5S	Adverse effect of methadone, sequela	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
T40.411A	Poisoning by fentanyl or fentanyl analogs, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.412A	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.413A	Poisoning by fentanyl or fentanyl analogs, assault, initial encounter	Diagnosis	ICD-10-CM
T40.414A	Poisoning by fentanyl or fentanyl analogs, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.415A	Adverse effect of fentanyl or fentanyl analogs, initial encounter	Diagnosis	ICD-10-CM
T40.421A	Poisoning by tramadol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.422A	Poisoning by tramadol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.423A	Poisoning by tramadol, assault, initial encounter	Diagnosis	ICD-10-CM
T40.424A	Poisoning by tramadol, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.425A	Adverse effect of tramadol, initial encounter	Diagnosis	ICD-10-CM
T40.491A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.492A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.493A	Poisoning by other synthetic narcotics, assault, initial encounter	Diagnosis	ICD-10-CM
T40.494A	Poisoning by other synthetic narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.495A	Adverse effect of other synthetic narcotics, initial encounter	Diagnosis	ICD-10-CM
T40.4X1A	Poisoning by other synthetic narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.4X3A	Poisoning by other synthetic narcotics, assault, initial encounter	Diagnosis	ICD-10-CM
T40.4X4A	Poisoning by other synthetic narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.601A	Poisoning by unspecified narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.603A	Poisoning by unspecified narcotics, assault, initial encounter	Diagnosis	ICD-10-CM
T40.604A	Poisoning by unspecified narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.691A	Poisoning by other narcotics, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.693A	Poisoning by other narcotics, assault, initial encounter	Diagnosis	ICD-10-CM
T40.694A	Poisoning by other narcotics, undetermined, initial encounter	Diagnosis	ICD-10-CM
T40.711A	Poisoning by cannabis, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.721A	Poisoning by synthetic cannabinoids, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.7X1A	Poisoning by cannabis (derivatives), accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.8X1A	Poisoning by lysergide [LSD], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.901A	Poisoning by unspecified psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T40.991A	Poisoning by other psychodysleptics [hallucinogens], accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
Z71.41	Alcohol abuse counseling and surveillance of alcoholic	Diagnosis	ICD-10-CM
Z71.42	Counseling for family member of alcoholic	Diagnosis	ICD-10-CM
Z71.51	Drug abuse counseling and surveillance of drug abuser	Diagnosis	ICD-10-CM
Z71.52	Counseling for family member of drug abuser	Diagnosis	ICD-10-CM
Z71.6	Tobacco abuse counseling	Diagnosis	ICD-10-CM
Tobacco Use			
F17.200	Nicotine dependence, unspecified, uncomplicated	Diagnosis	ICD-10-CM
F17.201	Nicotine dependence, unspecified, in remission	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F17.203	Nicotine dependence unspecified, with withdrawal	Diagnosis	ICD-10-CM
F17.208	Nicotine dependence, unspecified, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.209	Nicotine dependence, unspecified, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.210	Nicotine dependence, cigarettes, uncomplicated	Diagnosis	ICD-10-CM
F17.211	Nicotine dependence, cigarettes, in remission	Diagnosis	ICD-10-CM
F17.213	Nicotine dependence, cigarettes, with withdrawal	Diagnosis	ICD-10-CM
F17.218	Nicotine dependence, cigarettes, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.219	Nicotine dependence, cigarettes, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.220	Nicotine dependence, chewing tobacco, uncomplicated	Diagnosis	ICD-10-CM
F17.221	Nicotine dependence, chewing tobacco, in remission	Diagnosis	ICD-10-CM
F17.223	Nicotine dependence, chewing tobacco, with withdrawal	Diagnosis	ICD-10-CM
F17.228	Nicotine dependence, chewing tobacco, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.229	Nicotine dependence, chewing tobacco, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.290	Nicotine dependence, other tobacco product, uncomplicated	Diagnosis	ICD-10-CM
F17.291	Nicotine dependence, other tobacco product, in remission	Diagnosis	ICD-10-CM
F17.293	Nicotine dependence, other tobacco product, with withdrawal	Diagnosis	ICD-10-CM
F17.298	Nicotine dependence, other tobacco product, with other nicotine-induced disorders	Diagnosis	ICD-10-CM
F17.299	Nicotine dependence, other tobacco product, with unspecified nicotine-induced disorders	Diagnosis	ICD-10-CM
O99.330	Smoking (tobacco) complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O99.331	Smoking (tobacco) complicating pregnancy, first trimester	Diagnosis	ICD-10-CM
O99.332	Smoking (tobacco) complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O99.333	Smoking (tobacco) complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O99.334	Smoking (tobacco) complicating childbirth	Diagnosis	ICD-10-CM
O99.335	Smoking (tobacco) complicating the puerperium	Diagnosis	ICD-10-CM
T65.211A	Toxic effect of chewing tobacco, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.213A	Toxic effect of chewing tobacco, assault, initial encounter	Diagnosis	ICD-10-CM
T65.214A	Toxic effect of chewing tobacco, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.221A	Toxic effect of tobacco cigarettes, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.223A	Toxic effect of tobacco cigarettes, assault, initial encounter	Diagnosis	ICD-10-CM
T65.224A	Toxic effect of tobacco cigarettes, undetermined, initial encounter	Diagnosis	ICD-10-CM
T65.291A	Toxic effect of other tobacco and nicotine, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T65.292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.293A	Toxic effect of other tobacco and nicotine, assault, initial encounter	Diagnosis	ICD-10-CM
T65.294A	Toxic effect of other tobacco and nicotine, undetermined, initial encounter	Diagnosis	ICD-10-CM
Z72.0	Tobacco use	Diagnosis	ICD-10-CM
Alcohol Use Disorders			
F10.10	Alcohol abuse, uncomplicated	Diagnosis	ICD-10-CM
F10.120	Alcohol abuse with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10.121	Alcohol abuse with intoxication delirium	Diagnosis	ICD-10-CM
F10.129	Alcohol abuse with intoxication, unspecified	Diagnosis	ICD-10-CM
F10.130	Alcohol abuse with withdrawal, uncomplicated	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F10.131	Alcohol abuse with withdrawal delirium	Diagnosis	ICD-10-CM
F10.132	Alcohol abuse with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F10.139	Alcohol abuse with withdrawal, unspecified	Diagnosis	ICD-10-CM
F10.14	Alcohol abuse with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10.150	Alcohol abuse with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10.151	Alcohol abuse with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10.159	Alcohol abuse with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10.180	Alcohol abuse with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10.181	Alcohol abuse with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10.182	Alcohol abuse with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10.188	Alcohol abuse with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.19	Alcohol abuse with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.20	Alcohol dependence, uncomplicated	Diagnosis	ICD-10-CM
F10.220	Alcohol dependence with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10.221	Alcohol dependence with intoxication delirium	Diagnosis	ICD-10-CM
F10.229	Alcohol dependence with intoxication, unspecified	Diagnosis	ICD-10-CM
F10.230	Alcohol dependence with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F10.231	Alcohol dependence with withdrawal delirium	Diagnosis	ICD-10-CM
F10.232	Alcohol dependence with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F10.239	Alcohol dependence with withdrawal, unspecified	Diagnosis	ICD-10-CM
F10.24	Alcohol dependence with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10.250	Alcohol dependence with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10.251	Alcohol dependence with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10.259	Alcohol dependence with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10.26	Alcohol dependence with alcohol-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F10.27	Alcohol dependence with alcohol-induced persisting dementia	Diagnosis	ICD-10-CM
F10.280	Alcohol dependence with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10.281	Alcohol dependence with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM
F10.282	Alcohol dependence with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10.288	Alcohol dependence with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.29	Alcohol dependence with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.920	Alcohol use, unspecified with intoxication, uncomplicated	Diagnosis	ICD-10-CM
F10.921	Alcohol use, unspecified with intoxication delirium	Diagnosis	ICD-10-CM
F10.929	Alcohol use, unspecified with intoxication, unspecified	Diagnosis	ICD-10-CM
F10.930	Alcohol use, unspecified with withdrawal, uncomplicated	Diagnosis	ICD-10-CM
F10.931	Alcohol use, unspecified with withdrawal delirium	Diagnosis	ICD-10-CM
F10.932	Alcohol use, unspecified with withdrawal with perceptual disturbance	Diagnosis	ICD-10-CM
F10.939	Alcohol use, unspecified with withdrawal, unspecified	Diagnosis	ICD-10-CM
F10.94	Alcohol use, unspecified with alcohol-induced mood disorder	Diagnosis	ICD-10-CM
F10.950	Alcohol use, unspecified with alcohol-induced psychotic disorder with delusions	Diagnosis	ICD-10-CM
F10.951	Alcohol use, unspecified with alcohol-induced psychotic disorder with hallucinations	Diagnosis	ICD-10-CM
F10.959	Alcohol use, unspecified with alcohol-induced psychotic disorder, unspecified	Diagnosis	ICD-10-CM
F10.96	Alcohol use, unspecified with alcohol-induced persisting amnesic disorder	Diagnosis	ICD-10-CM
F10.97	Alcohol use, unspecified with alcohol-induced persisting dementia	Diagnosis	ICD-10-CM
F10.980	Alcohol use, unspecified with alcohol-induced anxiety disorder	Diagnosis	ICD-10-CM
F10.981	Alcohol use, unspecified with alcohol-induced sexual dysfunction	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
F10.982	Alcohol use, unspecified with alcohol-induced sleep disorder	Diagnosis	ICD-10-CM
F10.988	Alcohol use, unspecified with other alcohol-induced disorder	Diagnosis	ICD-10-CM
F10.99	Alcohol use, unspecified with unspecified alcohol-induced disorder	Diagnosis	ICD-10-CM
G62.1	Alcoholic polyneuropathy	Diagnosis	ICD-10-CM
I42.6	Alcoholic cardiomyopathy	Diagnosis	ICD-10-CM
K29.20	Alcoholic gastritis without bleeding	Diagnosis	ICD-10-CM
K29.21	Alcoholic gastritis with bleeding	Diagnosis	ICD-10-CM
K70.0	Alcoholic fatty liver	Diagnosis	ICD-10-CM
K70.10	Alcoholic hepatitis without ascites	Diagnosis	ICD-10-CM
K70.11	Alcoholic hepatitis with ascites	Diagnosis	ICD-10-CM
K70.2	Alcoholic fibrosis and sclerosis of liver	Diagnosis	ICD-10-CM
K70.30	Alcoholic cirrhosis of liver without ascites	Diagnosis	ICD-10-CM
K70.31	Alcoholic cirrhosis of liver with ascites	Diagnosis	ICD-10-CM
K70.40	Alcoholic hepatic failure without coma	Diagnosis	ICD-10-CM
K70.41	Alcoholic hepatic failure with coma	Diagnosis	ICD-10-CM
K70.9	Alcoholic liver disease, unspecified	Diagnosis	ICD-10-CM
P04.3	Newborn affected by maternal use of alcohol	Diagnosis	ICD-10-CM
Q86.0	Fetal alcohol syndrome (dysmorphic)	Diagnosis	ICD-10-CM
T51.0X1A	Toxic effect of ethanol, accidental (unintentional), initial encounter	Diagnosis	ICD-10-CM
T51.0X2A	Toxic effect of ethanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.0X3A	Toxic effect of ethanol, assault, initial encounter	Diagnosis	ICD-10-CM
T51.0X4A	Toxic effect of ethanol, undetermined, initial encounter	Diagnosis	ICD-10-CM
Z71.41	Alcohol abuse counseling and surveillance of alcoholic	Diagnosis	ICD-10-CM
Z71.42	Counseling for family member of alcoholic	Diagnosis	ICD-10-CM
Anemia			
C94.6	Myelodysplastic disease, not elsewhere classified	Diagnosis	ICD-10-CM
D46.0	Refractory anemia without ring sideroblasts, so stated	Diagnosis	ICD-10-CM
D46.1	Refractory anemia with ring sideroblasts	Diagnosis	ICD-10-CM
D46.20	Refractory anemia with excess of blasts, unspecified	Diagnosis	ICD-10-CM
D46.21	Refractory anemia with excess of blasts 1	Diagnosis	ICD-10-CM
D46.22	Refractory anemia with excess of blasts 2	Diagnosis	ICD-10-CM
D46.4	Refractory anemia, unspecified	Diagnosis	ICD-10-CM
D46.9	Myelodysplastic syndrome, unspecified	Diagnosis	ICD-10-CM
D46.A	Refractory cytopenia with multilineage dysplasia	Diagnosis	ICD-10-CM
D46.B	Refractory cytopenia with multilineage dysplasia and ring sideroblasts	Diagnosis	ICD-10-CM
D46.C	Myelodysplastic syndrome with isolated del(5q) chromosomal abnormality	Diagnosis	ICD-10-CM
D46.Z	Other myelodysplastic syndromes	Diagnosis	ICD-10-CM
D47.4	Osteomyelofibrosis	Diagnosis	ICD-10-CM
D50.0	Iron deficiency anemia secondary to blood loss (chronic)	Diagnosis	ICD-10-CM
D50.1	Sideropenic dysphagia	Diagnosis	ICD-10-CM
D50.8	Other iron deficiency anemias	Diagnosis	ICD-10-CM
D50.9	Iron deficiency anemia, unspecified	Diagnosis	ICD-10-CM
D51.0	Vitamin B12 deficiency anemia due to intrinsic factor deficiency	Diagnosis	ICD-10-CM
D51.1	Vitamin B12 deficiency anemia due to selective vitamin B12 malabsorption with proteinuria	Diagnosis	ICD-10-CM
D51.2	Transcobalamin II deficiency	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
D51.3	Other dietary vitamin B12 deficiency anemia	Diagnosis	ICD-10-CM
D51.8	Other vitamin B12 deficiency anemias	Diagnosis	ICD-10-CM
D51.9	Vitamin B12 deficiency anemia, unspecified	Diagnosis	ICD-10-CM
D52.0	Dietary folate deficiency anemia	Diagnosis	ICD-10-CM
D52.1	Drug-induced folate deficiency anemia	Diagnosis	ICD-10-CM
D52.8	Other folate deficiency anemias	Diagnosis	ICD-10-CM
D52.9	Folate deficiency anemia, unspecified	Diagnosis	ICD-10-CM
D53.0	Protein deficiency anemia	Diagnosis	ICD-10-CM
D53.1	Other megaloblastic anemias, not elsewhere classified	Diagnosis	ICD-10-CM
D53.2	Scorbutic anemia	Diagnosis	ICD-10-CM
D53.8	Other specified nutritional anemias	Diagnosis	ICD-10-CM
D53.9	Nutritional anemia, unspecified	Diagnosis	ICD-10-CM
D55.0	Anemia due to glucose-6-phosphate dehydrogenase [G6PD] deficiency	Diagnosis	ICD-10-CM
D55.1	Anemia due to other disorders of glutathione metabolism	Diagnosis	ICD-10-CM
D55.2	Anemia due to disorders of glycolytic enzymes	Diagnosis	ICD-10-CM
D55.21	Anemia due to pyruvate kinase deficiency	Diagnosis	ICD-10-CM
D55.29	Anemia due to other disorders of glycolytic enzymes	Diagnosis	ICD-10-CM
D55.3	Anemia due to disorders of nucleotide metabolism	Diagnosis	ICD-10-CM
D55.8	Other anemias due to enzyme disorders	Diagnosis	ICD-10-CM
D55.9	Anemia due to enzyme disorder, unspecified	Diagnosis	ICD-10-CM
D56.0	Alpha thalassemia	Diagnosis	ICD-10-CM
D56.1	Beta thalassemia	Diagnosis	ICD-10-CM
D56.2	Delta-beta thalassemia	Diagnosis	ICD-10-CM
D56.3	Thalassemia minor	Diagnosis	ICD-10-CM
D56.4	Hereditary persistence of fetal hemoglobin [HPFH]	Diagnosis	ICD-10-CM
D56.5	Hemoglobin E-beta thalassemia	Diagnosis	ICD-10-CM
D56.8	Other thalassemias	Diagnosis	ICD-10-CM
D56.9	Thalassemia, unspecified	Diagnosis	ICD-10-CM
D57.00	Hb-SS disease with crisis, unspecified	Diagnosis	ICD-10-CM
D57.01	Hb-SS disease with acute chest syndrome	Diagnosis	ICD-10-CM
D57.02	Hb-SS disease with splenic sequestration	Diagnosis	ICD-10-CM
D57.03	Hb-SS disease with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.09	Hb-SS disease with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.1	Sickle-cell disease without crisis	Diagnosis	ICD-10-CM
D57.20	Sickle-cell/Hb-C disease without crisis	Diagnosis	ICD-10-CM
D57.211	Sickle-cell/Hb-C disease with acute chest syndrome	Diagnosis	ICD-10-CM
D57.212	Sickle-cell/Hb-C disease with splenic sequestration	Diagnosis	ICD-10-CM
D57.213	Sickle-cell/Hb-C disease with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.218	Sickle-cell/Hb-C disease with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.219	Sickle-cell/Hb-C disease with crisis, unspecified	Diagnosis	ICD-10-CM
D57.3	Sickle-cell trait	Diagnosis	ICD-10-CM
D57.40	Sickle-cell thalassemia without crisis	Diagnosis	ICD-10-CM
D57.411	Sickle-cell thalassemia, unspecified, with acute chest syndrome	Diagnosis	ICD-10-CM
D57.412	Sickle-cell thalassemia, unspecified, with splenic sequestration	Diagnosis	ICD-10-CM
D57.413	Sickle-cell thalassemia, unspecified, with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.418	Sickle-cell thalassemia, unspecified, with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.419	Sickle-cell thalassemia, unspecified, with crisis	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
D57.42	Sickle-cell thalassemia beta zero without crisis	Diagnosis	ICD-10-CM
D57.431	Sickle-cell thalassemia beta zero with acute chest syndrome	Diagnosis	ICD-10-CM
D57.432	Sickle-cell thalassemia beta zero with splenic sequestration	Diagnosis	ICD-10-CM
D57.433	Sickle-cell thalassemia beta zero with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.438	Sickle-cell thalassemia beta zero with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.439	Sickle-cell thalassemia beta zero with crisis, unspecified	Diagnosis	ICD-10-CM
D57.44	Sickle-cell thalassemia beta plus without crisis	Diagnosis	ICD-10-CM
D57.451	Sickle-cell thalassemia beta plus with acute chest syndrome	Diagnosis	ICD-10-CM
D57.452	Sickle-cell thalassemia beta plus with splenic sequestration	Diagnosis	ICD-10-CM
D57.453	Sickle-cell thalassemia beta plus with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.458	Sickle-cell thalassemia beta plus with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.459	Sickle-cell thalassemia beta plus with crisis, unspecified	Diagnosis	ICD-10-CM
D57.80	Other sickle-cell disorders without crisis	Diagnosis	ICD-10-CM
D57.811	Other sickle-cell disorders with acute chest syndrome	Diagnosis	ICD-10-CM
D57.812	Other sickle-cell disorders with splenic sequestration	Diagnosis	ICD-10-CM
D57.813	Other sickle-cell disorders with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.818	Other sickle-cell disorders with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.819	Other sickle-cell disorders with crisis, unspecified	Diagnosis	ICD-10-CM
D58.0	Hereditary spherocytosis	Diagnosis	ICD-10-CM
D58.1	Hereditary elliptocytosis	Diagnosis	ICD-10-CM
D58.2	Other hemoglobinopathies	Diagnosis	ICD-10-CM
D58.8	Other specified hereditary hemolytic anemias	Diagnosis	ICD-10-CM
D58.9	Hereditary hemolytic anemia, unspecified	Diagnosis	ICD-10-CM
D59.0	Drug-induced autoimmune hemolytic anemia	Diagnosis	ICD-10-CM
D59.1	Other autoimmune hemolytic anemias	Diagnosis	ICD-10-CM
D59.10	Autoimmune hemolytic anemia, unspecified	Diagnosis	ICD-10-CM
D59.11	Warm autoimmune hemolytic anemia	Diagnosis	ICD-10-CM
D59.12	Cold autoimmune hemolytic anemia	Diagnosis	ICD-10-CM
D59.13	Mixed type autoimmune hemolytic anemia	Diagnosis	ICD-10-CM
D59.19	Other autoimmune hemolytic anemia	Diagnosis	ICD-10-CM
D59.2	Drug-induced nonautoimmune hemolytic anemia	Diagnosis	ICD-10-CM
D59.3	Hemolytic-uremic syndrome	Diagnosis	ICD-10-CM
D59.30	Hemolytic-uremic syndrome, unspecified	Diagnosis	ICD-10-CM
D59.31	Infection-associated hemolytic-uremic syndrome	Diagnosis	ICD-10-CM
D59.32	Hereditary hemolytic-uremic syndrome	Diagnosis	ICD-10-CM
D59.39	Other hemolytic-uremic syndrome	Diagnosis	ICD-10-CM
D59.4	Other nonautoimmune hemolytic anemias	Diagnosis	ICD-10-CM
D59.5	Paroxysmal nocturnal hemoglobinuria [Marchiafava-Micheli]	Diagnosis	ICD-10-CM
D59.6	Hemoglobinuria due to hemolysis from other external causes	Diagnosis	ICD-10-CM
D59.8	Other acquired hemolytic anemias	Diagnosis	ICD-10-CM
D59.9	Acquired hemolytic anemia, unspecified	Diagnosis	ICD-10-CM
D60.0	Chronic acquired pure red cell aplasia	Diagnosis	ICD-10-CM
D60.1	Transient acquired pure red cell aplasia	Diagnosis	ICD-10-CM
D60.8	Other acquired pure red cell aplasias	Diagnosis	ICD-10-CM
D60.9	Acquired pure red cell aplasia, unspecified	Diagnosis	ICD-10-CM
D61.01	Constitutional (pure) red blood cell aplasia	Diagnosis	ICD-10-CM
D61.09	Other constitutional aplastic anemia	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
D61.1	Drug-induced aplastic anemia	Diagnosis	ICD-10-CM
D61.2	Aplastic anemia due to other external agents	Diagnosis	ICD-10-CM
D61.3	Idiopathic aplastic anemia	Diagnosis	ICD-10-CM
D61.810	Antineoplastic chemotherapy induced pancytopenia	Diagnosis	ICD-10-CM
D61.811	Other drug-induced pancytopenia	Diagnosis	ICD-10-CM
D61.818	Other pancytopenia	Diagnosis	ICD-10-CM
D61.82	Myelophthisis	Diagnosis	ICD-10-CM
D61.89	Other specified aplastic anemias and other bone marrow failure syndromes	Diagnosis	ICD-10-CM
D61.9	Aplastic anemia, unspecified	Diagnosis	ICD-10-CM
D63.0	Anemia in neoplastic disease	Diagnosis	ICD-10-CM
D63.1	Anemia in chronic kidney disease	Diagnosis	ICD-10-CM
D63.8	Anemia in other chronic diseases classified elsewhere	Diagnosis	ICD-10-CM
D64.0	Hereditary sideroblastic anemia	Diagnosis	ICD-10-CM
D64.1	Secondary sideroblastic anemia due to disease	Diagnosis	ICD-10-CM
D64.2	Secondary sideroblastic anemia due to drugs and toxins	Diagnosis	ICD-10-CM
D64.3	Other sideroblastic anemias	Diagnosis	ICD-10-CM
D64.4	Congenital dyserythropoietic anemia	Diagnosis	ICD-10-CM
D64.81	Anemia due to antineoplastic chemotherapy	Diagnosis	ICD-10-CM
D64.89	Other specified anemias	Diagnosis	ICD-10-CM
D64.9	Anemia, unspecified	Diagnosis	ICD-10-CM
D75.81	Myelofibrosis	Diagnosis	ICD-10-CM
Sickle Cell Disease			
D57.00	Hb-SS disease with crisis, unspecified	Diagnosis	ICD-10-CM
D57.01	Hb-SS disease with acute chest syndrome	Diagnosis	ICD-10-CM
D57.02	Hb-SS disease with splenic sequestration	Diagnosis	ICD-10-CM
D57.03	Hb-SS disease with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.09	Hb-SS disease with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.1	Sickle-cell disease without crisis	Diagnosis	ICD-10-CM
D57.20	Sickle-cell/Hb-C disease without crisis	Diagnosis	ICD-10-CM
D57.211	Sickle-cell/Hb-C disease with acute chest syndrome	Diagnosis	ICD-10-CM
D57.212	Sickle-cell/Hb-C disease with splenic sequestration	Diagnosis	ICD-10-CM
D57.213	Sickle-cell/Hb-C disease with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.218	Sickle-cell/Hb-C disease with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.219	Sickle-cell/Hb-C disease with crisis, unspecified	Diagnosis	ICD-10-CM
D57.40	Sickle-cell thalassemia without crisis	Diagnosis	ICD-10-CM
D57.411	Sickle-cell thalassemia, unspecified, with acute chest syndrome	Diagnosis	ICD-10-CM
D57.412	Sickle-cell thalassemia, unspecified, with splenic sequestration	Diagnosis	ICD-10-CM
D57.413	Sickle-cell thalassemia, unspecified, with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.418	Sickle-cell thalassemia, unspecified, with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.419	Sickle-cell thalassemia, unspecified, with crisis	Diagnosis	ICD-10-CM
D57.42	Sickle-cell thalassemia beta zero without crisis	Diagnosis	ICD-10-CM
D57.431	Sickle-cell thalassemia beta zero with acute chest syndrome	Diagnosis	ICD-10-CM
D57.432	Sickle-cell thalassemia beta zero with splenic sequestration	Diagnosis	ICD-10-CM
D57.433	Sickle-cell thalassemia beta zero with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.438	Sickle-cell thalassemia beta zero with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.439	Sickle-cell thalassemia beta zero with crisis, unspecified	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
D57.44	Sickle-cell thalassemia beta plus without crisis	Diagnosis	ICD-10-CM
D57.451	Sickle-cell thalassemia beta plus with acute chest syndrome	Diagnosis	ICD-10-CM
D57.452	Sickle-cell thalassemia beta plus with splenic sequestration	Diagnosis	ICD-10-CM
D57.453	Sickle-cell thalassemia beta plus with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.458	Sickle-cell thalassemia beta plus with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.459	Sickle-cell thalassemia beta plus with crisis, unspecified	Diagnosis	ICD-10-CM
D57.80	Other sickle-cell disorders without crisis	Diagnosis	ICD-10-CM
D57.811	Other sickle-cell disorders with acute chest syndrome	Diagnosis	ICD-10-CM
D57.812	Other sickle-cell disorders with splenic sequestration	Diagnosis	ICD-10-CM
D57.813	Other sickle-cell disorders with cerebral vascular involvement	Diagnosis	ICD-10-CM
D57.818	Other sickle-cell disorders with crisis with other specified complication	Diagnosis	ICD-10-CM
D57.819	Other sickle-cell disorders with crisis, unspecified	Diagnosis	ICD-10-CM
Liver Disease, Cirrhosis, and Other Liver Conditions			
K70.0	Alcoholic fatty liver	Diagnosis	ICD-10-CM
K70.10	Alcoholic hepatitis without ascites	Diagnosis	ICD-10-CM
K70.11	Alcoholic hepatitis with ascites	Diagnosis	ICD-10-CM
K70.2	Alcoholic fibrosis and sclerosis of liver	Diagnosis	ICD-10-CM
K70.30	Alcoholic cirrhosis of liver without ascites	Diagnosis	ICD-10-CM
K70.31	Alcoholic cirrhosis of liver with ascites	Diagnosis	ICD-10-CM
K70.40	Alcoholic hepatic failure without coma	Diagnosis	ICD-10-CM
K70.41	Alcoholic hepatic failure with coma	Diagnosis	ICD-10-CM
K70.9	Alcoholic liver disease, unspecified	Diagnosis	ICD-10-CM
K71.0	Toxic liver disease with cholestasis	Diagnosis	ICD-10-CM
K71.11	Toxic liver disease with hepatic necrosis, with coma	Diagnosis	ICD-10-CM
K71.7	Toxic liver disease with fibrosis and cirrhosis of liver	Diagnosis	ICD-10-CM
K71.8	Toxic liver disease with other disorders of liver	Diagnosis	ICD-10-CM
K71.9	Toxic liver disease, unspecified	Diagnosis	ICD-10-CM
K72.00	Acute and subacute hepatic failure without coma	Diagnosis	ICD-10-CM
K72.01	Acute and subacute hepatic failure with coma	Diagnosis	ICD-10-CM
K72.10	Chronic hepatic failure without coma	Diagnosis	ICD-10-CM
K72.11	Chronic hepatic failure with coma	Diagnosis	ICD-10-CM
K72.90	Hepatic failure, unspecified without coma	Diagnosis	ICD-10-CM
K72.91	Hepatic failure, unspecified with coma	Diagnosis	ICD-10-CM
K74.0	Hepatic fibrosis	Diagnosis	ICD-10-CM
K74.00	Hepatic fibrosis, unspecified	Diagnosis	ICD-10-CM
K74.01	Hepatic fibrosis, early fibrosis	Diagnosis	ICD-10-CM
K74.02	Hepatic fibrosis, advanced fibrosis	Diagnosis	ICD-10-CM
K74.1	Hepatic sclerosis	Diagnosis	ICD-10-CM
K74.2	Hepatic fibrosis with hepatic sclerosis	Diagnosis	ICD-10-CM
K74.3	Primary biliary cirrhosis	Diagnosis	ICD-10-CM
K74.4	Secondary biliary cirrhosis	Diagnosis	ICD-10-CM
K74.5	Biliary cirrhosis, unspecified	Diagnosis	ICD-10-CM
K74.60	Unspecified cirrhosis of liver	Diagnosis	ICD-10-CM
K74.69	Other cirrhosis of liver	Diagnosis	ICD-10-CM
K75.0	Abscess of liver	Diagnosis	ICD-10-CM
K75.1	Phlebitis of portal vein	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
K75.81	Nonalcoholic steatohepatitis (NASH)	Diagnosis	ICD-10-CM
K75.89	Other specified inflammatory liver diseases	Diagnosis	ICD-10-CM
K75.9	Inflammatory liver disease, unspecified	Diagnosis	ICD-10-CM
K76.0	Fatty (change of) liver, not elsewhere classified	Diagnosis	ICD-10-CM
K76.1	Chronic passive congestion of liver	Diagnosis	ICD-10-CM
K76.2	Central hemorrhagic necrosis of liver	Diagnosis	ICD-10-CM
K76.3	Infarction of liver	Diagnosis	ICD-10-CM
K76.5	Hepatic veno-occlusive disease	Diagnosis	ICD-10-CM
K76.6	Portal hypertension	Diagnosis	ICD-10-CM
K76.7	Hepatorenal syndrome	Diagnosis	ICD-10-CM
K76.81	Hepatopulmonary syndrome	Diagnosis	ICD-10-CM
K76.82	Hepatic encephalopathy	Diagnosis	ICD-10-CM
K76.89	Other specified diseases of liver	Diagnosis	ICD-10-CM
K76.9	Liver disease, unspecified	Diagnosis	ICD-10-CM
K77	Liver disorders in diseases classified elsewhere	Diagnosis	ICD-10-CM
K80.30	Calculus of bile duct with cholangitis, unspecified, without obstruction	Diagnosis	ICD-10-CM
K80.31	Calculus of bile duct with cholangitis, unspecified, with obstruction	Diagnosis	ICD-10-CM
K80.32	Calculus of bile duct with acute cholangitis without obstruction	Diagnosis	ICD-10-CM
K80.33	Calculus of bile duct with acute cholangitis with obstruction	Diagnosis	ICD-10-CM
K80.34	Calculus of bile duct with chronic cholangitis without obstruction	Diagnosis	ICD-10-CM
K80.35	Calculus of bile duct with chronic cholangitis with obstruction	Diagnosis	ICD-10-CM
K80.36	Calculus of bile duct with acute and chronic cholangitis without obstruction	Diagnosis	ICD-10-CM
K80.37	Calculus of bile duct with acute and chronic cholangitis with obstruction	Diagnosis	ICD-10-CM
K83.0	Cholangitis	Diagnosis	ICD-10-CM
R16.0	Hepatomegaly, not elsewhere classified	Diagnosis	ICD-10-CM
R16.2	Hepatomegaly with splenomegaly, not elsewhere classified	Diagnosis	ICD-10-CM
Z48.23	Encounter for aftercare following liver transplant	Diagnosis	ICD-10-CM
Z94.4	Liver transplant status	Diagnosis	ICD-10-CM
Cataract			
E08.36	Diabetes mellitus due to underlying condition with diabetic cataract	Diagnosis	ICD-10-CM
E09.36	Drug or chemical induced diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E10.36	Type 1 diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E11.36	Type 2 diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
E13.36	Other specified diabetes mellitus with diabetic cataract	Diagnosis	ICD-10-CM
H25.011	Cortical age-related cataract, right eye	Diagnosis	ICD-10-CM
H25.012	Cortical age-related cataract, left eye	Diagnosis	ICD-10-CM
H25.013	Cortical age-related cataract, bilateral	Diagnosis	ICD-10-CM
H25.019	Cortical age-related cataract, unspecified eye	Diagnosis	ICD-10-CM
H25.031	Anterior subcapsular polar age-related cataract, right eye	Diagnosis	ICD-10-CM
H25.032	Anterior subcapsular polar age-related cataract, left eye	Diagnosis	ICD-10-CM
H25.033	Anterior subcapsular polar age-related cataract, bilateral	Diagnosis	ICD-10-CM
H25.039	Anterior subcapsular polar age-related cataract, unspecified eye	Diagnosis	ICD-10-CM
H25.041	Posterior subcapsular polar age-related cataract, right eye	Diagnosis	ICD-10-CM
H25.042	Posterior subcapsular polar age-related cataract, left eye	Diagnosis	ICD-10-CM
H25.043	Posterior subcapsular polar age-related cataract, bilateral	Diagnosis	ICD-10-CM
H25.049	Posterior subcapsular polar age-related cataract, unspecified eye	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
H25.091	Other age-related incipient cataract, right eye	Diagnosis	ICD-10-CM
H25.092	Other age-related incipient cataract, left eye	Diagnosis	ICD-10-CM
H25.093	Other age-related incipient cataract, bilateral	Diagnosis	ICD-10-CM
H25.099	Other age-related incipient cataract, unspecified eye	Diagnosis	ICD-10-CM
H25.10	Age-related nuclear cataract, unspecified eye	Diagnosis	ICD-10-CM
H25.11	Age-related nuclear cataract, right eye	Diagnosis	ICD-10-CM
H25.12	Age-related nuclear cataract, left eye	Diagnosis	ICD-10-CM
H25.13	Age-related nuclear cataract, bilateral	Diagnosis	ICD-10-CM
H25.20	Age-related cataract, morgagnian type, unspecified eye	Diagnosis	ICD-10-CM
H25.21	Age-related cataract, morgagnian type, right eye	Diagnosis	ICD-10-CM
H25.22	Age-related cataract, morgagnian type, left eye	Diagnosis	ICD-10-CM
H25.23	Age-related cataract, morgagnian type, bilateral	Diagnosis	ICD-10-CM
H25.811	Combined forms of age-related cataract, right eye	Diagnosis	ICD-10-CM
H25.812	Combined forms of age-related cataract, left eye	Diagnosis	ICD-10-CM
H25.813	Combined forms of age-related cataract, bilateral	Diagnosis	ICD-10-CM
H25.819	Combined forms of age-related cataract, unspecified eye	Diagnosis	ICD-10-CM
H25.89	Other age-related cataract	Diagnosis	ICD-10-CM
H25.9	Unspecified age-related cataract	Diagnosis	ICD-10-CM
H26.001	Unspecified infantile and juvenile cataract, right eye	Diagnosis	ICD-10-CM
H26.002	Unspecified infantile and juvenile cataract, left eye	Diagnosis	ICD-10-CM
H26.003	Unspecified infantile and juvenile cataract, bilateral	Diagnosis	ICD-10-CM
H26.009	Unspecified infantile and juvenile cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.011	Infantile and juvenile cortical, lamellar, or zonular cataract, right eye	Diagnosis	ICD-10-CM
H26.012	Infantile and juvenile cortical, lamellar, or zonular cataract, left eye	Diagnosis	ICD-10-CM
H26.013	Infantile and juvenile cortical, lamellar, or zonular cataract, bilateral	Diagnosis	ICD-10-CM
H26.019	Infantile and juvenile cortical, lamellar, or zonular cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.031	Infantile and juvenile nuclear cataract, right eye	Diagnosis	ICD-10-CM
H26.032	Infantile and juvenile nuclear cataract, left eye	Diagnosis	ICD-10-CM
H26.033	Infantile and juvenile nuclear cataract, bilateral	Diagnosis	ICD-10-CM
H26.039	Infantile and juvenile nuclear cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.041	Anterior subcapsular polar infantile and juvenile cataract, right eye	Diagnosis	ICD-10-CM
H26.042	Anterior subcapsular polar infantile and juvenile cataract, left eye	Diagnosis	ICD-10-CM
H26.043	Anterior subcapsular polar infantile and juvenile cataract, bilateral	Diagnosis	ICD-10-CM
H26.049	Anterior subcapsular polar infantile and juvenile cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.051	Posterior subcapsular polar infantile and juvenile cataract, right eye	Diagnosis	ICD-10-CM
H26.052	Posterior subcapsular polar infantile and juvenile cataract, left eye	Diagnosis	ICD-10-CM
H26.053	Posterior subcapsular polar infantile and juvenile cataract, bilateral	Diagnosis	ICD-10-CM
H26.059	Posterior subcapsular polar infantile and juvenile cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.061	Combined forms of infantile and juvenile cataract, right eye	Diagnosis	ICD-10-CM
H26.062	Combined forms of infantile and juvenile cataract, left eye	Diagnosis	ICD-10-CM
H26.063	Combined forms of infantile and juvenile cataract, bilateral	Diagnosis	ICD-10-CM
H26.069	Combined forms of infantile and juvenile cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.09	Other infantile and juvenile cataract	Diagnosis	ICD-10-CM
H26.101	Unspecified traumatic cataract, right eye	Diagnosis	ICD-10-CM
H26.102	Unspecified traumatic cataract, left eye	Diagnosis	ICD-10-CM
H26.103	Unspecified traumatic cataract, bilateral	Diagnosis	ICD-10-CM
H26.109	Unspecified traumatic cataract, unspecified eye	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
H26.111	Localized traumatic opacities, right eye	Diagnosis	ICD-10-CM
H26.112	Localized traumatic opacities, left eye	Diagnosis	ICD-10-CM
H26.113	Localized traumatic opacities, bilateral	Diagnosis	ICD-10-CM
H26.119	Localized traumatic opacities, unspecified eye	Diagnosis	ICD-10-CM
H26.121	Partially resolved traumatic cataract, right eye	Diagnosis	ICD-10-CM
H26.122	Partially resolved traumatic cataract, left eye	Diagnosis	ICD-10-CM
H26.123	Partially resolved traumatic cataract, bilateral	Diagnosis	ICD-10-CM
H26.129	Partially resolved traumatic cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.131	Total traumatic cataract, right eye	Diagnosis	ICD-10-CM
H26.132	Total traumatic cataract, left eye	Diagnosis	ICD-10-CM
H26.133	Total traumatic cataract, bilateral	Diagnosis	ICD-10-CM
H26.139	Total traumatic cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.20	Unspecified complicated cataract	Diagnosis	ICD-10-CM
H26.211	Cataract with neovascularization, right eye	Diagnosis	ICD-10-CM
H26.212	Cataract with neovascularization, left eye	Diagnosis	ICD-10-CM
H26.213	Cataract with neovascularization, bilateral	Diagnosis	ICD-10-CM
H26.219	Cataract with neovascularization, unspecified eye	Diagnosis	ICD-10-CM
H26.221	Cataract secondary to ocular disorders (degenerative) (inflammatory), right eye	Diagnosis	ICD-10-CM
H26.222	Cataract secondary to ocular disorders (degenerative) (inflammatory), left eye	Diagnosis	ICD-10-CM
H26.223	Cataract secondary to ocular disorders (degenerative) (inflammatory), bilateral	Diagnosis	ICD-10-CM
H26.229	Cataract secondary to ocular disorders (degenerative) (inflammatory), unspecified eye	Diagnosis	ICD-10-CM
H26.30	Drug-induced cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.31	Drug-induced cataract, right eye	Diagnosis	ICD-10-CM
H26.32	Drug-induced cataract, left eye	Diagnosis	ICD-10-CM
H26.33	Drug-induced cataract, bilateral	Diagnosis	ICD-10-CM
H26.40	Unspecified secondary cataract	Diagnosis	ICD-10-CM
H26.411	Soemmering's ring, right eye	Diagnosis	ICD-10-CM
H26.412	Soemmering's ring, left eye	Diagnosis	ICD-10-CM
H26.413	Soemmering's ring, bilateral	Diagnosis	ICD-10-CM
H26.419	Soemmering's ring, unspecified eye	Diagnosis	ICD-10-CM
H26.491	Other secondary cataract, right eye	Diagnosis	ICD-10-CM
H26.492	Other secondary cataract, left eye	Diagnosis	ICD-10-CM
H26.493	Other secondary cataract, bilateral	Diagnosis	ICD-10-CM
H26.499	Other secondary cataract, unspecified eye	Diagnosis	ICD-10-CM
H26.8	Other specified cataract	Diagnosis	ICD-10-CM
H26.9	Unspecified cataract	Diagnosis	ICD-10-CM
Q12.0	Congenital cataract	Diagnosis	ICD-10-CM
Glaucoma			
H40.011	Open angle with borderline findings, low risk, right eye	Diagnosis	ICD-10-CM
H40.012	Open angle with borderline findings, low risk, left eye	Diagnosis	ICD-10-CM
H40.013	Open angle with borderline findings, low risk, bilateral	Diagnosis	ICD-10-CM
H40.019	Open angle with borderline findings, low risk, unspecified eye	Diagnosis	ICD-10-CM
H40.021	Open angle with borderline findings, high risk, right eye	Diagnosis	ICD-10-CM
H40.022	Open angle with borderline findings, high risk, left eye	Diagnosis	ICD-10-CM
H40.023	Open angle with borderline findings, high risk, bilateral	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
H40.029	Open angle with borderline findings, high risk, unspecified eye	Diagnosis	ICD-10-CM
H40.041	Steroid responder, right eye	Diagnosis	ICD-10-CM
H40.042	Steroid responder, left eye	Diagnosis	ICD-10-CM
H40.043	Steroid responder, bilateral	Diagnosis	ICD-10-CM
H40.049	Steroid responder, unspecified eye	Diagnosis	ICD-10-CM
H40.051	Ocular hypertension, right eye	Diagnosis	ICD-10-CM
H40.052	Ocular hypertension, left eye	Diagnosis	ICD-10-CM
H40.053	Ocular hypertension, bilateral	Diagnosis	ICD-10-CM
H40.059	Ocular hypertension, unspecified eye	Diagnosis	ICD-10-CM
H40.10X0	Unspecified open-angle glaucoma, stage unspecified	Diagnosis	ICD-10-CM
H40.10X1	Unspecified open-angle glaucoma, mild stage	Diagnosis	ICD-10-CM
H40.10X2	Unspecified open-angle glaucoma, moderate stage	Diagnosis	ICD-10-CM
H40.10X3	Unspecified open-angle glaucoma, severe stage	Diagnosis	ICD-10-CM
H40.10X4	Unspecified open-angle glaucoma, indeterminate stage	Diagnosis	ICD-10-CM
H40.1110	Primary open-angle glaucoma, right eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1111	Primary open-angle glaucoma, right eye, mild stage	Diagnosis	ICD-10-CM
H40.1112	Primary open-angle glaucoma, right eye, moderate stage	Diagnosis	ICD-10-CM
H40.1113	Primary open-angle glaucoma, right eye, severe stage	Diagnosis	ICD-10-CM
H40.1114	Primary open-angle glaucoma, right eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1120	Primary open-angle glaucoma, left eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1121	Primary open-angle glaucoma, left eye, mild stage	Diagnosis	ICD-10-CM
H40.1122	Primary open-angle glaucoma, left eye, moderate stage	Diagnosis	ICD-10-CM
H40.1123	Primary open-angle glaucoma, left eye, severe stage	Diagnosis	ICD-10-CM
H40.1124	Primary open-angle glaucoma, left eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1130	Primary open-angle glaucoma, bilateral, stage unspecified	Diagnosis	ICD-10-CM
H40.1131	Primary open-angle glaucoma, bilateral, mild stage	Diagnosis	ICD-10-CM
H40.1132	Primary open-angle glaucoma, bilateral, moderate stage	Diagnosis	ICD-10-CM
H40.1133	Primary open-angle glaucoma, bilateral, severe stage	Diagnosis	ICD-10-CM
H40.1134	Primary open-angle glaucoma, bilateral, indeterminate stage	Diagnosis	ICD-10-CM
H40.1190	Primary open-angle glaucoma, unspecified eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1191	Primary open-angle glaucoma, unspecified eye, mild stage	Diagnosis	ICD-10-CM
H40.1192	Primary open-angle glaucoma, unspecified eye, moderate stage	Diagnosis	ICD-10-CM
H40.1193	Primary open-angle glaucoma, unspecified eye, severe stage	Diagnosis	ICD-10-CM
H40.1194	Primary open-angle glaucoma, unspecified eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.11X0	Primary open-angle glaucoma, stage unspecified	Diagnosis	ICD-10-CM
H40.11X1	Primary open-angle glaucoma, mild stage	Diagnosis	ICD-10-CM
H40.11X2	Primary open-angle glaucoma, moderate stage	Diagnosis	ICD-10-CM
H40.11X3	Primary open-angle glaucoma, severe stage	Diagnosis	ICD-10-CM
H40.11X4	Primary open-angle glaucoma, indeterminate stage	Diagnosis	ICD-10-CM
H40.1210	Low-tension glaucoma, right eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1211	Low-tension glaucoma, right eye, mild stage	Diagnosis	ICD-10-CM
H40.1212	Low-tension glaucoma, right eye, moderate stage	Diagnosis	ICD-10-CM
H40.1213	Low-tension glaucoma, right eye, severe stage	Diagnosis	ICD-10-CM
H40.1214	Low-tension glaucoma, right eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1220	Low-tension glaucoma, left eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1221	Low-tension glaucoma, left eye, mild stage	Diagnosis	ICD-10-CM
H40.1222	Low-tension glaucoma, left eye, moderate stage	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
H40.1223	Low-tension glaucoma, left eye, severe stage	Diagnosis	ICD-10-CM
H40.1224	Low-tension glaucoma, left eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1230	Low-tension glaucoma, bilateral, stage unspecified	Diagnosis	ICD-10-CM
H40.1231	Low-tension glaucoma, bilateral, mild stage	Diagnosis	ICD-10-CM
H40.1232	Low-tension glaucoma, bilateral, moderate stage	Diagnosis	ICD-10-CM
H40.1233	Low-tension glaucoma, bilateral, severe stage	Diagnosis	ICD-10-CM
H40.1234	Low-tension glaucoma, bilateral, indeterminate stage	Diagnosis	ICD-10-CM
H40.1290	Low-tension glaucoma, unspecified eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1291	Low-tension glaucoma, unspecified eye, mild stage	Diagnosis	ICD-10-CM
H40.1292	Low-tension glaucoma, unspecified eye, moderate stage	Diagnosis	ICD-10-CM
H40.1293	Low-tension glaucoma, unspecified eye, severe stage	Diagnosis	ICD-10-CM
H40.1294	Low-tension glaucoma, unspecified eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1310	Pigmentary glaucoma, right eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1311	Pigmentary glaucoma, right eye, mild stage	Diagnosis	ICD-10-CM
H40.1312	Pigmentary glaucoma, right eye, moderate stage	Diagnosis	ICD-10-CM
H40.1313	Pigmentary glaucoma, right eye, severe stage	Diagnosis	ICD-10-CM
H40.1314	Pigmentary glaucoma, right eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1320	Pigmentary glaucoma, left eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1321	Pigmentary glaucoma, left eye, mild stage	Diagnosis	ICD-10-CM
H40.1322	Pigmentary glaucoma, left eye, moderate stage	Diagnosis	ICD-10-CM
H40.1323	Pigmentary glaucoma, left eye, severe stage	Diagnosis	ICD-10-CM
H40.1324	Pigmentary glaucoma, left eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1330	Pigmentary glaucoma, bilateral, stage unspecified	Diagnosis	ICD-10-CM
H40.1331	Pigmentary glaucoma, bilateral, mild stage	Diagnosis	ICD-10-CM
H40.1332	Pigmentary glaucoma, bilateral, moderate stage	Diagnosis	ICD-10-CM
H40.1333	Pigmentary glaucoma, bilateral, severe stage	Diagnosis	ICD-10-CM
H40.1334	Pigmentary glaucoma, bilateral, indeterminate stage	Diagnosis	ICD-10-CM
H40.1390	Pigmentary glaucoma, unspecified eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1391	Pigmentary glaucoma, unspecified eye, mild stage	Diagnosis	ICD-10-CM
H40.1392	Pigmentary glaucoma, unspecified eye, moderate stage	Diagnosis	ICD-10-CM
H40.1393	Pigmentary glaucoma, unspecified eye, severe stage	Diagnosis	ICD-10-CM
H40.1394	Pigmentary glaucoma, unspecified eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1410	Capsular glaucoma with pseudoexfoliation of lens, right eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1411	Capsular glaucoma with pseudoexfoliation of lens, right eye, mild stage	Diagnosis	ICD-10-CM
H40.1412	Capsular glaucoma with pseudoexfoliation of lens, right eye, moderate stage	Diagnosis	ICD-10-CM
H40.1413	Capsular glaucoma with pseudoexfoliation of lens, right eye, severe stage	Diagnosis	ICD-10-CM
H40.1414	Capsular glaucoma with pseudoexfoliation of lens, right eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1420	Capsular glaucoma with pseudoexfoliation of lens, left eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1421	Capsular glaucoma with pseudoexfoliation of lens, left eye, mild stage	Diagnosis	ICD-10-CM
H40.1422	Capsular glaucoma with pseudoexfoliation of lens, left eye, moderate stage	Diagnosis	ICD-10-CM
H40.1423	Capsular glaucoma with pseudoexfoliation of lens, left eye, severe stage	Diagnosis	ICD-10-CM
H40.1424	Capsular glaucoma with pseudoexfoliation of lens, left eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.1430	Capsular glaucoma with pseudoexfoliation of lens, bilateral, stage unspecified	Diagnosis	ICD-10-CM
H40.1431	Capsular glaucoma with pseudoexfoliation of lens, bilateral, mild stage	Diagnosis	ICD-10-CM
H40.1432	Capsular glaucoma with pseudoexfoliation of lens, bilateral, moderate stage	Diagnosis	ICD-10-CM
H40.1433	Capsular glaucoma with pseudoexfoliation of lens, bilateral, severe stage	Diagnosis	ICD-10-CM
H40.1434	Capsular glaucoma with pseudoexfoliation of lens, bilateral, indeterminate stage	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
H40.1490	Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, stage unspecified	Diagnosis	ICD-10-CM
H40.1491	Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, mild stage	Diagnosis	ICD-10-CM
H40.1492	Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, moderate stage	Diagnosis	ICD-10-CM
H40.1493	Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, severe stage	Diagnosis	ICD-10-CM
H40.1494	Capsular glaucoma with pseudoexfoliation of lens, unspecified eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.151	Residual stage of open-angle glaucoma, right eye	Diagnosis	ICD-10-CM
H40.152	Residual stage of open-angle glaucoma, left eye	Diagnosis	ICD-10-CM
H40.153	Residual stage of open-angle glaucoma, bilateral	Diagnosis	ICD-10-CM
H40.159	Residual stage of open-angle glaucoma, unspecified eye	Diagnosis	ICD-10-CM
H40.20X0	Unspecified primary angle-closure glaucoma, stage unspecified	Diagnosis	ICD-10-CM
H40.20X1	Unspecified primary angle-closure glaucoma, mild stage	Diagnosis	ICD-10-CM
H40.20X2	Unspecified primary angle-closure glaucoma, moderate stage	Diagnosis	ICD-10-CM
H40.20X3	Unspecified primary angle-closure glaucoma, severe stage	Diagnosis	ICD-10-CM
H40.20X4	Unspecified primary angle-closure glaucoma, indeterminate stage	Diagnosis	ICD-10-CM
H40.211	Acute angle-closure glaucoma, right eye	Diagnosis	ICD-10-CM
H40.212	Acute angle-closure glaucoma, left eye	Diagnosis	ICD-10-CM
H40.213	Acute angle-closure glaucoma, bilateral	Diagnosis	ICD-10-CM
H40.219	Acute angle-closure glaucoma, unspecified eye	Diagnosis	ICD-10-CM
H40.2210	Chronic angle-closure glaucoma, right eye, stage unspecified	Diagnosis	ICD-10-CM
H40.2211	Chronic angle-closure glaucoma, right eye, mild stage	Diagnosis	ICD-10-CM
H40.2212	Chronic angle-closure glaucoma, right eye, moderate stage	Diagnosis	ICD-10-CM
H40.2213	Chronic angle-closure glaucoma, right eye, severe stage	Diagnosis	ICD-10-CM
H40.2214	Chronic angle-closure glaucoma, right eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.2220	Chronic angle-closure glaucoma, left eye, stage unspecified	Diagnosis	ICD-10-CM
H40.2221	Chronic angle-closure glaucoma, left eye, mild stage	Diagnosis	ICD-10-CM
H40.2222	Chronic angle-closure glaucoma, left eye, moderate stage	Diagnosis	ICD-10-CM
H40.2223	Chronic angle-closure glaucoma, left eye, severe stage	Diagnosis	ICD-10-CM
H40.2224	Chronic angle-closure glaucoma, left eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.2230	Chronic angle-closure glaucoma, bilateral, stage unspecified	Diagnosis	ICD-10-CM
H40.2231	Chronic angle-closure glaucoma, bilateral, mild stage	Diagnosis	ICD-10-CM
H40.2232	Chronic angle-closure glaucoma, bilateral, moderate stage	Diagnosis	ICD-10-CM
H40.2233	Chronic angle-closure glaucoma, bilateral, severe stage	Diagnosis	ICD-10-CM
H40.2234	Chronic angle-closure glaucoma, bilateral, indeterminate stage	Diagnosis	ICD-10-CM
H40.2290	Chronic angle-closure glaucoma, unspecified eye, stage unspecified	Diagnosis	ICD-10-CM
H40.2291	Chronic angle-closure glaucoma, unspecified eye, mild stage	Diagnosis	ICD-10-CM
H40.2292	Chronic angle-closure glaucoma, unspecified eye, moderate stage	Diagnosis	ICD-10-CM
H40.2293	Chronic angle-closure glaucoma, unspecified eye, severe stage	Diagnosis	ICD-10-CM
H40.2294	Chronic angle-closure glaucoma, unspecified eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.231	Intermittent angle-closure glaucoma, right eye	Diagnosis	ICD-10-CM
H40.232	Intermittent angle-closure glaucoma, left eye	Diagnosis	ICD-10-CM
H40.233	Intermittent angle-closure glaucoma, bilateral	Diagnosis	ICD-10-CM
H40.239	Intermittent angle-closure glaucoma, unspecified eye	Diagnosis	ICD-10-CM
H40.241	Residual stage of angle-closure glaucoma, right eye	Diagnosis	ICD-10-CM
H40.242	Residual stage of angle-closure glaucoma, left eye	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
H40.243	Residual stage of angle-closure glaucoma, bilateral	Diagnosis	ICD-10-CM
H40.249	Residual stage of angle-closure glaucoma, unspecified eye	Diagnosis	ICD-10-CM
H40.30X0	Glaucoma secondary to eye trauma, unspecified eye, stage unspecified	Diagnosis	ICD-10-CM
H40.30X1	Glaucoma secondary to eye trauma, unspecified eye, mild stage	Diagnosis	ICD-10-CM
H40.30X2	Glaucoma secondary to eye trauma, unspecified eye, moderate stage	Diagnosis	ICD-10-CM
H40.30X3	Glaucoma secondary to eye trauma, unspecified eye, severe stage	Diagnosis	ICD-10-CM
H40.30X4	Glaucoma secondary to eye trauma, unspecified eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.31X0	Glaucoma secondary to eye trauma, right eye, stage unspecified	Diagnosis	ICD-10-CM
H40.31X1	Glaucoma secondary to eye trauma, right eye, mild stage	Diagnosis	ICD-10-CM
H40.31X2	Glaucoma secondary to eye trauma, right eye, moderate stage	Diagnosis	ICD-10-CM
H40.31X3	Glaucoma secondary to eye trauma, right eye, severe stage	Diagnosis	ICD-10-CM
H40.31X4	Glaucoma secondary to eye trauma, right eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.32X0	Glaucoma secondary to eye trauma, left eye, stage unspecified	Diagnosis	ICD-10-CM
H40.32X1	Glaucoma secondary to eye trauma, left eye, mild stage	Diagnosis	ICD-10-CM
H40.32X2	Glaucoma secondary to eye trauma, left eye, moderate stage	Diagnosis	ICD-10-CM
H40.32X3	Glaucoma secondary to eye trauma, left eye, severe stage	Diagnosis	ICD-10-CM
H40.32X4	Glaucoma secondary to eye trauma, left eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.33X0	Glaucoma secondary to eye trauma, bilateral, stage unspecified	Diagnosis	ICD-10-CM
H40.33X1	Glaucoma secondary to eye trauma, bilateral, mild stage	Diagnosis	ICD-10-CM
H40.33X2	Glaucoma secondary to eye trauma, bilateral, moderate stage	Diagnosis	ICD-10-CM
H40.33X3	Glaucoma secondary to eye trauma, bilateral, severe stage	Diagnosis	ICD-10-CM
H40.33X4	Glaucoma secondary to eye trauma, bilateral, indeterminate stage	Diagnosis	ICD-10-CM
H40.40X0	Glaucoma secondary to eye inflammation, unspecified eye, stage unspecified	Diagnosis	ICD-10-CM
H40.40X1	Glaucoma secondary to eye inflammation, unspecified eye, mild stage	Diagnosis	ICD-10-CM
H40.40X2	Glaucoma secondary to eye inflammation, unspecified eye, moderate stage	Diagnosis	ICD-10-CM
H40.40X3	Glaucoma secondary to eye inflammation, unspecified eye, severe stage	Diagnosis	ICD-10-CM
H40.40X4	Glaucoma secondary to eye inflammation, unspecified eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.41X0	Glaucoma secondary to eye inflammation, right eye, stage unspecified	Diagnosis	ICD-10-CM
H40.41X1	Glaucoma secondary to eye inflammation, right eye, mild stage	Diagnosis	ICD-10-CM
H40.41X2	Glaucoma secondary to eye inflammation, right eye, moderate stage	Diagnosis	ICD-10-CM
H40.41X3	Glaucoma secondary to eye inflammation, right eye, severe stage	Diagnosis	ICD-10-CM
H40.41X4	Glaucoma secondary to eye inflammation, right eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.42X0	Glaucoma secondary to eye inflammation, left eye, stage unspecified	Diagnosis	ICD-10-CM
H40.42X1	Glaucoma secondary to eye inflammation, left eye, mild stage	Diagnosis	ICD-10-CM
H40.42X2	Glaucoma secondary to eye inflammation, left eye, moderate stage	Diagnosis	ICD-10-CM
H40.42X3	Glaucoma secondary to eye inflammation, left eye, severe stage	Diagnosis	ICD-10-CM
H40.42X4	Glaucoma secondary to eye inflammation, left eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.43X0	Glaucoma secondary to eye inflammation, bilateral, stage unspecified	Diagnosis	ICD-10-CM
H40.43X1	Glaucoma secondary to eye inflammation, bilateral, mild stage	Diagnosis	ICD-10-CM
H40.43X2	Glaucoma secondary to eye inflammation, bilateral, moderate stage	Diagnosis	ICD-10-CM
H40.43X3	Glaucoma secondary to eye inflammation, bilateral, severe stage	Diagnosis	ICD-10-CM
H40.43X4	Glaucoma secondary to eye inflammation, bilateral, indeterminate stage	Diagnosis	ICD-10-CM
H40.50X0	Glaucoma secondary to other eye disorders, unspecified eye, stage unspecified	Diagnosis	ICD-10-CM
H40.50X1	Glaucoma secondary to other eye disorders, unspecified eye, mild stage	Diagnosis	ICD-10-CM
H40.50X2	Glaucoma secondary to other eye disorders, unspecified eye, moderate stage	Diagnosis	ICD-10-CM
H40.50X3	Glaucoma secondary to other eye disorders, unspecified eye, severe stage	Diagnosis	ICD-10-CM
H40.50X4	Glaucoma secondary to other eye disorders, unspecified eye, indeterminate stage	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
H40.51X0	Glaucoma secondary to other eye disorders, right eye, stage unspecified	Diagnosis	ICD-10-CM
H40.51X1	Glaucoma secondary to other eye disorders, right eye, mild stage	Diagnosis	ICD-10-CM
H40.51X2	Glaucoma secondary to other eye disorders, right eye, moderate stage	Diagnosis	ICD-10-CM
H40.51X3	Glaucoma secondary to other eye disorders, right eye, severe stage	Diagnosis	ICD-10-CM
H40.51X4	Glaucoma secondary to other eye disorders, right eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.52X0	Glaucoma secondary to other eye disorders, left eye, stage unspecified	Diagnosis	ICD-10-CM
H40.52X1	Glaucoma secondary to other eye disorders, left eye, mild stage	Diagnosis	ICD-10-CM
H40.52X2	Glaucoma secondary to other eye disorders, left eye, moderate stage	Diagnosis	ICD-10-CM
H40.52X3	Glaucoma secondary to other eye disorders, left eye, severe stage	Diagnosis	ICD-10-CM
H40.52X4	Glaucoma secondary to other eye disorders, left eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.53X0	Glaucoma secondary to other eye disorders, bilateral, stage unspecified	Diagnosis	ICD-10-CM
H40.53X1	Glaucoma secondary to other eye disorders, bilateral, mild stage	Diagnosis	ICD-10-CM
H40.53X2	Glaucoma secondary to other eye disorders, bilateral, moderate stage	Diagnosis	ICD-10-CM
H40.53X3	Glaucoma secondary to other eye disorders, bilateral, severe stage	Diagnosis	ICD-10-CM
H40.53X4	Glaucoma secondary to other eye disorders, bilateral, indeterminate stage	Diagnosis	ICD-10-CM
H40.60X0	Glaucoma secondary to drugs, unspecified eye, stage unspecified	Diagnosis	ICD-10-CM
H40.60X1	Glaucoma secondary to drugs, unspecified eye, mild stage	Diagnosis	ICD-10-CM
H40.60X2	Glaucoma secondary to drugs, unspecified eye, moderate stage	Diagnosis	ICD-10-CM
H40.60X3	Glaucoma secondary to drugs, unspecified eye, severe stage	Diagnosis	ICD-10-CM
H40.60X4	Glaucoma secondary to drugs, unspecified eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.61X0	Glaucoma secondary to drugs, right eye, stage unspecified	Diagnosis	ICD-10-CM
H40.61X1	Glaucoma secondary to drugs, right eye, mild stage	Diagnosis	ICD-10-CM
H40.61X2	Glaucoma secondary to drugs, right eye, moderate stage	Diagnosis	ICD-10-CM
H40.61X3	Glaucoma secondary to drugs, right eye, severe stage	Diagnosis	ICD-10-CM
H40.61X4	Glaucoma secondary to drugs, right eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.62X0	Glaucoma secondary to drugs, left eye, stage unspecified	Diagnosis	ICD-10-CM
H40.62X1	Glaucoma secondary to drugs, left eye, mild stage	Diagnosis	ICD-10-CM
H40.62X2	Glaucoma secondary to drugs, left eye, moderate stage	Diagnosis	ICD-10-CM
H40.62X3	Glaucoma secondary to drugs, left eye, severe stage	Diagnosis	ICD-10-CM
H40.62X4	Glaucoma secondary to drugs, left eye, indeterminate stage	Diagnosis	ICD-10-CM
H40.63X0	Glaucoma secondary to drugs, bilateral, stage unspecified	Diagnosis	ICD-10-CM
H40.63X1	Glaucoma secondary to drugs, bilateral, mild stage	Diagnosis	ICD-10-CM
H40.63X2	Glaucoma secondary to drugs, bilateral, moderate stage	Diagnosis	ICD-10-CM
H40.63X3	Glaucoma secondary to drugs, bilateral, severe stage	Diagnosis	ICD-10-CM
H40.63X4	Glaucoma secondary to drugs, bilateral, indeterminate stage	Diagnosis	ICD-10-CM
H40.811	Glaucoma with increased episcleral venous pressure, right eye	Diagnosis	ICD-10-CM
H40.812	Glaucoma with increased episcleral venous pressure, left eye	Diagnosis	ICD-10-CM
H40.813	Glaucoma with increased episcleral venous pressure, bilateral	Diagnosis	ICD-10-CM
H40.819	Glaucoma with increased episcleral venous pressure, unspecified eye	Diagnosis	ICD-10-CM
H40.821	Hypersecretion glaucoma, right eye	Diagnosis	ICD-10-CM
H40.822	Hypersecretion glaucoma, left eye	Diagnosis	ICD-10-CM
H40.823	Hypersecretion glaucoma, bilateral	Diagnosis	ICD-10-CM
H40.829	Hypersecretion glaucoma, unspecified eye	Diagnosis	ICD-10-CM
H40.831	Aqueous misdirection, right eye	Diagnosis	ICD-10-CM
H40.832	Aqueous misdirection, left eye	Diagnosis	ICD-10-CM
H40.833	Aqueous misdirection, bilateral	Diagnosis	ICD-10-CM
H40.839	Aqueous misdirection, unspecified eye	Diagnosis	ICD-10-CM

Appendix B. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
H40.89	Other specified glaucoma	Diagnosis	ICD-10-CM
H40.9	Unspecified glaucoma	Diagnosis	ICD-10-CM
H42	Glaucoma in diseases classified elsewhere	Diagnosis	ICD-10-CM
H44.511	Absolute glaucoma, right eye	Diagnosis	ICD-10-CM
H44.512	Absolute glaucoma, left eye	Diagnosis	ICD-10-CM
H44.513	Absolute glaucoma, bilateral	Diagnosis	ICD-10-CM
H44.519	Absolute glaucoma, unspecified eye	Diagnosis	ICD-10-CM
H47.231	Glaucomatous optic atrophy, right eye	Diagnosis	ICD-10-CM
H47.232	Glaucomatous optic atrophy, left eye	Diagnosis	ICD-10-CM
H47.233	Glaucomatous optic atrophy, bilateral	Diagnosis	ICD-10-CM
H47.239	Glaucomatous optic atrophy, unspecified eye	Diagnosis	ICD-10-CM
Q15.0	Congenital glaucoma	Diagnosis	ICD-10-CM

Appendix C. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
Drug Use Disorders			
HZ2ZZZZ	Detoxification Services for Substance Abuse Treatment	Procedure	ICD-10-PCS
HZ30ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ31ZZZ	Individual Counseling for Substance Abuse Treatment, Behavioral	Procedure	ICD-10-PCS
HZ32ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive-Behavioral	Procedure	ICD-10-PCS
HZ33ZZZ	Individual Counseling for Substance Abuse Treatment, 12-Step	Procedure	ICD-10-PCS
HZ34ZZZ	Individual Counseling for Substance Abuse Treatment, Interpersonal	Procedure	ICD-10-PCS
HZ35ZZZ	Individual Counseling for Substance Abuse Treatment, Vocational	Procedure	ICD-10-PCS
HZ36ZZZ	Individual Counseling for Substance Abuse Treatment, Psychoeducation	Procedure	ICD-10-PCS
HZ37ZZZ	Individual Counseling for Substance Abuse Treatment, Motivational Enhancement	Procedure	ICD-10-PCS
HZ38ZZZ	Individual Counseling for Substance Abuse Treatment, Confrontational	Procedure	ICD-10-PCS
HZ39ZZZ	Individual Counseling for Substance Abuse Treatment, Continuing Care	Procedure	ICD-10-PCS
HZ3BZZZ	Individual Counseling for Substance Abuse Treatment, Spiritual	Procedure	ICD-10-PCS
HZ40ZZZ	Group Counseling for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ93ZZZ	Pharmacotherapy for Substance Abuse Treatment, Antabuse	Procedure	ICD-10-PCS
HZ96ZZZ	Pharmacotherapy for Substance Abuse Treatment, Clonidine	Procedure	ICD-10-PCS
Tobacco Use			
99406	Smoking and tobacco use cessation counseling visit; intermediate, greater than 3 minutes up to 10 minutes	Procedure	CPT-4
99407	Smoking and tobacco use cessation counseling visit; intensive, greater than 10 minutes	Procedure	CPT-4
G9276	Documentation that patient is a current tobacco user	Procedure	HCPCS
G9458	Patient documented as tobacco user and received tobacco cessation intervention (must include at least one of the following: advice given to quit smoking or tobacco use, counseling on the benefits of quitting smoking or tobacco use, assistance with or referral to external smoking or tobacco cessation support programs, or current enrollment in smoking or tobacco use cessation program) if identified as a tobacco user	Procedure	HCPCS
Alcohol Use Disorders			
HZ2ZZZZ	Detoxification Services for Substance Abuse Treatment	Procedure	ICD-10-PCS
HZ30ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ31ZZZ	Individual Counseling for Substance Abuse Treatment, Behavioral	Procedure	ICD-10-PCS
HZ32ZZZ	Individual Counseling for Substance Abuse Treatment, Cognitive-Behavioral	Procedure	ICD-10-PCS
HZ33ZZZ	Individual Counseling for Substance Abuse Treatment, 12-Step	Procedure	ICD-10-PCS
HZ34ZZZ	Individual Counseling for Substance Abuse Treatment, Interpersonal	Procedure	ICD-10-PCS
HZ35ZZZ	Individual Counseling for Substance Abuse Treatment, Vocational	Procedure	ICD-10-PCS
HZ36ZZZ	Individual Counseling for Substance Abuse Treatment, Psychoeducation	Procedure	ICD-10-PCS
HZ37ZZZ	Individual Counseling for Substance Abuse Treatment, Motivational Enhancement	Procedure	ICD-10-PCS
HZ38ZZZ	Individual Counseling for Substance Abuse Treatment, Confrontational	Procedure	ICD-10-PCS
HZ39ZZZ	Individual Counseling for Substance Abuse Treatment, Continuing Care	Procedure	ICD-10-PCS
HZ3BZZZ	Individual Counseling for Substance Abuse Treatment, Spiritual	Procedure	ICD-10-PCS
HZ40ZZZ	Group Counseling for Substance Abuse Treatment, Cognitive	Procedure	ICD-10-PCS
HZ93ZZZ	Pharmacotherapy for Substance Abuse Treatment, Antabuse	Procedure	ICD-10-PCS
HZ96ZZZ	Pharmacotherapy for Substance Abuse Treatment, Clonidine	Procedure	ICD-10-PCS

Appendix C. List of Current Procedural Terminology, Fourth Edition (CPT-4), Healthcare Common Procedure Coding System, Level II (HCPCS), and International Classification of Diseases, Tenth Revision, Procedural Coding System (ICD-10-PCS) Codes Used to Define the Selected Health Conditions in this Request

Code	Description	Code Category	Code Type
Liver Disease, Cirrhosis, and Other Liver Conditions			
06L20ZZ	Occlusion of Gastric Vein, Open Approach	Procedure	ICD-10-PCS
06L23ZZ	Occlusion of Gastric Vein, Percutaneous Approach	Procedure	ICD-10-PCS
06L24ZZ	Occlusion of Gastric Vein, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
06L30ZZ	Occlusion of Esophageal Vein, Open Approach	Procedure	ICD-10-PCS
06L33ZZ	Occlusion of Esophageal Vein, Percutaneous Approach	Procedure	ICD-10-PCS
06L34ZZ	Occlusion of Esophageal Vein, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D9S30Z	Drainage of Greater Omentum with Drainage Device, Percutaneous Approach	Procedure	ICD-10-PCS
0D9S3ZZ	Drainage of Greater Omentum, Percutaneous Approach	Procedure	ICD-10-PCS
0D9S40Z	Drainage of Greater Omentum with Drainage Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D9S4ZZ	Drainage of Greater Omentum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D9T30Z	Drainage of Lesser Omentum with Drainage Device, Percutaneous Approach	Procedure	ICD-10-PCS
0D9T3ZZ	Drainage of Lesser Omentum, Percutaneous Approach	Procedure	ICD-10-PCS
0D9T40Z	Drainage of Lesser Omentum with Drainage Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D9T4ZZ	Drainage of Lesser Omentum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D9V30Z	Drainage of Mesentery with Drainage Device, Percutaneous Approach	Procedure	ICD-10-PCS
0D9V3ZZ	Drainage of Mesentery, Percutaneous Approach	Procedure	ICD-10-PCS
0D9V40Z	Drainage of Mesentery with Drainage Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D9V4ZZ	Drainage of Mesentery, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D9W30Z	Drainage of Peritoneum with Drainage Device, Percutaneous Approach	Procedure	ICD-10-PCS
0D9W3ZZ	Drainage of Peritoneum, Percutaneous Approach	Procedure	ICD-10-PCS
0D9W40Z	Drainage of Peritoneum with Drainage Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0D9W4ZZ	Drainage of Peritoneum, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0DL57DZ	Occlusion of Esophagus with Intraluminal Device, Via Natural or Artificial Opening	Procedure	ICD-10-PCS
0DL58DZ	Occlusion of Esophagus with Intraluminal Device, Via Natural or Artificial Opening Endoscopic	Procedure	ICD-10-PCS
0W9F30Z	Drainage of Abdominal Wall with Drainage Device, Percutaneous Approach	Procedure	ICD-10-PCS
0W9F3ZZ	Drainage of Abdominal Wall, Percutaneous Approach	Procedure	ICD-10-PCS
0W9F40Z	Drainage of Abdominal Wall with Drainage Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0W9F4ZZ	Drainage of Abdominal Wall, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0W9G30Z	Drainage of Peritoneal Cavity with Drainage Device, Percutaneous Approach	Procedure	ICD-10-PCS
0W9G3ZZ	Drainage of Peritoneal Cavity, Percutaneous Approach	Procedure	ICD-10-PCS
0W9G40Z	Drainage of Peritoneal Cavity with Drainage Device, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0W9G4ZZ	Drainage of Peritoneal Cavity, Percutaneous Endoscopic Approach	Procedure	ICD-10-PCS
0W9J30Z	Drainage of Pelvic Cavity with Drainage Device, Percutaneous Approach	Procedure	ICD-10-PCS
0W9J3ZZ	Drainage of Pelvic Cavity, Percutaneous Approach	Procedure	ICD-10-PCS

Appendix D. Specifications Defining Parameters in this Request

This request executed the Cohort Identification and Descriptive Analysis (CIDA) tool, version 13.0.1, to help support Prescription Drug User Fee Act (PDUFA) VII prep by identifying prevalence of specific conditions among individuals of child-bearing potential in the Sentinel Distributed Database (SDD).

Query period: October 1, 2015 to January 31, 2024
Coverage requirement: Medical & drug coverage
Pre-index enrollment requirement: 0 days
Enrollment gap: 45 days
Sex: F (female)
Age groups: 10-14, 15-19, 20-24, 25-29, 30-34, 35-39, 40-44, 45-49, 50-54 years
Stratifications: Calendar year, age group
Envelope macro: Reclassify encounters during inpatient stay as inpatient (0)
Freeze data: No

Exposure/Event

Cohort Definition

Scenario	Index Exposure	Run 1 (r01)	Run 2 (r02)	Washout Period	Care Setting	Principal Diagnosis Position	Create Baseline Table?	Censor Enrollment at Evidence of:
1	Rheumatoid Arthritis/ Osteoarthritis	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *Data Partner (DP) Max Date
2	Lupus	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
3	Psoriasis or Psoriatic Arthritis	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
4	Crohn's Disease	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date

Appendix D. Specifications Defining Parameters in this Request

Exposure/Event								
Cohort Definition					Principal	Create	Censor Enrollment	
Scenario	Index Exposure	Run 1 (r01)	Run 2 (r02)	Washout Period	Care Setting	Diagnosis Position	Baseline Table?	at Evidence of:
5	Ulcerative Colitis	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
6	Hypothyroidism	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
7	Hyperthyroidism	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
8	Breast Cancer	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
9	Colorectal Cancer	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
10	Cervical Cancer	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date

Appendix D. Specifications Defining Parameters in this Request

Exposure/Event								
Cohort Definition						Principal	Create	Censor Enrollment
Scenario	Index Exposure	Run 1 (r01)	Run 2 (r02)	Washout Period	Care Setting	Diagnosis Position	Baseline Table?	at Evidence of:
11	Leukemia and Lymphoma	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient Claim: IP* OR Combo: 2 Non-inpatient Claims: IS*, AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
12	Melanoma	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
13	Thyroid Cancer	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
14	Endometrial Cancer	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
15	Lung Cancer	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
16	Urologic Cancer	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date

Appendix D. Specifications Defining Parameters in this Request

Exposure/Event								
Cohort Definition					Principal	Create	Censor Enrollment	
Scenario	Index Exposure	Run 1 (r01)	Run 2 (r02)	Washout Period	Care Setting	Diagnosis Position	Baseline Table?	at Evidence of:
17	Osteoporosis	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
18	Hip/Pelvic Fracture	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or Non-Inpatient Claim: IP*, IS*, AV*, ED*, OA* (any)	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
19	All-Cause Pneumonia	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient or 1 Institutional Stay Claim: IP*, IS* OR Combo: 2 Outpatient Claims: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
20	Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome (HIV/AIDS)	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient: IP* (excluding R75) OR Combo 1: 2 Non-Inpatient Claims: IS*, AV*, ED*, OA* (excluding R75) OR Combo 2: 1 Inpatient or Non-Inpatient Claim for R75 only : IP*, IS*, AV*, ED*, OA* AND 1 Non-Inpatient Claim Having Other HIV/AIDS Codes Different from R75: IS*, AV*, ED*, OA* (excluding R75)	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date

Appendix D. Specifications Defining Parameters in this Request

		Exposure/Event				Principal	Create	Censor
		Cohort Definition				Diagnosis	Baseline	Enrollment
Scenario	Index Exposure	Run 1 (r01)	Run 2 (r02)	Washout Period	Care Setting	Position	Table?	at Evidence of:
21	Hepatitis B	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient Claim: IP* OR <u>Combo: 2 Non-inpatient Claims: IS*, AV*, ED*, OA*</u>	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
22	Hepatitis C	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient Claim: IP* OR <u>Combo: 2 Non-inpatient Claims: IS*, AV*, ED*, OA*</u>	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
23	Drug Use Disorders	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient <i>Diagnosis</i> Claim: IP* OR <u>Combo: 2 Non-inpatient <i>Diagnosis</i> Claims: IS*, AV*, ED*, OA*</u> OR 1 Inpatient or Non-Inpatient <i>Procedure</i> Claim: IP*, IS*, AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
24	Tobacco Use	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Inpatient <i>Diagnosis</i> Claim: IP* OR <u>Combo: 2 Non-inpatient <i>Diagnosis</i> Claims: IS*, AV*, ED*, OA*</u> OR 1 Inpatient or Non-Inpatient <i>Procedure</i> Claim: IP*, IS*, AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date

Appendix D. Specifications Defining Parameters in this Request

		Cohort Definition				Exposure/Event		
Scenario	Index Exposure	Run 1 (r01)	Run 2 (r02)	Washout Period	Care Setting	Principal Diagnosis Position	Create Baseline Table?	Censor Enrollment at Evidence of:
25	Alcohol Use Disorders	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	<p>1 Inpatient <i>Diagnosis</i> Claim: IP*</p> <p>OR</p> <p><u>Combo: 2 Non-inpatient <i>Diagnosis</i> Claims:</u> IS*, AV*, ED*, OA*</p> <p>OR</p> <p>1 Inpatient or Non-Inpatient <i>Procedure</i> Claim: IP*, IS*, AV*, ED*, OA*</p>	*Any	Yes	<p>*End of Enrollment</p> <p>*Death</p> <p>*Query end date</p> <p>*DP Max Date</p>
26	Anemia	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	<p>1 Inpatient or 1 Institutional Stay Claim: IP*, IS*</p> <p>OR</p> <p><u>Combo: 2 Outpatient Claims:</u> AV*, ED*, OA*</p>	*Any	Yes	<p>*End of Enrollment</p> <p>*Death</p> <p>*Query end date</p> <p>*DP Max Date</p>
27	Sickle Cell Disease ²	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	<p><u>Combo: 2 Inpatient or Non-Inpatient Claims:</u> IP*, IS*, AV*, ED*, OA*</p>	*Any	Yes	<p>*End of Enrollment</p> <p>*Death</p> <p>*Query end date</p> <p>*DP Max Date</p>
28	Liver Disease, Cirrhosis, and other Liver Conditions	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	<p>1 Inpatient <i>Diagnosis</i> Claim: IP*</p> <p>OR</p> <p><u>Combo 1: 2 Non-inpatient <i>Diagnosis</i> Claims:</u> IS*, AV*, ED*, OA*</p> <p>OR</p> <p><u>Combo 2: 1 Non-inpatient <i>Procedure</i> Claim:</u> IS*, AV*, ED*, OA*</p> <p>AND</p> <p>1 Non-inpatient <i>Diagnosis</i> Claim: IS*, AV*, ED*, OA* <u>on the same claim (same care setting used as proxy for same claim)</u></p>	*Any	Yes	<p>*End of Enrollment</p> <p>*Death</p> <p>*Query end date</p> <p>*DP Max Date</p>

Appendix D. Specifications Defining Parameters in this Request

Cohort Definition						Exposure/Event		
Scenario	Index Exposure	Run 1 (r01)	Run 2 (r02)	Washout Period	Care Setting	Principal Diagnosis Position	Create Baseline Table?	Censor Enrollment at Evidence of:
29	Cataract	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Outpatient Claim: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date
30	Glaucoma	*First valid index date during query period (01) (re-entry NOT allowed)	*All valid index dates during query period (02) (re-entry allowed)	0 days	1 Outpatient Claim: AV*, ED*, OA*	*Any	Yes	*End of Enrollment *Death *Query end date *DP Max Date


International Classification of Diseases, Tenth Revision (ICD-10), Healthcare Common Procedure Coding System (HCPCS), and Current Procedural Terminology (CPT) codes are provided by Optum360. National Drug Codes (NDC) codes are checked against First Data Bank's FDB MedKnowledge®.

¹**Caresetting/ Principal Diagnosis**
 Ambulatory Visit (**AV**) - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.
 Emergency Department (**ED**) - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.
 Inpatient Hospital Stay (**IP**) - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.
 Non-Acute Institutional Stay (**IS**) - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.
 Other Ambulatory Visit (**OA**) - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.
 Principal Diagnosis (**PDX**) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Care setting/PDX parameter.

²Based on the Centers for Medicare and Medicaid Services' (CMS) Chronic Conditions Data Warehouse (CCW) algorithm, an individual was considered as having sickle cell disease if that person had at least three claims with any related sickle cell disease diagnosis in any care setting within 5 years. To increase program efficiency, we applied a modified definition using 2 claims with any related sickle cell disease diagnosis in any care setting within 2 years to define sickle cell disease condition.

Appendix E. Design Diagram Used in this Request

Cohort Design¹
r01: Cohort Def 01 (re-entry not allowed)
r02: Cohort Def 02 (re-entry allowed)



¹Includes one of 30 selected health conditions during the query period

²Inclusion Criteria:

Window I: Age 10-54 years and Female