

Disclaimer

The FDA chose a specific outcome algorithm that met its need for a given medical product-outcome assessment. The use of a specific outcome algorithm in a Sentinel assessment should not be interpreted as an endorsement from FDA to use the algorithm for all safety assessments. Investigators should always consider the objective, study design, analytic approach, and data source of a given medical product safety assessment when choosing the outcome algorithm. The suitability of an outcome algorithm may change when applied to different scenarios. For additional information, please refer to the

[Best Practices for Conducting and Reporting Pharmacoepidemiologic Safety Studies Using Electronic Healthcare Data](#)

guidance document provided by the FDA.

Overview

Title	Intentional Self-Harm Algorithm Defined in "Intentional Self-Harm Following Glucagon-like Peptide-1 Receptor Agonists (GLP-1 RA) Use in Patients with Diabetes: An Inverse Probability of Treatment Weighting Analysis"
Request ID	cder_mpl1r_wp057
Description	<p>This report lists International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes and algorithms used to define intentional self-harm in this request.</p> <p>For additional information about the algorithm and how it was defined relative to the cohort and exposure(s) of interest in the analysis, refer to the analysis webpage here: https://www.sentinelinitiative.org/studies/drugs/individual-drug-analyses/intentional-self-harm-following-glucagon-peptide-1-receptor</p>
Outcome	Intentional Self-Harm
Algorithm to Define Outcome	The intentional self-harm outcome is defined as one International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Code.
Query Period	October 1, 2015 - September 30, 2023
Request Send Date	May 1, 2024

Glossary

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or missing (U)

Outcome - outcome of interest (either primary or secondary)

Principal Diagnosis (PDX) - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest

Request Send Date - date the request was sent to Sentinel Data Partners

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T14.91	Suicide attempt	Diagnosis	ICD-10-CM
T14.91XA	Suicide attempt, initial encounter	Diagnosis	ICD-10-CM
T14.91XD	Suicide attempt, subsequent encounter	Diagnosis	ICD-10-CM
T14.91XS	Suicide attempt, sequela	Diagnosis	ICD-10-CM
T36.0X2	Poisoning by penicillins, intentional self-harm	Diagnosis	ICD-10-CM
T36.0X2A	Poisoning by penicillins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.0X2D	Poisoning by penicillins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.0X2S	Poisoning by penicillins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.1X2	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm	Diagnosis	ICD-10-CM
T36.1X2A	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.1X2D	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.1X2S	Poisoning by cephalosporins and other beta-lactam antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.2X2	Poisoning by chloramphenicol group, intentional self-harm	Diagnosis	ICD-10-CM
T36.2X2A	Poisoning by chloramphenicol group, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.2X2D	Poisoning by chloramphenicol group, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.2X2S	Poisoning by chloramphenicol group, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.3X2	Poisoning by macrolides, intentional self-harm	Diagnosis	ICD-10-CM
T36.3X2A	Poisoning by macrolides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.3X2D	Poisoning by macrolides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.3X2S	Poisoning by macrolides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.4X2	Poisoning by tetracyclines, intentional self-harm	Diagnosis	ICD-10-CM
T36.4X2A	Poisoning by tetracyclines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.4X2D	Poisoning by tetracyclines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.4X2S	Poisoning by tetracyclines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.5X2	Poisoning by aminoglycosides, intentional self-harm	Diagnosis	ICD-10-CM
T36.5X2A	Poisoning by aminoglycosides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.5X2D	Poisoning by aminoglycosides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.5X2S	Poisoning by aminoglycosides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.6X2	Poisoning by rifampicins, intentional self-harm	Diagnosis	ICD-10-CM
T36.6X2A	Poisoning by rifampicins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.6X2D	Poisoning by rifampicins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.6X2S	Poisoning by rifampicins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.7X2	Poisoning by antifungal antibiotics, systemically used, intentional self-harm	Diagnosis	ICD-10-CM
T36.7X2A	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.7X2D	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.7X2S	Poisoning by antifungal antibiotics, systemically used, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.8X2	Poisoning by other systemic antibiotics, intentional self-harm	Diagnosis	ICD-10-CM
T36.8X2A	Poisoning by other systemic antibiotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.8X2D	Poisoning by other systemic antibiotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T36.8X2S	Poisoning by other systemic antibiotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T36.92	Poisoning by unspecified systemic antibiotic, intentional self-harm	Diagnosis	ICD-10-CM
T36.92XA	Poisoning by unspecified systemic antibiotic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T36.92XD	Poisoning by unspecified systemic antibiotic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T36.92XS	Poisoning by unspecified systemic antibiotic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.0X2	Poisoning by sulfonamides, intentional self-harm	Diagnosis	ICD-10-CM
T37.0X2A	Poisoning by sulfonamides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.0X2D	Poisoning by sulfonamides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.0X2S	Poisoning by sulfonamides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.1X2	Poisoning by antimycobacterial drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.1X2A	Poisoning by antimycobacterial drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.1X2D	Poisoning by antimycobacterial drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.1X2S	Poisoning by antimycobacterial drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.2X2	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm	Diagnosis	ICD-10-CM
T37.2X2A	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.2X2D	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.2X2S	Poisoning by antimalarials and drugs acting on other blood protozoa, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.3X2	Poisoning by other antiprotozoal drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.3X2A	Poisoning by other antiprotozoal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.3X2D	Poisoning by other antiprotozoal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.3X2S	Poisoning by other antiprotozoal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.4X2	Poisoning by anthelmintics, intentional self-harm	Diagnosis	ICD-10-CM
T37.4X2A	Poisoning by anthelmintics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.4X2D	Poisoning by anthelmintics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.4X2S	Poisoning by anthelmintics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.5X2	Poisoning by antiviral drugs, intentional self-harm	Diagnosis	ICD-10-CM
T37.5X2A	Poisoning by antiviral drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.5X2D	Poisoning by antiviral drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.5X2S	Poisoning by antiviral drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.8X2	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm	Diagnosis	ICD-10-CM
T37.8X2A	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T37.8X2D	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.8X2S	Poisoning by other specified systemic anti-infectives and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T37.92	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm	Diagnosis	ICD-10-CM
T37.92XA	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T37.92XD	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T37.92XS	Poisoning by unspecified systemic anti-infective and antiparasitics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.0X2	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm	Diagnosis	ICD-10-CM
T38.0X2A	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.0X2D	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.0X2S	Poisoning by glucocorticoids and synthetic analogues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.1X2	Poisoning by thyroid hormones and substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.1X2A	Poisoning by thyroid hormones and substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.1X2D	Poisoning by thyroid hormones and substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.1X2S	Poisoning by thyroid hormones and substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.2X2	Poisoning by antithyroid drugs, intentional self-harm	Diagnosis	ICD-10-CM
T38.2X2A	Poisoning by antithyroid drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.2X2D	Poisoning by antithyroid drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.2X2S	Poisoning by antithyroid drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.3X2	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm	Diagnosis	ICD-10-CM
T38.3X2A	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.3X2D	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.3X2S	Poisoning by insulin and oral hypoglycemic [antidiabetic] drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.4X2	Poisoning by oral contraceptives, intentional self-harm	Diagnosis	ICD-10-CM
T38.4X2A	Poisoning by oral contraceptives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.4X2D	Poisoning by oral contraceptives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.4X2S	Poisoning by oral contraceptives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.5X2	Poisoning by other estrogens and progestogens, intentional self-harm	Diagnosis	ICD-10-CM
T38.5X2A	Poisoning by other estrogens and progestogens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.5X2D	Poisoning by other estrogens and progestogens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.5X2S	Poisoning by other estrogens and progestogens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.6X2	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T38.6X2A	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.6X2D	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.6X2S	Poisoning by antigonadotrophins, antiestrogens, antiandrogens, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.7X2	Poisoning by androgens and anabolic congeners, intentional self-harm	Diagnosis	ICD-10-CM
T38.7X2A	Poisoning by androgens and anabolic congeners, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T38.7X2D	Poisoning by androgens and anabolic congeners, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.7X2S	Poisoning by androgens and anabolic congeners, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.802	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.802A	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.802D	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.802S	Poisoning by unspecified hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.812	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm	Diagnosis	ICD-10-CM
T38.812A	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.812D	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.812S	Poisoning by anterior pituitary [adenohypophyseal] hormones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.892	Poisoning by other hormones and synthetic substitutes, intentional self-harm	Diagnosis	ICD-10-CM
T38.892A	Poisoning by other hormones and synthetic substitutes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.892D	Poisoning by other hormones and synthetic substitutes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.892S	Poisoning by other hormones and synthetic substitutes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.902	Poisoning by unspecified hormone antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T38.902A	Poisoning by unspecified hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.902D	Poisoning by unspecified hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.902S	Poisoning by unspecified hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T38.992	Poisoning by other hormone antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T38.992A	Poisoning by other hormone antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T38.992D	Poisoning by other hormone antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T38.992S	Poisoning by other hormone antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.012	Poisoning by aspirin, intentional self-harm	Diagnosis	ICD-10-CM
T39.012A	Poisoning by aspirin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.012D	Poisoning by aspirin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.012S	Poisoning by aspirin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.092	Poisoning by salicylates, intentional self-harm	Diagnosis	ICD-10-CM
T39.092A	Poisoning by salicylates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.092D	Poisoning by salicylates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.092S	Poisoning by salicylates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.1X2	Poisoning by 4-Aminophenol derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.1X2A	Poisoning by 4-Aminophenol derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T39.1X2D	Poisoning by 4-Aminophenol derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.1X2S	Poisoning by 4-Aminophenol derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.2X2	Poisoning by pyrazolone derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.2X2A	Poisoning by pyrazolone derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.2X2D	Poisoning by pyrazolone derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.2X2S	Poisoning by pyrazolone derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.312	Poisoning by propionic acid derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T39.312A	Poisoning by propionic acid derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.312D	Poisoning by propionic acid derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.312S	Poisoning by propionic acid derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.392	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm	Diagnosis	ICD-10-CM
T39.392A	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.392D	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.392S	Poisoning by other nonsteroidal anti-inflammatory drugs [NSAID], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.4X2	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T39.4X2A	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.4X2D	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.4X2S	Poisoning by antirheumatics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.8X2	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T39.8X2A	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.8X2D	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.8X2S	Poisoning by other nonopioid analgesics and antipyretics, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T39.92	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm	Diagnosis	ICD-10-CM
T39.92XA	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T39.92XD	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T39.92XS	Poisoning by unspecified nonopioid analgesic, antipyretic and antirheumatic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.0X2	Poisoning by opium, intentional self-harm	Diagnosis	ICD-10-CM
T40.0X2A	Poisoning by opium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.0X2D	Poisoning by opium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.0X2S	Poisoning by opium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.1X2	Poisoning by heroin, intentional self-harm	Diagnosis	ICD-10-CM
T40.1X2A	Poisoning by heroin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T40.1X2D	Poisoning by heroin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.1X2S	Poisoning by heroin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.2X2	Poisoning by other opioids, intentional self-harm	Diagnosis	ICD-10-CM
T40.2X2A	Poisoning by other opioids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.2X2D	Poisoning by other opioids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.2X2S	Poisoning by other opioids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.3X2	Poisoning by methadone, intentional self-harm	Diagnosis	ICD-10-CM
T40.3X2A	Poisoning by methadone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.3X2D	Poisoning by methadone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.3X2S	Poisoning by methadone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.412	Poisoning by fentanyl or fentanyl analogs, intentional self-harm	Diagnosis	ICD-10-CM
T40.412A	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.412D	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.412S	Poisoning by fentanyl or fentanyl analogs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.422	Poisoning by tramadol, intentional self-harm	Diagnosis	ICD-10-CM
T40.422A	Poisoning by tramadol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.422D	Poisoning by tramadol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.422S	Poisoning by tramadol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.492	Poisoning by other synthetic narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.492A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.492D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.492S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.4X2	Poisoning by other synthetic narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.4X2A	Poisoning by other synthetic narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.4X2D	Poisoning by other synthetic narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.4X2S	Poisoning by other synthetic narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.5X2	Poisoning by cocaine, intentional self-harm	Diagnosis	ICD-10-CM
T40.5X2A	Poisoning by cocaine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.5X2D	Poisoning by cocaine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.5X2S	Poisoning by cocaine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.602	Poisoning by unspecified narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.602A	Poisoning by unspecified narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.602D	Poisoning by unspecified narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.602S	Poisoning by unspecified narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.692	Poisoning by other narcotics, intentional self-harm	Diagnosis	ICD-10-CM
T40.692A	Poisoning by other narcotics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.692D	Poisoning by other narcotics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.692S	Poisoning by other narcotics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.712	Poisoning by cannabis, intentional self-harm	Diagnosis	ICD-10-CM
T40.712A	Poisoning by cannabis, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.712D	Poisoning by cannabis, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.712S	Poisoning by cannabis, intentional self-harm, sequela	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T40.722	Poisoning by synthetic cannabinoids, intentional self-harm	Diagnosis	ICD-10-CM
T40.722A	Poisoning by synthetic cannabinoids, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.722D	Poisoning by synthetic cannabinoids, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.722S	Poisoning by synthetic cannabinoids, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.7X2	Poisoning by cannabis (derivatives), intentional self-harm	Diagnosis	ICD-10-CM
T40.7X2A	Poisoning by cannabis (derivatives), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.7X2D	Poisoning by cannabis (derivatives), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.7X2S	Poisoning by cannabis (derivatives), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.8X2	Poisoning by lysergide [LSD], intentional self-harm	Diagnosis	ICD-10-CM
T40.8X2A	Poisoning by lysergide [LSD], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.8X2D	Poisoning by lysergide [LSD], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.8X2S	Poisoning by lysergide [LSD], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.902	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm	Diagnosis	ICD-10-CM
T40.902A	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.902D	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.902S	Poisoning by unspecified psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T40.992	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm	Diagnosis	ICD-10-CM
T40.992A	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T40.992D	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T40.992S	Poisoning by other psychodysleptics [hallucinogens], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.0X2	Poisoning by inhaled anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.0X2A	Poisoning by inhaled anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.0X2D	Poisoning by inhaled anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.0X2S	Poisoning by inhaled anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.1X2	Poisoning by intravenous anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.1X2A	Poisoning by intravenous anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.1X2D	Poisoning by intravenous anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.1X2S	Poisoning by intravenous anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.202	Poisoning by unspecified general anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.202A	Poisoning by unspecified general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.202D	Poisoning by unspecified general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.202S	Poisoning by unspecified general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.292	Poisoning by other general anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.292A	Poisoning by other general anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.292D	Poisoning by other general anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.292S	Poisoning by other general anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T41.3X2	Poisoning by local anesthetics, intentional self-harm	Diagnosis	ICD-10-CM
T41.3X2A	Poisoning by local anesthetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.3X2D	Poisoning by local anesthetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.3X2S	Poisoning by local anesthetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.42	Poisoning by unspecified anesthetic, intentional self-harm	Diagnosis	ICD-10-CM
T41.42XA	Poisoning by unspecified anesthetic, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.42XD	Poisoning by unspecified anesthetic, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.42XS	Poisoning by unspecified anesthetic, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T41.5X2	Poisoning by therapeutic gases, intentional self-harm	Diagnosis	ICD-10-CM
T41.5X2A	Poisoning by therapeutic gases, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T41.5X2D	Poisoning by therapeutic gases, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T41.5X2S	Poisoning by therapeutic gases, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.0X2	Poisoning by hydantoin derivatives, intentional self-harm	Diagnosis	ICD-10-CM
T42.0X2A	Poisoning by hydantoin derivatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.0X2D	Poisoning by hydantoin derivatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.0X2S	Poisoning by hydantoin derivatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.1X2	Poisoning by iminostilbenes, intentional self-harm	Diagnosis	ICD-10-CM
T42.1X2A	Poisoning by iminostilbenes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.1X2D	Poisoning by iminostilbenes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.1X2S	Poisoning by iminostilbenes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.2X2	Poisoning by succinimides and oxazolidinediones, intentional self-harm	Diagnosis	ICD-10-CM
T42.2X2A	Poisoning by succinimides and oxazolidinediones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.2X2D	Poisoning by succinimides and oxazolidinediones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.2X2S	Poisoning by succinimides and oxazolidinediones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.3X2	Poisoning by barbiturates, intentional self-harm	Diagnosis	ICD-10-CM
T42.3X2A	Poisoning by barbiturates, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.3X2D	Poisoning by barbiturates, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.3X2S	Poisoning by barbiturates, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.4X2	Poisoning by benzodiazepines, intentional self-harm	Diagnosis	ICD-10-CM
T42.4X2A	Poisoning by benzodiazepines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.4X2D	Poisoning by benzodiazepines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.4X2S	Poisoning by benzodiazepines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.5X2	Poisoning by mixed antiepileptics, intentional self-harm	Diagnosis	ICD-10-CM
T42.5X2A	Poisoning by mixed antiepileptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.5X2D	Poisoning by mixed antiepileptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.5X2S	Poisoning by mixed antiepileptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.6X2	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T42.6X2A	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.6X2D	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.6X2S	Poisoning by other antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.72	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T42.72XA	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.72XD	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.72XS	Poisoning by unspecified antiepileptic and sedative-hypnotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T42.8X2	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm	Diagnosis	ICD-10-CM
T42.8X2A	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T42.8X2D	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T42.8X2S	Poisoning by antiparkinsonism drugs and other central muscle-tone depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.012	Poisoning by tricyclic antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.012A	Poisoning by tricyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.012D	Poisoning by tricyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.012S	Poisoning by tricyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.022	Poisoning by tetracyclic antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.022A	Poisoning by tetracyclic antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.022D	Poisoning by tetracyclic antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.022S	Poisoning by tetracyclic antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.1X2	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.1X2A	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.1X2D	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.1X2S	Poisoning by monoamine-oxidase-inhibitor antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.202	Poisoning by unspecified antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.202A	Poisoning by unspecified antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.202D	Poisoning by unspecified antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.202S	Poisoning by unspecified antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.212	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T43.212A	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.212D	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.212S	Poisoning by selective serotonin and norepinephrine reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.222	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T43.222A	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.222D	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.222S	Poisoning by selective serotonin reuptake inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T43.292	Poisoning by other antidepressants, intentional self-harm	Diagnosis	ICD-10-CM
T43.292A	Poisoning by other antidepressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.292D	Poisoning by other antidepressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.292S	Poisoning by other antidepressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.3X2	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.3X2A	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.3X2D	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.3X2S	Poisoning by phenothiazine antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.4X2	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.4X2A	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.4X2D	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.4X2S	Poisoning by butyrophenone and thiothixene neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.502	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.502A	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.502D	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.502S	Poisoning by unspecified antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.592	Poisoning by other antipsychotics and neuroleptics, intentional self-harm	Diagnosis	ICD-10-CM
T43.592A	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.592D	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.592S	Poisoning by other antipsychotics and neuroleptics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.602	Poisoning by unspecified psychostimulants, intentional self-harm	Diagnosis	ICD-10-CM
T43.602A	Poisoning by unspecified psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.602D	Poisoning by unspecified psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.602S	Poisoning by unspecified psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.612	Poisoning by caffeine, intentional self-harm	Diagnosis	ICD-10-CM
T43.612A	Poisoning by caffeine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.612D	Poisoning by caffeine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.612S	Poisoning by caffeine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.622	Poisoning by amphetamines, intentional self-harm	Diagnosis	ICD-10-CM
T43.622A	Poisoning by amphetamines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.622D	Poisoning by amphetamines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.622S	Poisoning by amphetamines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.632	Poisoning by methylphenidate, intentional self-harm	Diagnosis	ICD-10-CM
T43.632A	Poisoning by methylphenidate, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.632D	Poisoning by methylphenidate, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.632S	Poisoning by methylphenidate, intentional self-harm, sequela	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T43.642	Poisoning by ecstasy, intentional self-harm	Diagnosis	ICD-10-CM
T43.642A	Poisoning by ecstasy, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.642D	Poisoning by ecstasy, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.642S	Poisoning by ecstasy, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.692	Poisoning by other psychostimulants, intentional self-harm	Diagnosis	ICD-10-CM
T43.692A	Poisoning by other psychostimulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.692D	Poisoning by other psychostimulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.692S	Poisoning by other psychostimulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.8X2	Poisoning by other psychotropic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T43.8X2A	Poisoning by other psychotropic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.8X2D	Poisoning by other psychotropic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.8X2S	Poisoning by other psychotropic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T43.92	Poisoning by unspecified psychotropic drug, intentional self-harm	Diagnosis	ICD-10-CM
T43.92XA	Poisoning by unspecified psychotropic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T43.92XD	Poisoning by unspecified psychotropic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T43.92XS	Poisoning by unspecified psychotropic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.0X2	Poisoning by anticholinesterase agents, intentional self-harm	Diagnosis	ICD-10-CM
T44.0X2A	Poisoning by anticholinesterase agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.0X2D	Poisoning by anticholinesterase agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.0X2S	Poisoning by anticholinesterase agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.1X2	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm	Diagnosis	ICD-10-CM
T44.1X2A	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.1X2D	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.1X2S	Poisoning by other parasympathomimetics [cholinergics], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.2X2	Poisoning by ganglionic blocking drugs, intentional self-harm	Diagnosis	ICD-10-CM
T44.2X2A	Poisoning by ganglionic blocking drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.2X2D	Poisoning by ganglionic blocking drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.2X2S	Poisoning by ganglionic blocking drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.3X2	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm	Diagnosis	ICD-10-CM
T44.3X2A	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.3X2D	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.3X2S	Poisoning by other parasympatholytics [anticholinergics and antimuscarinics] and spasmolytics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.4X2	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.4X2A	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.4X2D	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.4X2S	Poisoning by predominantly alpha-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T44.5X2	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.5X2A	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.5X2D	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.5X2S	Poisoning by predominantly beta-adrenoreceptor agonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.6X2	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.6X2A	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.6X2D	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.6X2S	Poisoning by alpha-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.7X2	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T44.7X2A	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.7X2D	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.7X2S	Poisoning by beta-adrenoreceptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.8X2	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm	Diagnosis	ICD-10-CM
T44.8X2A	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.8X2D	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.8X2S	Poisoning by centrally-acting and adrenergic-neuron-blocking agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.902	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm	Diagnosis	ICD-10-CM
T44.902A	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.902D	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.902S	Poisoning by unspecified drugs primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T44.992	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm	Diagnosis	ICD-10-CM
T44.992A	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T44.992D	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T44.992S	Poisoning by other drug primarily affecting the autonomic nervous system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.0X2	Poisoning by antiallergic and antiemetic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.0X2A	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.0X2D	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.0X2S	Poisoning by antiallergic and antiemetic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.1X2	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.1X2A	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T45.1X2D	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.1X2S	Poisoning by antineoplastic and immunosuppressive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.2X2	Poisoning by vitamins, intentional self-harm	Diagnosis	ICD-10-CM
T45.2X2A	Poisoning by vitamins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.2X2D	Poisoning by vitamins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.2X2S	Poisoning by vitamins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.3X2	Poisoning by enzymes, intentional self-harm	Diagnosis	ICD-10-CM
T45.3X2A	Poisoning by enzymes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.3X2D	Poisoning by enzymes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.3X2S	Poisoning by enzymes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.4X2	Poisoning by iron and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T45.4X2A	Poisoning by iron and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.4X2D	Poisoning by iron and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.4X2S	Poisoning by iron and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.512	Poisoning by anticoagulants, intentional self-harm	Diagnosis	ICD-10-CM
T45.512A	Poisoning by anticoagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.512D	Poisoning by anticoagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.512S	Poisoning by anticoagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.522	Poisoning by antithrombotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.522A	Poisoning by antithrombotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.522D	Poisoning by antithrombotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.522S	Poisoning by antithrombotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.602	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.602A	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.602D	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.602S	Poisoning by unspecified fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.612	Poisoning by thrombolytic drug, intentional self-harm	Diagnosis	ICD-10-CM
T45.612A	Poisoning by thrombolytic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.612D	Poisoning by thrombolytic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.612S	Poisoning by thrombolytic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.622	Poisoning by hemostatic drug, intentional self-harm	Diagnosis	ICD-10-CM
T45.622A	Poisoning by hemostatic drug, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.622D	Poisoning by hemostatic drug, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.622S	Poisoning by hemostatic drug, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.692	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm	Diagnosis	ICD-10-CM
T45.692A	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.692D	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.692S	Poisoning by other fibrinolysis-affecting drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.7X2	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm	Diagnosis	ICD-10-CM
T45.7X2A	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.7X2D	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T45.7X2S	Poisoning by anticoagulant antagonists, vitamin K and other coagulants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.8X2	Poisoning by other primarily systemic and hematological agents, intentional self-harm	Diagnosis	ICD-10-CM
T45.8X2A	Poisoning by other primarily systemic and hematological agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.8X2D	Poisoning by other primarily systemic and hematological agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.8X2S	Poisoning by other primarily systemic and hematological agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T45.92	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm	Diagnosis	ICD-10-CM
T45.92XA	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T45.92XD	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T45.92XS	Poisoning by unspecified primarily systemic and hematological agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.0X2	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm	Diagnosis	ICD-10-CM
T46.0X2A	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.0X2D	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.0X2S	Poisoning by cardiac-stimulant glycosides and drugs of similar action, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.1X2	Poisoning by calcium-channel blockers, intentional self-harm	Diagnosis	ICD-10-CM
T46.1X2A	Poisoning by calcium-channel blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.1X2D	Poisoning by calcium-channel blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.1X2S	Poisoning by calcium-channel blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.2X2	Poisoning by other antidysrhythmic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.2X2A	Poisoning by other antidysrhythmic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.2X2D	Poisoning by other antidysrhythmic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.2X2S	Poisoning by other antidysrhythmic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.3X2	Poisoning by coronary vasodilators, intentional self-harm	Diagnosis	ICD-10-CM
T46.3X2A	Poisoning by coronary vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.3X2D	Poisoning by coronary vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.3X2S	Poisoning by coronary vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.4X2	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm	Diagnosis	ICD-10-CM
T46.4X2A	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.4X2D	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.4X2S	Poisoning by angiotensin-converting-enzyme inhibitors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.5X2	Poisoning by other antihypertensive drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.5X2A	Poisoning by other antihypertensive drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.5X2D	Poisoning by other antihypertensive drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T46.5X2S	Poisoning by other antihypertensive drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.6X2	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T46.6X2A	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.6X2D	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.6X2S	Poisoning by antihyperlipidemic and antiarteriosclerotic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.7X2	Poisoning by peripheral vasodilators, intentional self-harm	Diagnosis	ICD-10-CM
T46.7X2A	Poisoning by peripheral vasodilators, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.7X2D	Poisoning by peripheral vasodilators, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.7X2S	Poisoning by peripheral vasodilators, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.8X2	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm	Diagnosis	ICD-10-CM
T46.8X2A	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.8X2D	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.8X2S	Poisoning by antivaricose drugs, including sclerosing agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.902	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm	Diagnosis	ICD-10-CM
T46.902A	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.902D	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.902S	Poisoning by unspecified agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T46.992	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm	Diagnosis	ICD-10-CM
T46.992A	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T46.992D	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T46.992S	Poisoning by other agents primarily affecting the cardiovascular system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.0X2	Poisoning by histamine H2-receptor blockers, intentional self-harm	Diagnosis	ICD-10-CM
T47.0X2A	Poisoning by histamine H2-receptor blockers, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.0X2D	Poisoning by histamine H2-receptor blockers, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.0X2S	Poisoning by histamine H2-receptor blockers, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.1X2	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm	Diagnosis	ICD-10-CM
T47.1X2A	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.1X2D	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.1X2S	Poisoning by other antacids and anti-gastric-secretion drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.2X2	Poisoning by stimulant laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.2X2A	Poisoning by stimulant laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T47.2X2D	Poisoning by stimulant laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.2X2S	Poisoning by stimulant laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.3X2	Poisoning by saline and osmotic laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.3X2A	Poisoning by saline and osmotic laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.3X2D	Poisoning by saline and osmotic laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.3X2S	Poisoning by saline and osmotic laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.4X2	Poisoning by other laxatives, intentional self-harm	Diagnosis	ICD-10-CM
T47.4X2A	Poisoning by other laxatives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.4X2D	Poisoning by other laxatives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.4X2S	Poisoning by other laxatives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.5X2	Poisoning by digestants, intentional self-harm	Diagnosis	ICD-10-CM
T47.5X2A	Poisoning by digestants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.5X2D	Poisoning by digestants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.5X2S	Poisoning by digestants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.6X2	Poisoning by antidiarrheal drugs, intentional self-harm	Diagnosis	ICD-10-CM
T47.6X2A	Poisoning by antidiarrheal drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.6X2D	Poisoning by antidiarrheal drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.6X2S	Poisoning by antidiarrheal drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.7X2	Poisoning by emetics, intentional self-harm	Diagnosis	ICD-10-CM
T47.7X2A	Poisoning by emetics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.7X2D	Poisoning by emetics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.7X2S	Poisoning by emetics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.8X2	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm	Diagnosis	ICD-10-CM
T47.8X2A	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.8X2D	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.8X2S	Poisoning by other agents primarily affecting gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T47.92	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm	Diagnosis	ICD-10-CM
T47.92XA	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T47.92XD	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T47.92XS	Poisoning by unspecified agents primarily affecting the gastrointestinal system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.0X2	Poisoning by oxytocic drugs, intentional self-harm	Diagnosis	ICD-10-CM
T48.0X2A	Poisoning by oxytocic drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.0X2D	Poisoning by oxytocic drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.0X2S	Poisoning by oxytocic drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.1X2	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm	Diagnosis	ICD-10-CM
T48.1X2A	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.1X2D	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.1X2S	Poisoning by skeletal muscle relaxants [neuromuscular blocking agents], intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.202	Poisoning by unspecified drugs acting on muscles, intentional self-harm	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T48.202A	Poisoning by unspecified drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.202D	Poisoning by unspecified drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.202S	Poisoning by unspecified drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.292	Poisoning by other drugs acting on muscles, intentional self-harm	Diagnosis	ICD-10-CM
T48.292A	Poisoning by other drugs acting on muscles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.292D	Poisoning by other drugs acting on muscles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.292S	Poisoning by other drugs acting on muscles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.3X2	Poisoning by antitussives, intentional self-harm	Diagnosis	ICD-10-CM
T48.3X2A	Poisoning by antitussives, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.3X2D	Poisoning by antitussives, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.3X2S	Poisoning by antitussives, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.4X2	Poisoning by expectorants, intentional self-harm	Diagnosis	ICD-10-CM
T48.4X2A	Poisoning by expectorants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.4X2D	Poisoning by expectorants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.4X2S	Poisoning by expectorants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.5X2	Poisoning by other anti-common-cold drugs, intentional self-harm	Diagnosis	ICD-10-CM
T48.5X2A	Poisoning by other anti-common-cold drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.5X2D	Poisoning by other anti-common-cold drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.5X2S	Poisoning by other anti-common-cold drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.6X2	Poisoning by antiasthmatics, intentional self-harm	Diagnosis	ICD-10-CM
T48.6X2A	Poisoning by antiasthmatics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.6X2D	Poisoning by antiasthmatics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.6X2S	Poisoning by antiasthmatics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.902	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm	Diagnosis	ICD-10-CM
T48.902A	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.902D	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.902S	Poisoning by unspecified agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T48.992	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm	Diagnosis	ICD-10-CM
T48.992A	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T48.992D	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T48.992S	Poisoning by other agents primarily acting on the respiratory system, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.0X2	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm	Diagnosis	ICD-10-CM
T49.0X2A	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.0X2D	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.0X2S	Poisoning by local antifungal, anti-infective and anti-inflammatory drugs, intentional self-harm, sequela	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T49.1X2	Poisoning by antipruritics, intentional self-harm	Diagnosis	ICD-10-CM
T49.1X2A	Poisoning by antipruritics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.1X2D	Poisoning by antipruritics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.1X2S	Poisoning by antipruritics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.2X2	Poisoning by local astringents and local detergents, intentional self-harm	Diagnosis	ICD-10-CM
T49.2X2A	Poisoning by local astringents and local detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.2X2D	Poisoning by local astringents and local detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.2X2S	Poisoning by local astringents and local detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.3X2	Poisoning by emollients, demulcents and protectants, intentional self-harm	Diagnosis	ICD-10-CM
T49.3X2A	Poisoning by emollients, demulcents and protectants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.3X2D	Poisoning by emollients, demulcents and protectants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.3X2S	Poisoning by emollients, demulcents and protectants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.4X2	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.4X2A	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.4X2D	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.4X2S	Poisoning by keratolytics, keratoplastics, and other hair treatment drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.5X2	Poisoning by ophthalmological drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.5X2A	Poisoning by ophthalmological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.5X2D	Poisoning by ophthalmological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.5X2S	Poisoning by ophthalmological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.6X2	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm	Diagnosis	ICD-10-CM
T49.6X2A	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.6X2D	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.6X2S	Poisoning by otorhinolaryngological drugs and preparations, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.7X2	Poisoning by dental drugs, topically applied, intentional self-harm	Diagnosis	ICD-10-CM
T49.7X2A	Poisoning by dental drugs, topically applied, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.7X2D	Poisoning by dental drugs, topically applied, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.7X2S	Poisoning by dental drugs, topically applied, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.8X2	Poisoning by other topical agents, intentional self-harm	Diagnosis	ICD-10-CM
T49.8X2A	Poisoning by other topical agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T49.8X2D	Poisoning by other topical agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.8X2S	Poisoning by other topical agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T49.92	Poisoning by unspecified topical agent, intentional self-harm	Diagnosis	ICD-10-CM
T49.92XA	Poisoning by unspecified topical agent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T49.92XD	Poisoning by unspecified topical agent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T49.92XS	Poisoning by unspecified topical agent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.0X2	Poisoning by mineralocorticoids and their antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T50.0X2A	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.0X2D	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.0X2S	Poisoning by mineralocorticoids and their antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.1X2	Poisoning by loop [high-ceiling] diuretics, intentional self-harm	Diagnosis	ICD-10-CM
T50.1X2A	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.1X2D	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.1X2S	Poisoning by loop [high-ceiling] diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.2X2	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm	Diagnosis	ICD-10-CM
T50.2X2A	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.2X2D	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.2X2S	Poisoning by carbonic-anhydrase inhibitors, benzothiadiazides and other diuretics, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.3X2	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.3X2A	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.3X2D	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.3X2S	Poisoning by electrolytic, caloric and water-balance agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.4X2	Poisoning by drugs affecting uric acid metabolism, intentional self-harm	Diagnosis	ICD-10-CM
T50.4X2A	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.4X2D	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.4X2S	Poisoning by drugs affecting uric acid metabolism, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.5X2	Poisoning by appetite depressants, intentional self-harm	Diagnosis	ICD-10-CM
T50.5X2A	Poisoning by appetite depressants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.5X2D	Poisoning by appetite depressants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.5X2S	Poisoning by appetite depressants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.6X2	Poisoning by antidotes and chelating agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.6X2A	Poisoning by antidotes and chelating agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.6X2D	Poisoning by antidotes and chelating agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.6X2S	Poisoning by antidotes and chelating agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.7X2	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm	Diagnosis	ICD-10-CM
T50.7X2A	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T50.7X2D	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.7X2S	Poisoning by analeptics and opioid receptor antagonists, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.8X2	Poisoning by diagnostic agents, intentional self-harm	Diagnosis	ICD-10-CM
T50.8X2A	Poisoning by diagnostic agents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.8X2D	Poisoning by diagnostic agents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.8X2S	Poisoning by diagnostic agents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.902	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.902A	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.902D	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.902S	Poisoning by unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.912	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.912A	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.912D	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.912S	Poisoning by multiple unspecified drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.992	Poisoning by other drugs, medicaments and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.992A	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.992D	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.992S	Poisoning by other drugs, medicaments and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A12	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm	Diagnosis	ICD-10-CM
T50.A12A	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A12D	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A12S	Poisoning by pertussis vaccine, including combinations with a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A22	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm	Diagnosis	ICD-10-CM
T50.A22A	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A22D	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A22S	Poisoning by mixed bacterial vaccines without a pertussis component, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.A92	Poisoning by other bacterial vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.A92A	Poisoning by other bacterial vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.A92D	Poisoning by other bacterial vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.A92S	Poisoning by other bacterial vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B12	Poisoning by smallpox vaccines, intentional self-harm	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T50.B12A	Poisoning by smallpox vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B12D	Poisoning by smallpox vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B12S	Poisoning by smallpox vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.B92	Poisoning by other viral vaccines, intentional self-harm	Diagnosis	ICD-10-CM
T50.B92A	Poisoning by other viral vaccines, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.B92D	Poisoning by other viral vaccines, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.B92S	Poisoning by other viral vaccines, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z12	Poisoning by immunoglobulin, intentional self-harm	Diagnosis	ICD-10-CM
T50.Z12A	Poisoning by immunoglobulin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z12D	Poisoning by immunoglobulin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z12S	Poisoning by immunoglobulin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T50.Z92	Poisoning by other vaccines and biological substances, intentional self-harm	Diagnosis	ICD-10-CM
T50.Z92A	Poisoning by other vaccines and biological substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T50.Z92D	Poisoning by other vaccines and biological substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T50.Z92S	Poisoning by other vaccines and biological substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.0X2	Toxic effect of ethanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.0X2A	Toxic effect of ethanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.0X2D	Toxic effect of ethanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.0X2S	Toxic effect of ethanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.1X2	Toxic effect of methanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.1X2A	Toxic effect of methanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.1X2D	Toxic effect of methanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.1X2S	Toxic effect of methanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.2X2	Toxic effect of 2-Propanol, intentional self-harm	Diagnosis	ICD-10-CM
T51.2X2A	Toxic effect of 2-Propanol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.2X2D	Toxic effect of 2-Propanol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.2X2S	Toxic effect of 2-Propanol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.3X2	Toxic effect of fusel oil, intentional self-harm	Diagnosis	ICD-10-CM
T51.3X2A	Toxic effect of fusel oil, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.3X2D	Toxic effect of fusel oil, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.3X2S	Toxic effect of fusel oil, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.8X2	Toxic effect of other alcohols, intentional self-harm	Diagnosis	ICD-10-CM
T51.8X2A	Toxic effect of other alcohols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.8X2D	Toxic effect of other alcohols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.8X2S	Toxic effect of other alcohols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T51.92	Toxic effect of unspecified alcohol, intentional self-harm	Diagnosis	ICD-10-CM
T51.92XA	Toxic effect of unspecified alcohol, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T51.92XD	Toxic effect of unspecified alcohol, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T51.92XS	Toxic effect of unspecified alcohol, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.0X2	Toxic effect of petroleum products, intentional self-harm	Diagnosis	ICD-10-CM
T52.0X2A	Toxic effect of petroleum products, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.0X2D	Toxic effect of petroleum products, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.0X2S	Toxic effect of petroleum products, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.1X2	Toxic effect of benzene, intentional self-harm	Diagnosis	ICD-10-CM
T52.1X2A	Toxic effect of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.1X2D	Toxic effect of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.1X2S	Toxic effect of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.2X2	Toxic effect of homologues of benzene, intentional self-harm	Diagnosis	ICD-10-CM
T52.2X2A	Toxic effect of homologues of benzene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T52.2X2D	Toxic effect of homologues of benzene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.2X2S	Toxic effect of homologues of benzene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.3X2	Toxic effect of glycols, intentional self-harm	Diagnosis	ICD-10-CM
T52.3X2A	Toxic effect of glycols, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.3X2D	Toxic effect of glycols, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.3X2S	Toxic effect of glycols, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.4X2	Toxic effect of ketones, intentional self-harm	Diagnosis	ICD-10-CM
T52.4X2A	Toxic effect of ketones, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.4X2D	Toxic effect of ketones, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.4X2S	Toxic effect of ketones, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.8X2	Toxic effect of other organic solvents, intentional self-harm	Diagnosis	ICD-10-CM
T52.8X2A	Toxic effect of other organic solvents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.8X2D	Toxic effect of other organic solvents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.8X2S	Toxic effect of other organic solvents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T52.92	Toxic effect of unspecified organic solvent, intentional self-harm	Diagnosis	ICD-10-CM
T52.92XA	Toxic effect of unspecified organic solvent, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T52.92XD	Toxic effect of unspecified organic solvent, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T52.92XS	Toxic effect of unspecified organic solvent, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.0X2	Toxic effect of carbon tetrachloride, intentional self-harm	Diagnosis	ICD-10-CM
T53.0X2A	Toxic effect of carbon tetrachloride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.0X2D	Toxic effect of carbon tetrachloride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.0X2S	Toxic effect of carbon tetrachloride, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.1X2	Toxic effect of chloroform, intentional self-harm	Diagnosis	ICD-10-CM
T53.1X2A	Toxic effect of chloroform, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.1X2D	Toxic effect of chloroform, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.1X2S	Toxic effect of chloroform, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.2X2	Toxic effect of trichloroethylene, intentional self-harm	Diagnosis	ICD-10-CM
T53.2X2A	Toxic effect of trichloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.2X2D	Toxic effect of trichloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.2X2S	Toxic effect of trichloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.3X2	Toxic effect of tetrachloroethylene, intentional self-harm	Diagnosis	ICD-10-CM
T53.3X2A	Toxic effect of tetrachloroethylene, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.3X2D	Toxic effect of tetrachloroethylene, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.3X2S	Toxic effect of tetrachloroethylene, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.4X2	Toxic effect of dichloromethane, intentional self-harm	Diagnosis	ICD-10-CM
T53.4X2A	Toxic effect of dichloromethane, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.4X2D	Toxic effect of dichloromethane, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.4X2S	Toxic effect of dichloromethane, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.5X2	Toxic effect of chlorofluorocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.5X2A	Toxic effect of chlorofluorocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.5X2D	Toxic effect of chlorofluorocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.5X2S	Toxic effect of chlorofluorocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.6X2	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.6X2A	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.6X2D	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T53.6X2S	Toxic effect of other halogen derivatives of aliphatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.7X2	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.7X2A	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.7X2D	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.7X2S	Toxic effect of other halogen derivatives of aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T53.92	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm	Diagnosis	ICD-10-CM
T53.92XA	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T53.92XD	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T53.92XS	Toxic effect of unspecified halogen derivatives of aliphatic and aromatic hydrocarbons, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.0X2	Toxic effect of phenol and phenol homologues, intentional self-harm	Diagnosis	ICD-10-CM
T54.0X2A	Toxic effect of phenol and phenol homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.0X2D	Toxic effect of phenol and phenol homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.0X2S	Toxic effect of phenol and phenol homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.1X2	Toxic effect of other corrosive organic compounds, intentional self-harm	Diagnosis	ICD-10-CM
T54.1X2A	Toxic effect of other corrosive organic compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.1X2D	Toxic effect of other corrosive organic compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.1X2S	Toxic effect of other corrosive organic compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.2X2	Toxic effect of corrosive acids and acid-like substances, intentional self-harm	Diagnosis	ICD-10-CM
T54.2X2A	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.2X2D	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.2X2S	Toxic effect of corrosive acids and acid-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.3X2	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm	Diagnosis	ICD-10-CM
T54.3X2A	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.3X2D	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.3X2S	Toxic effect of corrosive alkalis and alkali-like substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T54.92	Toxic effect of unspecified corrosive substance, intentional self-harm	Diagnosis	ICD-10-CM
T54.92XA	Toxic effect of unspecified corrosive substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T54.92XD	Toxic effect of unspecified corrosive substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T54.92XS	Toxic effect of unspecified corrosive substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.0X2	Toxic effect of soaps, intentional self-harm	Diagnosis	ICD-10-CM
T55.0X2A	Toxic effect of soaps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T55.0X2D	Toxic effect of soaps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.0X2S	Toxic effect of soaps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T55.1X2	Toxic effect of detergents, intentional self-harm	Diagnosis	ICD-10-CM
T55.1X2A	Toxic effect of detergents, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T55.1X2D	Toxic effect of detergents, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T55.1X2S	Toxic effect of detergents, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.0X2	Toxic effect of lead and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.0X2A	Toxic effect of lead and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.0X2D	Toxic effect of lead and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.0X2S	Toxic effect of lead and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.1X2	Toxic effect of mercury and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.1X2A	Toxic effect of mercury and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.1X2D	Toxic effect of mercury and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.1X2S	Toxic effect of mercury and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.2X2	Toxic effect of chromium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.2X2A	Toxic effect of chromium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.2X2D	Toxic effect of chromium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.2X2S	Toxic effect of chromium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.3X2	Toxic effect of cadmium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.3X2A	Toxic effect of cadmium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.3X2D	Toxic effect of cadmium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.3X2S	Toxic effect of cadmium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.4X2	Toxic effect of copper and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.4X2A	Toxic effect of copper and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.4X2D	Toxic effect of copper and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.4X2S	Toxic effect of copper and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.5X2	Toxic effect of zinc and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.5X2A	Toxic effect of zinc and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.5X2D	Toxic effect of zinc and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.5X2S	Toxic effect of zinc and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.6X2	Toxic effect of tin and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.6X2A	Toxic effect of tin and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.6X2D	Toxic effect of tin and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.6X2S	Toxic effect of tin and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.7X2	Toxic effect of beryllium and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T56.7X2A	Toxic effect of beryllium and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.7X2D	Toxic effect of beryllium and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.7X2S	Toxic effect of beryllium and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.812	Toxic effect of thallium, intentional self-harm	Diagnosis	ICD-10-CM
T56.812A	Toxic effect of thallium, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.812D	Toxic effect of thallium, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T56.812S	Toxic effect of thallium, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.892	Toxic effect of other metals, intentional self-harm	Diagnosis	ICD-10-CM
T56.892A	Toxic effect of other metals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.892D	Toxic effect of other metals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.892S	Toxic effect of other metals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T56.92	Toxic effect of unspecified metal, intentional self-harm	Diagnosis	ICD-10-CM
T56.92XA	Toxic effect of unspecified metal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T56.92XD	Toxic effect of unspecified metal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T56.92XS	Toxic effect of unspecified metal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.0X2	Toxic effect of arsenic and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.0X2A	Toxic effect of arsenic and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.0X2D	Toxic effect of arsenic and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.0X2S	Toxic effect of arsenic and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.1X2	Toxic effect of phosphorus and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.1X2A	Toxic effect of phosphorus and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.1X2D	Toxic effect of phosphorus and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.1X2S	Toxic effect of phosphorus and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.2X2	Toxic effect of manganese and its compounds, intentional self-harm	Diagnosis	ICD-10-CM
T57.2X2A	Toxic effect of manganese and its compounds, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.2X2D	Toxic effect of manganese and its compounds, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.2X2S	Toxic effect of manganese and its compounds, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.3X2	Toxic effect of hydrogen cyanide, intentional self-harm	Diagnosis	ICD-10-CM
T57.3X2A	Toxic effect of hydrogen cyanide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.3X2D	Toxic effect of hydrogen cyanide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.3X2S	Toxic effect of hydrogen cyanide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.8X2	Toxic effect of other specified inorganic substances, intentional self-harm	Diagnosis	ICD-10-CM
T57.8X2A	Toxic effect of other specified inorganic substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.8X2D	Toxic effect of other specified inorganic substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.8X2S	Toxic effect of other specified inorganic substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T57.92	Toxic effect of unspecified inorganic substance, intentional self-harm	Diagnosis	ICD-10-CM
T57.92XA	Toxic effect of unspecified inorganic substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T57.92XD	Toxic effect of unspecified inorganic substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T57.92XS	Toxic effect of unspecified inorganic substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.02	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm	Diagnosis	ICD-10-CM
T58.02XA	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.02XD	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.02XS	Toxic effect of carbon monoxide from motor vehicle exhaust, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.12	Toxic effect of carbon monoxide from utility gas, intentional self-harm	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T58.12XA	Toxic effect of carbon monoxide from utility gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.12XD	Toxic effect of carbon monoxide from utility gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.12XS	Toxic effect of carbon monoxide from utility gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.2X2	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm	Diagnosis	ICD-10-CM
T58.2X2A	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.2X2D	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.2X2S	Toxic effect of carbon monoxide from incomplete combustion of other domestic fuels, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.8X2	Toxic effect of carbon monoxide from other source, intentional self-harm	Diagnosis	ICD-10-CM
T58.8X2A	Toxic effect of carbon monoxide from other source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.8X2D	Toxic effect of carbon monoxide from other source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.8X2S	Toxic effect of carbon monoxide from other source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T58.92	Toxic effect of carbon monoxide from unspecified source, intentional self-harm	Diagnosis	ICD-10-CM
T58.92XA	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T58.92XD	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T58.92XS	Toxic effect of carbon monoxide from unspecified source, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.0X2	Toxic effect of nitrogen oxides, intentional self-harm	Diagnosis	ICD-10-CM
T59.0X2A	Toxic effect of nitrogen oxides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.0X2D	Toxic effect of nitrogen oxides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.0X2S	Toxic effect of nitrogen oxides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.1X2	Toxic effect of sulfur dioxide, intentional self-harm	Diagnosis	ICD-10-CM
T59.1X2A	Toxic effect of sulfur dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.1X2D	Toxic effect of sulfur dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.1X2S	Toxic effect of sulfur dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.2X2	Toxic effect of formaldehyde, intentional self-harm	Diagnosis	ICD-10-CM
T59.2X2A	Toxic effect of formaldehyde, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.2X2D	Toxic effect of formaldehyde, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.2X2S	Toxic effect of formaldehyde, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.3X2	Toxic effect of lacrimogenic gas, intentional self-harm	Diagnosis	ICD-10-CM
T59.3X2A	Toxic effect of lacrimogenic gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.3X2D	Toxic effect of lacrimogenic gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.3X2S	Toxic effect of lacrimogenic gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.4X2	Toxic effect of chlorine gas, intentional self-harm	Diagnosis	ICD-10-CM
T59.4X2A	Toxic effect of chlorine gas, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.4X2D	Toxic effect of chlorine gas, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.4X2S	Toxic effect of chlorine gas, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.5X2	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm	Diagnosis	ICD-10-CM
T59.5X2A	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.5X2D	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.5X2S	Toxic effect of fluorine gas and hydrogen fluoride, intentional self-harm, sequela	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T59.6X2	Toxic effect of hydrogen sulfide, intentional self-harm	Diagnosis	ICD-10-CM
T59.6X2A	Toxic effect of hydrogen sulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.6X2D	Toxic effect of hydrogen sulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.6X2S	Toxic effect of hydrogen sulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.7X2	Toxic effect of carbon dioxide, intentional self-harm	Diagnosis	ICD-10-CM
T59.7X2A	Toxic effect of carbon dioxide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.7X2D	Toxic effect of carbon dioxide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.7X2S	Toxic effect of carbon dioxide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.812	Toxic effect of smoke, intentional self-harm	Diagnosis	ICD-10-CM
T59.812A	Toxic effect of smoke, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.812D	Toxic effect of smoke, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.812S	Toxic effect of smoke, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.892	Toxic effect of other specified gases, fumes and vapors, intentional self-harm	Diagnosis	ICD-10-CM
T59.892A	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.892D	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.892S	Toxic effect of other specified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T59.92	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm	Diagnosis	ICD-10-CM
T59.92XA	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T59.92XD	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T59.92XS	Toxic effect of unspecified gases, fumes and vapors, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.0X2	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.0X2A	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.0X2D	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.0X2S	Toxic effect of organophosphate and carbamate insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.1X2	Toxic effect of halogenated insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.1X2A	Toxic effect of halogenated insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.1X2D	Toxic effect of halogenated insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.1X2S	Toxic effect of halogenated insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.2X2	Toxic effect of other insecticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.2X2A	Toxic effect of other insecticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.2X2D	Toxic effect of other insecticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.2X2S	Toxic effect of other insecticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.3X2	Toxic effect of herbicides and fungicides, intentional self-harm	Diagnosis	ICD-10-CM
T60.3X2A	Toxic effect of herbicides and fungicides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.3X2D	Toxic effect of herbicides and fungicides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.3X2S	Toxic effect of herbicides and fungicides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.4X2	Toxic effect of rodenticides, intentional self-harm	Diagnosis	ICD-10-CM
T60.4X2A	Toxic effect of rodenticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.4X2D	Toxic effect of rodenticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.4X2S	Toxic effect of rodenticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.8X2	Toxic effect of other pesticides, intentional self-harm	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T60.8X2A	Toxic effect of other pesticides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.8X2D	Toxic effect of other pesticides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.8X2S	Toxic effect of other pesticides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T60.92	Toxic effect of unspecified pesticide, intentional self-harm	Diagnosis	ICD-10-CM
T60.92XA	Toxic effect of unspecified pesticide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T60.92XD	Toxic effect of unspecified pesticide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T60.92XS	Toxic effect of unspecified pesticide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.02	Ciguatera fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.02XA	Ciguatera fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.02XD	Ciguatera fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.02XS	Ciguatera fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.12	Scombroid fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.12XA	Scombroid fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.12XD	Scombroid fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.12XS	Scombroid fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.772	Other fish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.772A	Other fish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.772D	Other fish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.772S	Other fish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.782	Other shellfish poisoning, intentional self-harm	Diagnosis	ICD-10-CM
T61.782A	Other shellfish poisoning, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.782D	Other shellfish poisoning, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.782S	Other shellfish poisoning, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.8X2	Toxic effect of other seafood, intentional self-harm	Diagnosis	ICD-10-CM
T61.8X2A	Toxic effect of other seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.8X2D	Toxic effect of other seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.8X2S	Toxic effect of other seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T61.92	Toxic effect of unspecified seafood, intentional self-harm	Diagnosis	ICD-10-CM
T61.92XA	Toxic effect of unspecified seafood, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T61.92XD	Toxic effect of unspecified seafood, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T61.92XS	Toxic effect of unspecified seafood, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.0X2	Toxic effect of ingested mushrooms, intentional self-harm	Diagnosis	ICD-10-CM
T62.0X2A	Toxic effect of ingested mushrooms, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.0X2D	Toxic effect of ingested mushrooms, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.0X2S	Toxic effect of ingested mushrooms, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.1X2	Toxic effect of ingested berries, intentional self-harm	Diagnosis	ICD-10-CM
T62.1X2A	Toxic effect of ingested berries, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.1X2D	Toxic effect of ingested berries, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.1X2S	Toxic effect of ingested berries, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.2X2	Toxic effect of other ingested (parts of) plant(s), intentional self-harm	Diagnosis	ICD-10-CM
T62.2X2A	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.2X2D	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.2X2S	Toxic effect of other ingested (parts of) plant(s), intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.8X2	Toxic effect of other specified noxious substances eaten as food, intentional self-harm	Diagnosis	ICD-10-CM
T62.8X2A	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.8X2D	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T62.8X2S	Toxic effect of other specified noxious substances eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T62.92	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm	Diagnosis	ICD-10-CM
T62.92XA	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T62.92XD	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T62.92XS	Toxic effect of unspecified noxious substance eaten as food, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.002	Toxic effect of unspecified snake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.002A	Toxic effect of unspecified snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.002D	Toxic effect of unspecified snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.002S	Toxic effect of unspecified snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.012	Toxic effect of rattlesnake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.012A	Toxic effect of rattlesnake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.012D	Toxic effect of rattlesnake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.012S	Toxic effect of rattlesnake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.022	Toxic effect of coral snake venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.022A	Toxic effect of coral snake venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.022D	Toxic effect of coral snake venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.022S	Toxic effect of coral snake venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.032	Toxic effect of taipan venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.032A	Toxic effect of taipan venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.032D	Toxic effect of taipan venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.032S	Toxic effect of taipan venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.042	Toxic effect of cobra venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.042A	Toxic effect of cobra venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.042D	Toxic effect of cobra venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.042S	Toxic effect of cobra venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.062	Toxic effect of venom of other North and South American snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.062A	Toxic effect of venom of other North and South American snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.062D	Toxic effect of venom of other North and South American snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.062S	Toxic effect of venom of other North and South American snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.072	Toxic effect of venom of other Australian snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.072A	Toxic effect of venom of other Australian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.072D	Toxic effect of venom of other Australian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.072S	Toxic effect of venom of other Australian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.082	Toxic effect of venom of other African and Asian snake, intentional self-harm	Diagnosis	ICD-10-CM
T63.082A	Toxic effect of venom of other African and Asian snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.082D	Toxic effect of venom of other African and Asian snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.082S	Toxic effect of venom of other African and Asian snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.092	Toxic effect of venom of other snake, intentional self-harm	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T63.092A	Toxic effect of venom of other snake, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.092D	Toxic effect of venom of other snake, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.092S	Toxic effect of venom of other snake, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.112	Toxic effect of venom of gila monster, intentional self-harm	Diagnosis	ICD-10-CM
T63.112A	Toxic effect of venom of gila monster, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.112D	Toxic effect of venom of gila monster, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.112S	Toxic effect of venom of gila monster, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.122	Toxic effect of venom of other venomous lizard, intentional self-harm	Diagnosis	ICD-10-CM
T63.122A	Toxic effect of venom of other venomous lizard, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.122D	Toxic effect of venom of other venomous lizard, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.122S	Toxic effect of venom of other venomous lizard, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.192	Toxic effect of venom of other reptiles, intentional self-harm	Diagnosis	ICD-10-CM
T63.192A	Toxic effect of venom of other reptiles, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.192D	Toxic effect of venom of other reptiles, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.192S	Toxic effect of venom of other reptiles, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.2X2	Toxic effect of venom of scorpion, intentional self-harm	Diagnosis	ICD-10-CM
T63.2X2A	Toxic effect of venom of scorpion, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.2X2D	Toxic effect of venom of scorpion, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.2X2S	Toxic effect of venom of scorpion, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.302	Toxic effect of unspecified spider venom, intentional self-harm	Diagnosis	ICD-10-CM
T63.302A	Toxic effect of unspecified spider venom, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.302D	Toxic effect of unspecified spider venom, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.302S	Toxic effect of unspecified spider venom, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.312	Toxic effect of venom of black widow spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.312A	Toxic effect of venom of black widow spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.312D	Toxic effect of venom of black widow spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.312S	Toxic effect of venom of black widow spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.322	Toxic effect of venom of tarantula, intentional self-harm	Diagnosis	ICD-10-CM
T63.322A	Toxic effect of venom of tarantula, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.322D	Toxic effect of venom of tarantula, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.322S	Toxic effect of venom of tarantula, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.332	Toxic effect of venom of brown recluse spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.332A	Toxic effect of venom of brown recluse spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.332D	Toxic effect of venom of brown recluse spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.332S	Toxic effect of venom of brown recluse spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.392	Toxic effect of venom of other spider, intentional self-harm	Diagnosis	ICD-10-CM
T63.392A	Toxic effect of venom of other spider, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.392D	Toxic effect of venom of other spider, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.392S	Toxic effect of venom of other spider, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.412	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T63.412A	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.412D	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.412S	Toxic effect of venom of centipedes and venomous millipedes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.422	Toxic effect of venom of ants, intentional self-harm	Diagnosis	ICD-10-CM
T63.422A	Toxic effect of venom of ants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.422D	Toxic effect of venom of ants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.422S	Toxic effect of venom of ants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.432	Toxic effect of venom of caterpillars, intentional self-harm	Diagnosis	ICD-10-CM
T63.432A	Toxic effect of venom of caterpillars, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.432D	Toxic effect of venom of caterpillars, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.432S	Toxic effect of venom of caterpillars, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.442	Toxic effect of venom of bees, intentional self-harm	Diagnosis	ICD-10-CM
T63.442A	Toxic effect of venom of bees, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.442D	Toxic effect of venom of bees, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.442S	Toxic effect of venom of bees, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.452	Toxic effect of venom of hornets, intentional self-harm	Diagnosis	ICD-10-CM
T63.452A	Toxic effect of venom of hornets, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.452D	Toxic effect of venom of hornets, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.452S	Toxic effect of venom of hornets, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.462	Toxic effect of venom of wasps, intentional self-harm	Diagnosis	ICD-10-CM
T63.462A	Toxic effect of venom of wasps, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.462D	Toxic effect of venom of wasps, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.462S	Toxic effect of venom of wasps, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.482	Toxic effect of venom of other arthropod, intentional self-harm	Diagnosis	ICD-10-CM
T63.482A	Toxic effect of venom of other arthropod, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.482D	Toxic effect of venom of other arthropod, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.482S	Toxic effect of venom of other arthropod, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.512	Toxic effect of contact with stingray, intentional self-harm	Diagnosis	ICD-10-CM
T63.512A	Toxic effect of contact with stingray, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.512D	Toxic effect of contact with stingray, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.512S	Toxic effect of contact with stingray, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.592	Toxic effect of contact with other venomous fish, intentional self-harm	Diagnosis	ICD-10-CM
T63.592A	Toxic effect of contact with other venomous fish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.592D	Toxic effect of contact with other venomous fish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.592S	Toxic effect of contact with other venomous fish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.612	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm	Diagnosis	ICD-10-CM
T63.612A	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.612D	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.612S	Toxic effect of contact with Portuguese Man-o-war, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.622	Toxic effect of contact with other jellyfish, intentional self-harm	Diagnosis	ICD-10-CM
T63.622A	Toxic effect of contact with other jellyfish, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T63.622D	Toxic effect of contact with other jellyfish, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.622S	Toxic effect of contact with other jellyfish, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.632	Toxic effect of contact with sea anemone, intentional self-harm	Diagnosis	ICD-10-CM
T63.632A	Toxic effect of contact with sea anemone, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.632D	Toxic effect of contact with sea anemone, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.632S	Toxic effect of contact with sea anemone, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.692	Toxic effect of contact with other venomous marine animals, intentional self-harm	Diagnosis	ICD-10-CM
T63.692A	Toxic effect of contact with other venomous marine animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.692D	Toxic effect of contact with other venomous marine animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.692S	Toxic effect of contact with other venomous marine animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.712	Toxic effect of contact with venomous marine plant, intentional self-harm	Diagnosis	ICD-10-CM
T63.712A	Toxic effect of contact with venomous marine plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.712D	Toxic effect of contact with venomous marine plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.712S	Toxic effect of contact with venomous marine plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.792	Toxic effect of contact with other venomous plant, intentional self-harm	Diagnosis	ICD-10-CM
T63.792A	Toxic effect of contact with other venomous plant, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.792D	Toxic effect of contact with other venomous plant, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.792S	Toxic effect of contact with other venomous plant, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.812	Toxic effect of contact with venomous frog, intentional self-harm	Diagnosis	ICD-10-CM
T63.812A	Toxic effect of contact with venomous frog, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.812D	Toxic effect of contact with venomous frog, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.812S	Toxic effect of contact with venomous frog, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.822	Toxic effect of contact with venomous toad, intentional self-harm	Diagnosis	ICD-10-CM
T63.822A	Toxic effect of contact with venomous toad, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.822D	Toxic effect of contact with venomous toad, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.822S	Toxic effect of contact with venomous toad, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.832	Toxic effect of contact with other venomous amphibian, intentional self-harm	Diagnosis	ICD-10-CM
T63.832A	Toxic effect of contact with other venomous amphibian, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.832D	Toxic effect of contact with other venomous amphibian, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.832S	Toxic effect of contact with other venomous amphibian, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.892	Toxic effect of contact with other venomous animals, intentional self-harm	Diagnosis	ICD-10-CM
T63.892A	Toxic effect of contact with other venomous animals, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T63.892D	Toxic effect of contact with other venomous animals, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.892S	Toxic effect of contact with other venomous animals, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T63.92	Toxic effect of contact with unspecified venomous animal, intentional self-harm	Diagnosis	ICD-10-CM
T63.92XA	Toxic effect of contact with unspecified venomous animal, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T63.92XD	Toxic effect of contact with unspecified venomous animal, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T63.92XS	Toxic effect of contact with unspecified venomous animal, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.02	Toxic effect of aflatoxin, intentional self-harm	Diagnosis	ICD-10-CM
T64.02XA	Toxic effect of aflatoxin, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.02XD	Toxic effect of aflatoxin, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.02XS	Toxic effect of aflatoxin, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T64.82	Toxic effect of other mycotoxin food contaminants, intentional self-harm	Diagnosis	ICD-10-CM
T64.82XA	Toxic effect of other mycotoxin food contaminants, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T64.82XD	Toxic effect of other mycotoxin food contaminants, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T64.82XS	Toxic effect of other mycotoxin food contaminants, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.0X2	Toxic effect of cyanides, intentional self-harm	Diagnosis	ICD-10-CM
T65.0X2A	Toxic effect of cyanides, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.0X2D	Toxic effect of cyanides, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.0X2S	Toxic effect of cyanides, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.1X2	Toxic effect of strychnine and its salts, intentional self-harm	Diagnosis	ICD-10-CM
T65.1X2A	Toxic effect of strychnine and its salts, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.1X2D	Toxic effect of strychnine and its salts, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.1X2S	Toxic effect of strychnine and its salts, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.212	Toxic effect of chewing tobacco, intentional self-harm	Diagnosis	ICD-10-CM
T65.212A	Toxic effect of chewing tobacco, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.212D	Toxic effect of chewing tobacco, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.212S	Toxic effect of chewing tobacco, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.222	Toxic effect of tobacco cigarettes, intentional self-harm	Diagnosis	ICD-10-CM
T65.222A	Toxic effect of tobacco cigarettes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.222D	Toxic effect of tobacco cigarettes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.222S	Toxic effect of tobacco cigarettes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.292	Toxic effect of other tobacco and nicotine, intentional self-harm	Diagnosis	ICD-10-CM
T65.292A	Toxic effect of other tobacco and nicotine, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.292D	Toxic effect of other tobacco and nicotine, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.292S	Toxic effect of other tobacco and nicotine, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.3X2	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm	Diagnosis	ICD-10-CM
T65.3X2A	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.3X2D	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.3X2S	Toxic effect of nitroderivatives and aminoderivatives of benzene and its homologues, intentional self-harm, sequela	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T65.4X2	Toxic effect of carbon disulfide, intentional self-harm	Diagnosis	ICD-10-CM
T65.4X2A	Toxic effect of carbon disulfide, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.4X2D	Toxic effect of carbon disulfide, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.4X2S	Toxic effect of carbon disulfide, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.5X2	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm	Diagnosis	ICD-10-CM
T65.5X2A	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.5X2D	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.5X2S	Toxic effect of nitroglycerin and other nitric acids and esters, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.6X2	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm	Diagnosis	ICD-10-CM
T65.6X2A	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.6X2D	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.6X2S	Toxic effect of paints and dyes, not elsewhere classified, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.812	Toxic effect of latex, intentional self-harm	Diagnosis	ICD-10-CM
T65.812A	Toxic effect of latex, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.812D	Toxic effect of latex, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.812S	Toxic effect of latex, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.822	Toxic effect of harmful algae and algae toxins, intentional self-harm	Diagnosis	ICD-10-CM
T65.822A	Toxic effect of harmful algae and algae toxins, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.822D	Toxic effect of harmful algae and algae toxins, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.822S	Toxic effect of harmful algae and algae toxins, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.832	Toxic effect of fiberglass, intentional self-harm	Diagnosis	ICD-10-CM
T65.832A	Toxic effect of fiberglass, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.832D	Toxic effect of fiberglass, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.832S	Toxic effect of fiberglass, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.892	Toxic effect of other specified substances, intentional self-harm	Diagnosis	ICD-10-CM
T65.892A	Toxic effect of other specified substances, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.892D	Toxic effect of other specified substances, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.892S	Toxic effect of other specified substances, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T65.92	Toxic effect of unspecified substance, intentional self-harm	Diagnosis	ICD-10-CM
T65.92XA	Toxic effect of unspecified substance, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T65.92XD	Toxic effect of unspecified substance, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T65.92XS	Toxic effect of unspecified substance, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.112	Asphyxiation due to smothering under pillow, intentional self-harm	Diagnosis	ICD-10-CM
T71.112A	Asphyxiation due to smothering under pillow, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.112D	Asphyxiation due to smothering under pillow, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.112S	Asphyxiation due to smothering under pillow, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.122	Asphyxiation due to plastic bag, intentional self-harm	Diagnosis	ICD-10-CM
T71.122A	Asphyxiation due to plastic bag, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.122D	Asphyxiation due to plastic bag, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.122S	Asphyxiation due to plastic bag, intentional self-harm, sequela	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
T71.132	Asphyxiation due to being trapped in bed linens, intentional self-harm	Diagnosis	ICD-10-CM
T71.132A	Asphyxiation due to being trapped in bed linens, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.132D	Asphyxiation due to being trapped in bed linens, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.132S	Asphyxiation due to being trapped in bed linens, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.152	Asphyxiation due to smothering in furniture, intentional self-harm	Diagnosis	ICD-10-CM
T71.152A	Asphyxiation due to smothering in furniture, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.152D	Asphyxiation due to smothering in furniture, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.152S	Asphyxiation due to smothering in furniture, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.162	Asphyxiation due to hanging, intentional self-harm	Diagnosis	ICD-10-CM
T71.162A	Asphyxiation due to hanging, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.162D	Asphyxiation due to hanging, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.162S	Asphyxiation due to hanging, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.192	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm	Diagnosis	ICD-10-CM
T71.192A	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.192D	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.192S	Asphyxiation due to mechanical threat to breathing due to other causes, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.222	Asphyxiation due to being trapped in a car trunk, intentional self-harm	Diagnosis	ICD-10-CM
T71.222A	Asphyxiation due to being trapped in a car trunk, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.222D	Asphyxiation due to being trapped in a car trunk, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.222S	Asphyxiation due to being trapped in a car trunk, intentional self-harm, sequela	Diagnosis	ICD-10-CM
T71.232	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm	Diagnosis	ICD-10-CM
T71.232A	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, initial encounter	Diagnosis	ICD-10-CM
T71.232D	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, subsequent encounter	Diagnosis	ICD-10-CM
T71.232S	Asphyxiation due to being trapped in a (discarded) refrigerator, intentional self-harm, sequela	Diagnosis	ICD-10-CM
X71	Intentional self-harm by drowning and submersion	Diagnosis	ICD-10-CM
X71.0	Intentional self-harm by drowning and submersion while in bathtub	Diagnosis	ICD-10-CM
X71.0XXA	Intentional self-harm by drowning and submersion while in bathtub, initial encounter	Diagnosis	ICD-10-CM
X71.0XXD	Intentional self-harm by drowning and submersion while in bathtub, subsequent encounter	Diagnosis	ICD-10-CM
X71.0XXS	Intentional self-harm by drowning and submersion while in bathtub, sequela	Diagnosis	ICD-10-CM
X71.1	Intentional self-harm by drowning and submersion while in swimming pool	Diagnosis	ICD-10-CM
X71.1XXA	Intentional self-harm by drowning and submersion while in swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.1XXD	Intentional self-harm by drowning and submersion while in swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.1XXS	Intentional self-harm by drowning and submersion while in swimming pool, sequela	Diagnosis	ICD-10-CM
X71.2	Intentional self-harm by drowning and submersion after jump into swimming pool	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
X71.2XXA	Intentional self-harm by drowning and submersion after jump into swimming pool, initial encounter	Diagnosis	ICD-10-CM
X71.2XXD	Intentional self-harm by drowning and submersion after jump into swimming pool, subsequent encounter	Diagnosis	ICD-10-CM
X71.2XXS	Intentional self-harm by drowning and submersion after jump into swimming pool, sequela	Diagnosis	ICD-10-CM
X71.3	Intentional self-harm by drowning and submersion in natural water	Diagnosis	ICD-10-CM
X71.3XXA	Intentional self-harm by drowning and submersion in natural water, initial encounter	Diagnosis	ICD-10-CM
X71.3XXD	Intentional self-harm by drowning and submersion in natural water, subsequent encounter	Diagnosis	ICD-10-CM
X71.3XXS	Intentional self-harm by drowning and submersion in natural water, sequela	Diagnosis	ICD-10-CM
X71.8	Other intentional self-harm by drowning and submersion	Diagnosis	ICD-10-CM
X71.8XXA	Other intentional self-harm by drowning and submersion, initial encounter	Diagnosis	ICD-10-CM
X71.8XXD	Other intentional self-harm by drowning and submersion, subsequent encounter	Diagnosis	ICD-10-CM
X71.8XXS	Other intentional self-harm by drowning and submersion, sequela	Diagnosis	ICD-10-CM
X71.9	Intentional self-harm by drowning and submersion, unspecified	Diagnosis	ICD-10-CM
X71.9XXA	Intentional self-harm by drowning and submersion, unspecified, initial encounter	Diagnosis	ICD-10-CM
X71.9XXD	Intentional self-harm by drowning and submersion, unspecified, subsequent encounter	Diagnosis	ICD-10-CM
X71.9XXS	Intentional self-harm by drowning and submersion, unspecified, sequela	Diagnosis	ICD-10-CM
X72	Intentional self-harm by handgun discharge	Diagnosis	ICD-10-CM
X72.XXXA	Intentional self-harm by handgun discharge, initial encounter	Diagnosis	ICD-10-CM
X72.XXXD	Intentional self-harm by handgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X72.XXXS	Intentional self-harm by handgun discharge, sequela	Diagnosis	ICD-10-CM
X73	Intentional self-harm by rifle, shotgun and larger firearm discharge	Diagnosis	ICD-10-CM
X73.0	Intentional self-harm by shotgun discharge	Diagnosis	ICD-10-CM
X73.0XXA	Intentional self-harm by shotgun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.0XXD	Intentional self-harm by shotgun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.0XXS	Intentional self-harm by shotgun discharge, sequela	Diagnosis	ICD-10-CM
X73.1	Intentional self-harm by hunting rifle discharge	Diagnosis	ICD-10-CM
X73.1XXA	Intentional self-harm by hunting rifle discharge, initial encounter	Diagnosis	ICD-10-CM
X73.1XXD	Intentional self-harm by hunting rifle discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.1XXS	Intentional self-harm by hunting rifle discharge, sequela	Diagnosis	ICD-10-CM
X73.2	Intentional self-harm by machine gun discharge	Diagnosis	ICD-10-CM
X73.2XXA	Intentional self-harm by machine gun discharge, initial encounter	Diagnosis	ICD-10-CM
X73.2XXD	Intentional self-harm by machine gun discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.2XXS	Intentional self-harm by machine gun discharge, sequela	Diagnosis	ICD-10-CM
X73.8	Intentional self-harm by other larger firearm discharge	Diagnosis	ICD-10-CM
X73.8XXA	Intentional self-harm by other larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.8XXD	Intentional self-harm by other larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.8XXS	Intentional self-harm by other larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X73.9	Intentional self-harm by unspecified larger firearm discharge	Diagnosis	ICD-10-CM
X73.9XXA	Intentional self-harm by unspecified larger firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X73.9XXD	Intentional self-harm by unspecified larger firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X73.9XXS	Intentional self-harm by unspecified larger firearm discharge, sequela	Diagnosis	ICD-10-CM
X74	Intentional self-harm by other and unspecified firearm and gun discharge	Diagnosis	ICD-10-CM
X74.0	Intentional self-harm by gas, air or spring-operated guns	Diagnosis	ICD-10-CM
X74.01	Intentional self-harm by airgun	Diagnosis	ICD-10-CM
X74.01XA	Intentional self-harm by airgun, initial encounter	Diagnosis	ICD-10-CM
X74.01XD	Intentional self-harm by airgun, subsequent encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
X74.01XS	Intentional self-harm by airgun, sequela	Diagnosis	ICD-10-CM
X74.02	Intentional self-harm by paintball gun	Diagnosis	ICD-10-CM
X74.02XA	Intentional self-harm by paintball gun, initial encounter	Diagnosis	ICD-10-CM
X74.02XD	Intentional self-harm by paintball gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.02XS	Intentional self-harm by paintball gun, sequela	Diagnosis	ICD-10-CM
X74.09	Intentional self-harm by other gas, air or spring-operated gun	Diagnosis	ICD-10-CM
X74.09XA	Intentional self-harm by other gas, air or spring-operated gun, initial encounter	Diagnosis	ICD-10-CM
X74.09XD	Intentional self-harm by other gas, air or spring-operated gun, subsequent encounter	Diagnosis	ICD-10-CM
X74.09XS	Intentional self-harm by other gas, air or spring-operated gun, sequela	Diagnosis	ICD-10-CM
X74.8	Intentional self-harm by other firearm discharge	Diagnosis	ICD-10-CM
X74.8XXA	Intentional self-harm by other firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.8XXD	Intentional self-harm by other firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.8XXS	Intentional self-harm by other firearm discharge, sequela	Diagnosis	ICD-10-CM
X74.9	Intentional self-harm by unspecified firearm discharge	Diagnosis	ICD-10-CM
X74.9XXA	Intentional self-harm by unspecified firearm discharge, initial encounter	Diagnosis	ICD-10-CM
X74.9XXD	Intentional self-harm by unspecified firearm discharge, subsequent encounter	Diagnosis	ICD-10-CM
X74.9XXS	Intentional self-harm by unspecified firearm discharge, sequela	Diagnosis	ICD-10-CM
X75	Intentional self-harm by explosive material	Diagnosis	ICD-10-CM
X75.XXXA	Intentional self-harm by explosive material, initial encounter	Diagnosis	ICD-10-CM
X75.XXXD	Intentional self-harm by explosive material, subsequent encounter	Diagnosis	ICD-10-CM
X75.XXXS	Intentional self-harm by explosive material, sequela	Diagnosis	ICD-10-CM
X76	Intentional self-harm by smoke, fire and flames	Diagnosis	ICD-10-CM
X76.XXXA	Intentional self-harm by smoke, fire and flames, initial encounter	Diagnosis	ICD-10-CM
X76.XXXD	Intentional self-harm by smoke, fire and flames, subsequent encounter	Diagnosis	ICD-10-CM
X76.XXXS	Intentional self-harm by smoke, fire and flames, sequela	Diagnosis	ICD-10-CM
X77	Intentional self-harm by steam, hot vapors and hot objects	Diagnosis	ICD-10-CM
X77.0	Intentional self-harm by steam or hot vapors	Diagnosis	ICD-10-CM
X77.0XXA	Intentional self-harm by steam or hot vapors, initial encounter	Diagnosis	ICD-10-CM
X77.0XXD	Intentional self-harm by steam or hot vapors, subsequent encounter	Diagnosis	ICD-10-CM
X77.0XXS	Intentional self-harm by steam or hot vapors, sequela	Diagnosis	ICD-10-CM
X77.1	Intentional self-harm by hot tap water	Diagnosis	ICD-10-CM
X77.1XXA	Intentional self-harm by hot tap water, initial encounter	Diagnosis	ICD-10-CM
X77.1XXD	Intentional self-harm by hot tap water, subsequent encounter	Diagnosis	ICD-10-CM
X77.1XXS	Intentional self-harm by hot tap water, sequela	Diagnosis	ICD-10-CM
X77.2	Intentional self-harm by other hot fluids	Diagnosis	ICD-10-CM
X77.2XXA	Intentional self-harm by other hot fluids, initial encounter	Diagnosis	ICD-10-CM
X77.2XXD	Intentional self-harm by other hot fluids, subsequent encounter	Diagnosis	ICD-10-CM
X77.2XXS	Intentional self-harm by other hot fluids, sequela	Diagnosis	ICD-10-CM
X77.3	Intentional self-harm by hot household appliances	Diagnosis	ICD-10-CM
X77.3XXA	Intentional self-harm by hot household appliances, initial encounter	Diagnosis	ICD-10-CM
X77.3XXD	Intentional self-harm by hot household appliances, subsequent encounter	Diagnosis	ICD-10-CM
X77.3XXS	Intentional self-harm by hot household appliances, sequela	Diagnosis	ICD-10-CM
X77.8	Intentional self-harm by other hot objects	Diagnosis	ICD-10-CM
X77.8XXA	Intentional self-harm by other hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.8XXD	Intentional self-harm by other hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.8XXS	Intentional self-harm by other hot objects, sequela	Diagnosis	ICD-10-CM
X77.9	Intentional self-harm by unspecified hot objects	Diagnosis	ICD-10-CM
X77.9XXA	Intentional self-harm by unspecified hot objects, initial encounter	Diagnosis	ICD-10-CM
X77.9XXD	Intentional self-harm by unspecified hot objects, subsequent encounter	Diagnosis	ICD-10-CM
X77.9XXS	Intentional self-harm by unspecified hot objects, sequela	Diagnosis	ICD-10-CM
X78	Intentional self-harm by sharp object	Diagnosis	ICD-10-CM
X78.0	Intentional self-harm by sharp glass	Diagnosis	ICD-10-CM
X78.0XXA	Intentional self-harm by sharp glass, initial encounter	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
X78.0XXD	Intentional self-harm by sharp glass, subsequent encounter	Diagnosis	ICD-10-CM
X78.0XXS	Intentional self-harm by sharp glass, sequela	Diagnosis	ICD-10-CM
X78.1	Intentional self-harm by knife	Diagnosis	ICD-10-CM
X78.1XXA	Intentional self-harm by knife, initial encounter	Diagnosis	ICD-10-CM
X78.1XXD	Intentional self-harm by knife, subsequent encounter	Diagnosis	ICD-10-CM
X78.1XXS	Intentional self-harm by knife, sequela	Diagnosis	ICD-10-CM
X78.2	Intentional self-harm by sword or dagger	Diagnosis	ICD-10-CM
X78.2XXA	Intentional self-harm by sword or dagger, initial encounter	Diagnosis	ICD-10-CM
X78.2XXD	Intentional self-harm by sword or dagger, subsequent encounter	Diagnosis	ICD-10-CM
X78.2XXS	Intentional self-harm by sword or dagger, sequela	Diagnosis	ICD-10-CM
X78.8	Intentional self-harm by other sharp object	Diagnosis	ICD-10-CM
X78.8XXA	Intentional self-harm by other sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.8XXD	Intentional self-harm by other sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.8XXS	Intentional self-harm by other sharp object, sequela	Diagnosis	ICD-10-CM
X78.9	Intentional self-harm by unspecified sharp object	Diagnosis	ICD-10-CM
X78.9XXA	Intentional self-harm by unspecified sharp object, initial encounter	Diagnosis	ICD-10-CM
X78.9XXD	Intentional self-harm by unspecified sharp object, subsequent encounter	Diagnosis	ICD-10-CM
X78.9XXS	Intentional self-harm by unspecified sharp object, sequela	Diagnosis	ICD-10-CM
X79	Intentional self-harm by blunt object	Diagnosis	ICD-10-CM
X79.XXXA	Intentional self-harm by blunt object, initial encounter	Diagnosis	ICD-10-CM
X79.XXXD	Intentional self-harm by blunt object, subsequent encounter	Diagnosis	ICD-10-CM
X79.XXXS	Intentional self-harm by blunt object, sequela	Diagnosis	ICD-10-CM
X80	Intentional self-harm by jumping from a high place	Diagnosis	ICD-10-CM
X80.XXXA	Intentional self-harm by jumping from a high place, initial encounter	Diagnosis	ICD-10-CM
X80.XXXD	Intentional self-harm by jumping from a high place, subsequent encounter	Diagnosis	ICD-10-CM
X80.XXXS	Intentional self-harm by jumping from a high place, sequela	Diagnosis	ICD-10-CM
X81	Intentional self-harm by jumping or lying in front of moving object	Diagnosis	ICD-10-CM
X81.0	Intentional self-harm by jumping or lying in front of motor vehicle	Diagnosis	ICD-10-CM
X81.0XXA	Intentional self-harm by jumping or lying in front of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X81.0XXD	Intentional self-harm by jumping or lying in front of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X81.0XXS	Intentional self-harm by jumping or lying in front of motor vehicle, sequela	Diagnosis	ICD-10-CM
X81.1	Intentional self-harm by jumping or lying in front of (subway) train	Diagnosis	ICD-10-CM
X81.1XXA	Intentional self-harm by jumping or lying in front of (subway) train, initial encounter	Diagnosis	ICD-10-CM
X81.1XXD	Intentional self-harm by jumping or lying in front of (subway) train, subsequent encounter	Diagnosis	ICD-10-CM
X81.1XXS	Intentional self-harm by jumping or lying in front of (subway) train, sequela	Diagnosis	ICD-10-CM
X81.8	Intentional self-harm by jumping or lying in front of other moving object	Diagnosis	ICD-10-CM
X81.8XXA	Intentional self-harm by jumping or lying in front of other moving object, initial encounter	Diagnosis	ICD-10-CM
X81.8XXD	Intentional self-harm by jumping or lying in front of other moving object, subsequent encounter	Diagnosis	ICD-10-CM
X81.8XXS	Intentional self-harm by jumping or lying in front of other moving object, sequela	Diagnosis	ICD-10-CM
X82	Intentional self-harm by crashing of motor vehicle	Diagnosis	ICD-10-CM
X82.0	Intentional collision of motor vehicle with other motor vehicle	Diagnosis	ICD-10-CM
X82.0XXA	Intentional collision of motor vehicle with other motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.0XXD	Intentional collision of motor vehicle with other motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.0XXS	Intentional collision of motor vehicle with other motor vehicle, sequela	Diagnosis	ICD-10-CM
X82.1	Intentional collision of motor vehicle with train	Diagnosis	ICD-10-CM

List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Intentional Self-Harm in this Request

Code	Description	Code Category	Code Type
X82.1XXA	Intentional collision of motor vehicle with train, initial encounter	Diagnosis	ICD-10-CM
X82.1XXD	Intentional collision of motor vehicle with train, subsequent encounter	Diagnosis	ICD-10-CM
X82.1XXS	Intentional collision of motor vehicle with train, sequela	Diagnosis	ICD-10-CM
X82.2	Intentional collision of motor vehicle with tree	Diagnosis	ICD-10-CM
X82.2XXA	Intentional collision of motor vehicle with tree, initial encounter	Diagnosis	ICD-10-CM
X82.2XXD	Intentional collision of motor vehicle with tree, subsequent encounter	Diagnosis	ICD-10-CM
X82.2XXS	Intentional collision of motor vehicle with tree, sequela	Diagnosis	ICD-10-CM
X82.8	Other intentional self-harm by crashing of motor vehicle	Diagnosis	ICD-10-CM
X82.8XXA	Other intentional self-harm by crashing of motor vehicle, initial encounter	Diagnosis	ICD-10-CM
X82.8XXD	Other intentional self-harm by crashing of motor vehicle, subsequent encounter	Diagnosis	ICD-10-CM
X82.8XXS	Other intentional self-harm by crashing of motor vehicle, sequela	Diagnosis	ICD-10-CM
X83	Intentional self-harm by other specified means	Diagnosis	ICD-10-CM
X83.0	Intentional self-harm by crashing of aircraft	Diagnosis	ICD-10-CM
X83.0XXA	Intentional self-harm by crashing of aircraft, initial encounter	Diagnosis	ICD-10-CM
X83.0XXD	Intentional self-harm by crashing of aircraft, subsequent encounter	Diagnosis	ICD-10-CM
X83.0XXS	Intentional self-harm by crashing of aircraft, sequela	Diagnosis	ICD-10-CM
X83.1	Intentional self-harm by electrocution	Diagnosis	ICD-10-CM
X83.1XXA	Intentional self-harm by electrocution, initial encounter	Diagnosis	ICD-10-CM
X83.1XXD	Intentional self-harm by electrocution, subsequent encounter	Diagnosis	ICD-10-CM
X83.1XXS	Intentional self-harm by electrocution, sequela	Diagnosis	ICD-10-CM
X83.2	Intentional self-harm by exposure to extremes of cold	Diagnosis	ICD-10-CM
X83.2XXA	Intentional self-harm by exposure to extremes of cold, initial encounter	Diagnosis	ICD-10-CM
X83.2XXD	Intentional self-harm by exposure to extremes of cold, subsequent encounter	Diagnosis	ICD-10-CM
X83.2XXS	Intentional self-harm by exposure to extremes of cold, sequela	Diagnosis	ICD-10-CM
X83.8	Intentional self-harm by other specified means	Diagnosis	ICD-10-CM
X83.8XXA	Intentional self-harm by other specified means, initial encounter	Diagnosis	ICD-10-CM
X83.8XXD	Intentional self-harm by other specified means, subsequent encounter	Diagnosis	ICD-10-CM
X83.8XXS	Intentional self-harm by other specified means, sequela	Diagnosis	ICD-10-CM