

## Disclaimer

The FDA chose a specific outcome algorithm that met its need for a given medical product-outcome assessment. The use of a specific outcome algorithm in a Sentinel assessment should not be interpreted as an endorsement from FDA to use the algorithm for all safety assessments. Investigators should always consider the objective, study design, analytic approach, and data source of a given medical product safety assessment when choosing the outcome algorithm. The suitability of an outcome algorithm may change when applied to different scenarios. For additional information, please refer to the

[Best Practices for Conducting and Reporting Pharmacoepidemiologic Safety Studies Using Electronic Healthcare Data](#) guidance document provided by the FDA.

## Overview

<b>Title</b>	Major Congenital Malformation (MCM) Algorithm Defined in "Risk of Adverse Neonatal Health Outcomes Among Pregnant Patients With and Without COVID-19: A Propensity Score Matched Analysis"
<b>Request ID</b>	cder_mpl2p_wp041
<b>Description</b>	<p>This report lists International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes and algorithms used to define MCM in this request.</p> <p>For additional information about the algorithm and how it was defined relative to the cohort and exposure(s) of interest in the analysis, refer to the analysis webpage here:  <a href="https://www.sentinelinitiative.org/studies/drugs/individual-drug-analyses/risk-adverse-neonatal-health-outcomes-among-pregnant">https://www.sentinelinitiative.org/studies/drugs/individual-drug-analyses/risk-adverse-neonatal-health-outcomes-among-pregnant</a></p>
<b>Outcome</b>	Major congenital malformation (MCM)
<b>Algorithm to Define Outcome</b>	The MCM outcome is defined as one International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) code for MCM observed in the 90 days after live birth delivery in only the infant claims. A sensitivity definition of MCM required two diagnostic occurrences to be observed in the 90 days after live birth delivery.
<b>Query Period</b>	January 1, 2020 - December 31, 2022
<b>Request Send Date</b>	June 30, 2023

## Glossary

**Care Setting** - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or missing (U)

**Outcome** - outcome of interest (either primary or secondary)

**Principal Diagnosis (PDX)** - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

**Query Period** - period in which the modular program looks for exposures and outcomes of interest

**Request Send Date** - date the request was sent to Sentinel Data Partners

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

Code	Description	Code Category	Code Type
<b>Major congenital malformation</b>			
Q00	Anencephaly and similar malformations	Diagnosis	ICD-10-CM
Q000	Anencephaly	Diagnosis	ICD-10-CM
Q001	Craniorachischisis	Diagnosis	ICD-10-CM
Q002	Iniencephaly	Diagnosis	ICD-10-CM
Q01	Encephalocele	Diagnosis	ICD-10-CM
Q010	Frontal encephalocele	Diagnosis	ICD-10-CM
Q011	Nasofrontal encephalocele	Diagnosis	ICD-10-CM
Q012	Occipital encephalocele	Diagnosis	ICD-10-CM
Q018	Encephalocele of other sites	Diagnosis	ICD-10-CM
Q019	Encephalocele, unspecified	Diagnosis	ICD-10-CM
Q02	Microcephaly	Diagnosis	ICD-10-CM
Q03	Congenital hydrocephalus	Diagnosis	ICD-10-CM
Q030	Malformations of aqueduct of Sylvius	Diagnosis	ICD-10-CM
Q031	Atresia of foramina of Magendie and Luschka	Diagnosis	ICD-10-CM
Q038	Other congenital hydrocephalus	Diagnosis	ICD-10-CM
Q039	Congenital hydrocephalus, unspecified	Diagnosis	ICD-10-CM
Q04	Other congenital malformations of brain	Diagnosis	ICD-10-CM
Q040	Congenital malformations of corpus callosum	Diagnosis	ICD-10-CM
Q041	Arhinencephaly	Diagnosis	ICD-10-CM
Q042	Holoprosencephaly	Diagnosis	ICD-10-CM
Q043	Other reduction deformities of brain	Diagnosis	ICD-10-CM
Q044	Septo-optic dysplasia of brain	Diagnosis	ICD-10-CM
Q046	Congenital cerebral cysts	Diagnosis	ICD-10-CM
Q048	Other specified congenital malformations of brain	Diagnosis	ICD-10-CM
Q049	Congenital malformation of brain, unspecified	Diagnosis	ICD-10-CM
Q05	Spina bifida	Diagnosis	ICD-10-CM
Q050	Cervical spina bifida with hydrocephalus	Diagnosis	ICD-10-CM
Q051	Thoracic spina bifida with hydrocephalus	Diagnosis	ICD-10-CM
Q052	Lumbar spina bifida with hydrocephalus	Diagnosis	ICD-10-CM
Q053	Sacral spina bifida with hydrocephalus	Diagnosis	ICD-10-CM
Q054	Unspecified spina bifida with hydrocephalus	Diagnosis	ICD-10-CM
Q055	Cervical spina bifida without hydrocephalus	Diagnosis	ICD-10-CM
Q056	Thoracic spina bifida without hydrocephalus	Diagnosis	ICD-10-CM
Q057	Lumbar spina bifida without hydrocephalus	Diagnosis	ICD-10-CM
Q058	Sacral spina bifida without hydrocephalus	Diagnosis	ICD-10-CM
Q059	Spina bifida, unspecified	Diagnosis	ICD-10-CM
Q06	Other congenital malformations of spinal cord	Diagnosis	ICD-10-CM
Q060	Amyelia	Diagnosis	ICD-10-CM
Q061	Hypoplasia and dysplasia of spinal cord	Diagnosis	ICD-10-CM
Q062	Diastematomyelia	Diagnosis	ICD-10-CM
Q063	Other congenital cauda equina malformations	Diagnosis	ICD-10-CM
Q064	Hydromyelia	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q068	Other specified congenital malformations of spinal cord	Diagnosis	ICD-10-CM
Q069	Congenital malformation of spinal cord, unspecified	Diagnosis	ICD-10-CM
Q07	Other congenital malformations of nervous system	Diagnosis	ICD-10-CM
Q070	Arnold-Chiari syndrome	Diagnosis	ICD-10-CM
Q0700	Arnold-Chiari syndrome without spina bifida	Diagnosis	ICD-10-CM
Q0701	Arnold-Chiari syndrome with spina bifida	Diagnosis	ICD-10-CM
Q0702	Arnold-Chiari syndrome with hydrocephalus	Diagnosis	ICD-10-CM
Q0703	Arnold-Chiari syndrome with spina bifida and hydrocephalus	Diagnosis	ICD-10-CM
Q078	Other specified congenital malformations of nervous system	Diagnosis	ICD-10-CM
Q079	Congenital malformation of nervous system, unspecified	Diagnosis	ICD-10-CM
Q100	Congenital ptosis	Diagnosis	ICD-10-CM
Q101	Congenital ectropion	Diagnosis	ICD-10-CM
Q102	Congenital entropion	Diagnosis	ICD-10-CM
Q104	Absence and agenesis of lacrimal apparatus	Diagnosis	ICD-10-CM
Q106	Other congenital malformations of lacrimal apparatus	Diagnosis	ICD-10-CM
Q107	Congenital malformation of orbit	Diagnosis	ICD-10-CM
Q11	Anophthalmos, microphthalmos and macrophthalmos	Diagnosis	ICD-10-CM
Q110	Cystic eyeball	Diagnosis	ICD-10-CM
Q111	Other anophthalmos	Diagnosis	ICD-10-CM
Q112	Microphthalmos	Diagnosis	ICD-10-CM
Q12	Congenital lens malformations	Diagnosis	ICD-10-CM
Q120	Congenital cataract	Diagnosis	ICD-10-CM
Q121	Congenital displaced lens	Diagnosis	ICD-10-CM
Q122	Coloboma of lens	Diagnosis	ICD-10-CM
Q123	Congenital aphakia	Diagnosis	ICD-10-CM
Q124	Spherophakia	Diagnosis	ICD-10-CM
Q128	Other congenital lens malformations	Diagnosis	ICD-10-CM
Q129	Congenital lens malformation, unspecified	Diagnosis	ICD-10-CM
Q13	Congenital malformations of anterior segment of eye	Diagnosis	ICD-10-CM
Q130	Coloboma of iris	Diagnosis	ICD-10-CM
Q131	Absence of iris	Diagnosis	ICD-10-CM
Q132	Other congenital malformations of iris	Diagnosis	ICD-10-CM
Q133	Congenital corneal opacity	Diagnosis	ICD-10-CM
Q134	Other congenital corneal malformations	Diagnosis	ICD-10-CM
Q138	Other congenital malformations of anterior segment of eye	Diagnosis	ICD-10-CM
Q1381	Rieger's anomaly	Diagnosis	ICD-10-CM
Q1389	Other congenital malformations of anterior segment of eye	Diagnosis	ICD-10-CM
Q139	Congenital malformation of anterior segment of eye, unspecified	Diagnosis	ICD-10-CM
Q14	Congenital malformations of posterior segment of eye	Diagnosis	ICD-10-CM
Q140	Congenital malformation of vitreous humor	Diagnosis	ICD-10-CM
Q141	Congenital malformation of retina	Diagnosis	ICD-10-CM
Q142	Congenital malformation of optic disc	Diagnosis	ICD-10-CM
Q143	Congenital malformation of choroid	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q148	Other congenital malformations of posterior segment of eye	Diagnosis	ICD-10-CM
Q149	Congenital malformation of posterior segment of eye, unspecifie	Diagnosis	ICD-10-CM
Q15	Other congenital malformations of eye	Diagnosis	ICD-10-CM
Q150	Congenital glaucoma	Diagnosis	ICD-10-CM
Q16	Congenital malformations of ear causing impairment of hearing	Diagnosis	ICD-10-CM
Q160	Congenital absence of (ear) auricle	Diagnosis	ICD-10-CM
Q161	Congenital absence, atresia and stricture of auditory canal (external)	Diagnosis	ICD-10-CM
Q162	Absence of eustachian tube	Diagnosis	ICD-10-CM
Q163	Congenital malformation of ear ossicles	Diagnosis	ICD-10-CM
Q164	Other congenital malformations of middle ear	Diagnosis	ICD-10-CM
Q165	Congenital malformation of inner ear	Diagnosis	ICD-10-CM
Q171	Macrotia	Diagnosis	ICD-10-CM
Q172	Microtia	Diagnosis	ICD-10-CM
Q174	Misplaced ear	Diagnosis	ICD-10-CM
Q180	Sinus, fistula and cyst of branchial cleft	Diagnosis	ICD-10-CM
Q182	Other branchial cleft malformations	Diagnosis	ICD-10-CM
Q20	Congenital malformations of cardiac chambers and connections	Diagnosis	ICD-10-CM
Q200	Common arterial trunk	Diagnosis	ICD-10-CM
Q201	Double outlet right ventricle	Diagnosis	ICD-10-CM
Q202	Double outlet left ventricle	Diagnosis	ICD-10-CM
Q203	Discordant ventriculoarterial connection	Diagnosis	ICD-10-CM
Q204	Double inlet ventricle	Diagnosis	ICD-10-CM
Q205	Discordant atrioventricular connection	Diagnosis	ICD-10-CM
Q206	Isomerism of atrial appendages	Diagnosis	ICD-10-CM
Q208	Other congenital malformations of cardiac chambers and connections	Diagnosis	ICD-10-CM
Q21	Congenital malformations of cardiac septa	Diagnosis	ICD-10-CM
Q210	Ventricular septal defect	Diagnosis	ICD-10-CM
Q211	Atrial septal defect	Diagnosis	ICD-10-CM
Q2112	Patent foramen ovale	Diagnosis	ICD-10-CM
Q2120	Atrioventricular septal defect	Diagnosis	ICD-10-CM
Q212	Atrioventricular septal defect	Diagnosis	ICD-10-CM
Q213	Tetralogy of Fallot	Diagnosis	ICD-10-CM
Q214	Aortopulmonary septal defect	Diagnosis	ICD-10-CM
Q218	Other congenital malformations of cardiac septa	Diagnosis	ICD-10-CM
Q22	Congenital malformations of pulmonary and tricuspid valves	Diagnosis	ICD-10-CM
Q220	Pulmonary valve atresia	Diagnosis	ICD-10-CM
Q221	Congenital pulmonary valve stenosis	Diagnosis	ICD-10-CM
Q224	Congenital tricuspid stenosis	Diagnosis	ICD-10-CM
Q225	Ebstein's anomaly	Diagnosis	ICD-10-CM
Q226	Hypoplastic right heart syndrome	Diagnosis	ICD-10-CM
Q23	Congenital malformations of aortic and mitral valves	Diagnosis	ICD-10-CM
Q230	Congenital stenosis of aortic valve	Diagnosis	ICD-10-CM
Q232	Congenital mitral stenosis	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q234	Hypoplastic left heart syndrome	Diagnosis	ICD-10-CM
Q238	Other congenital malformations of aortic and mitral valves	Diagnosis	ICD-10-CM
Q240	Dextrocardia	Diagnosis	ICD-10-CM
Q242	Cor triatriatum	Diagnosis	ICD-10-CM
Q243	Pulmonary infundibular stenosis	Diagnosis	ICD-10-CM
Q244	Congenital subaortic stenosis	Diagnosis	ICD-10-CM
Q245	Malformation of coronary vessels	Diagnosis	ICD-10-CM
Q246	Congenital heart block	Diagnosis	ICD-10-CM
Q248	Other specified congenital malformations of heart	Diagnosis	ICD-10-CM
Q25	Congenital malformations of great arteries	Diagnosis	ICD-10-CM
Q250	Patent ductus arteriosus	Diagnosis	ICD-10-CM
Q251	Coarctation of aorta	Diagnosis	ICD-10-CM
Q252	Atresia of aortia	Diagnosis	ICD-10-CM
Q2521	Interruption of aortic arch	Diagnosis	ICD-10-CM
Q2529	Other atresia of aorta	Diagnosis	ICD-10-CM
Q253	Supravalvular aortic stenosis	Diagnosis	ICD-10-CM
Q254	Other congenital malformations of aorta	Diagnosis	ICD-10-CM
Q2540	Congenital malformation of aorta unspecified	Diagnosis	ICD-10-CM
Q2541	Absence and aplasia of aorta	Diagnosis	ICD-10-CM
Q2542	Hypoplasia of aorta	Diagnosis	ICD-10-CM
Q2543	Congenital aneurysm of aorta	Diagnosis	ICD-10-CM
Q2544	Congenital dilation of aorta	Diagnosis	ICD-10-CM
Q2545	Double aortic arch	Diagnosis	ICD-10-CM
Q2546	Tortuous aortic arch	Diagnosis	ICD-10-CM
Q2547	Right aortic arch	Diagnosis	ICD-10-CM
Q2548	Anomalous origin of subclavian artery	Diagnosis	ICD-10-CM
Q2549	Other congenital malformations of aorta	Diagnosis	ICD-10-CM
Q255	Atresia of pulmonary artery	Diagnosis	ICD-10-CM
Q256	Stenosis of pulmonary artery	Diagnosis	ICD-10-CM
Q257	Other congenital malformations of pulmonary artery	Diagnosis	ICD-10-CM
Q2571	Coarctation of pulmonary artery	Diagnosis	ICD-10-CM
Q2572	Congenital pulmonary arteriovenous malformation	Diagnosis	ICD-10-CM
Q2579	Other congenital malformations of pulmonary artery	Diagnosis	ICD-10-CM
Q26	Congenital malformations of great veins	Diagnosis	ICD-10-CM
Q260	Congenital stenosis of vena cava	Diagnosis	ICD-10-CM
Q261	Persistent left superior vena cava	Diagnosis	ICD-10-CM
Q262	Total anomalous pulmonary venous connection	Diagnosis	ICD-10-CM
Q263	Partial anomalous pulmonary venous connection	Diagnosis	ICD-10-CM
Q264	Anomalous pulmonary venous connection, unspecified	Diagnosis	ICD-10-CM
Q265	Anomalous portal venous connection	Diagnosis	ICD-10-CM
Q266	Portal vein-hepatic artery fistula	Diagnosis	ICD-10-CM
Q271	Congenital renal artery stenosis	Diagnosis	ICD-10-CM
Q272	Other congenital malformations of renal artery	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q273	Arteriovenous malformation (peripheral)	Diagnosis	ICD-10-CM
Q2739	Arteriovenous malformation (other site)	Diagnosis	ICD-10-CM
Q274	Congenital phlebectasia	Diagnosis	ICD-10-CM
Q28	Other congenital malformations of circulatory system	Diagnosis	ICD-10-CM
Q280	Arteriovenous malformation of precerebral vessels	Diagnosis	ICD-10-CM
Q281	Other malformations of precerebral vessels	Diagnosis	ICD-10-CM
Q282	Arteriovenous malformation of cerebral vessels	Diagnosis	ICD-10-CM
Q283	Other malformations of cerebral vessels	Diagnosis	ICD-10-CM
Q300	Choanal atresia	Diagnosis	ICD-10-CM
Q301	Agenesis and underdevelopment of nose	Diagnosis	ICD-10-CM
Q302	Fissured, notched and cleft nose	Diagnosis	ICD-10-CM
Q303	Congenital perforated nasal septum	Diagnosis	ICD-10-CM
Q310	Web of larynx	Diagnosis	ICD-10-CM
Q311	Congenital subglottic stenosis	Diagnosis	ICD-10-CM
Q318	Other congenital malformations of larynx	Diagnosis	ICD-10-CM
Q319	Congenital malformation of larynx, unspecified	Diagnosis	ICD-10-CM
Q323	Congenital stenosis of bronchus	Diagnosis	ICD-10-CM
Q33	Congenital malformations of lung	Diagnosis	ICD-10-CM
Q330	Congenital cystic lung	Diagnosis	ICD-10-CM
Q331	Accessory lobe of lung	Diagnosis	ICD-10-CM
Q332	Sequestration of lung	Diagnosis	ICD-10-CM
Q333	Agenesis of lung	Diagnosis	ICD-10-CM
Q334	Congenital bronchiectasis	Diagnosis	ICD-10-CM
Q335	Ectopic tissue in lung	Diagnosis	ICD-10-CM
Q336	Congenital hypoplasia and dysplasia of lung	Diagnosis	ICD-10-CM
Q338	Other congenital malformations of lung	Diagnosis	ICD-10-CM
Q339	Congenital malformation of lung, unspecified	Diagnosis	ICD-10-CM
Q34	Other congenital malformations of respiratory system	Diagnosis	ICD-10-CM
Q340	Anomaly of pleura	Diagnosis	ICD-10-CM
Q341	Congenital cyst of mediastinum	Diagnosis	ICD-10-CM
Q348	Other specified congenital malformations of respiratory system	Diagnosis	ICD-10-CM
Q349	Congenital malformation of respiratory system, unspecified	Diagnosis	ICD-10-CM
Q35	Cleft palate	Diagnosis	ICD-10-CM
Q351	Cleft hard palate	Diagnosis	ICD-10-CM
Q353	Cleft soft palate	Diagnosis	ICD-10-CM
Q355	Cleft hard palate with cleft soft palate	Diagnosis	ICD-10-CM
Q357	Cleft uvula	Diagnosis	ICD-10-CM
Q359	Cleft palate, unspecified	Diagnosis	ICD-10-CM
Q36	Cleft lip	Diagnosis	ICD-10-CM
Q360	Cleft lip, bilateral	Diagnosis	ICD-10-CM
Q361	Cleft lip, median	Diagnosis	ICD-10-CM
Q369	Cleft lip, unilateral	Diagnosis	ICD-10-CM
Q37	Cleft palate with cleft lip	Diagnosis	ICD-10-CM



**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q370	Cleft hard palate with bilateral cleft lip	Diagnosis	ICD-10-CM
Q371	Cleft hard palate with unilateral cleft lip	Diagnosis	ICD-10-CM
Q372	Cleft soft palate with bilateral cleft lip	Diagnosis	ICD-10-CM
Q373	Cleft soft palate with unilateral cleft lip	Diagnosis	ICD-10-CM
Q374	Cleft hard and soft palate with bilateral cleft lip	Diagnosis	ICD-10-CM
Q375	Cleft hard and soft palate with unilateral cleft lip	Diagnosis	ICD-10-CM
Q378	Unspecified cleft palate with bilateral cleft lip	Diagnosis	ICD-10-CM
Q379	Unspecified cleft palate with unilateral cleft lip	Diagnosis	ICD-10-CM
Q382	Macroglossia	Diagnosis	ICD-10-CM
Q384	Congenital malformations of salivary glands and ducts	Diagnosis	ICD-10-CM
Q387	Congenital pharyngeal pouch	Diagnosis	ICD-10-CM
Q388	Other congenital malformations of pharynx	Diagnosis	ICD-10-CM
Q39	Congenital malformations of esophagus	Diagnosis	ICD-10-CM
Q390	Atresia of esophagus without fistula	Diagnosis	ICD-10-CM
Q391	Atresia of esophagus with tracheo-esophageal fistula	Diagnosis	ICD-10-CM
Q392	Congenital tracheo-esophageal fistula without atresia	Diagnosis	ICD-10-CM
Q393	Congenital stenosis and stricture of esophagus	Diagnosis	ICD-10-CM
Q394	Esophageal web	Diagnosis	ICD-10-CM
Q395	Congenital dilatation of esophagus	Diagnosis	ICD-10-CM
Q396	Congenital diverticulum of esophagus	Diagnosis	ICD-10-CM
Q398	Other congenital malformations of esophagus	Diagnosis	ICD-10-CM
Q399	Congenital malformation of esophagus, unspecified	Diagnosis	ICD-10-CM
Q40	Other congenital malformations of upper alimentary tract	Diagnosis	ICD-10-CM
Q400	Congenital hypertrophic pyloric stenosis	Diagnosis	ICD-10-CM
Q401	Congenital hiatus hernia	Diagnosis	ICD-10-CM
Q402	Other specified congenital malformations of stomach	Diagnosis	ICD-10-CM
Q403	Congenital malformation of stomach, unspecified	Diagnosis	ICD-10-CM
Q408	Other specified congenital malformations of upper alimentary tract	Diagnosis	ICD-10-CM
Q409	Congenital malformation of upper alimentary tract, unspecified	Diagnosis	ICD-10-CM
Q41	Congenital absence, atresia and stenosis of small intestine	Diagnosis	ICD-10-CM
Q410	Congenital absence, atresia and stenosis of duodenum	Diagnosis	ICD-10-CM
Q411	Congenital absence, atresia and stenosis of jejunum	Diagnosis	ICD-10-CM
Q412	Congenital absence, atresia and stenosis of ileum	Diagnosis	ICD-10-CM
Q418	Congenital absence, atresia and stenosis of other specified parts of small intestine	Diagnosis	ICD-10-CM
Q419	Congenital absence, atresia and stenosis of small intestine, part unspecified	Diagnosis	ICD-10-CM
Q42	Congenital absence, atresia and stenosis of large intestine	Diagnosis	ICD-10-CM
Q420	Congenital absence, atresia and stenosis of rectum with fistula	Diagnosis	ICD-10-CM
Q421	Congenital absence, atresia and stenosis of rectum without fistula	Diagnosis	ICD-10-CM
Q422	Congenital absence, atresia and stenosis of anus with fistula	Diagnosis	ICD-10-CM
Q423	Congenital absence, atresia and stenosis of anus without fistula	Diagnosis	ICD-10-CM
Q428	Congenital absence, atresia and stenosis of other parts of large intestine	Diagnosis	ICD-10-CM
Q429	Congenital absence, atresia and stenosis of large intestine, part unspecified	Diagnosis	ICD-10-CM
Q43	Other congenital malformations of intestine	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q431	Hirschsprung's disease	Diagnosis	ICD-10-CM
Q433	Congenital malformations of intestinal fixation	Diagnosis	ICD-10-CM
Q434	Duplication of intestine	Diagnosis	ICD-10-CM
Q435	Ectopic anus	Diagnosis	ICD-10-CM
Q436	Congenital fistula of rectum and anus	Diagnosis	ICD-10-CM
Q437	Persistent cloaca	Diagnosis	ICD-10-CM
Q438	Other specified congenital malformations of intestine	Diagnosis	ICD-10-CM
Q44	Congenital malformations of gallbladder, bile ducts and liver	Diagnosis	ICD-10-CM
Q440	Agenesis, aplasia and hypoplasia of gallbladder	Diagnosis	ICD-10-CM
Q441	Other congenital malformations of gallbladder	Diagnosis	ICD-10-CM
Q442	Atresia of bile ducts	Diagnosis	ICD-10-CM
Q443	Congenital stenosis and stricture of bile ducts	Diagnosis	ICD-10-CM
Q444	Choledochal cyst	Diagnosis	ICD-10-CM
Q445	Other congenital malformations of bile ducts	Diagnosis	ICD-10-CM
Q446	Cystic disease of liver	Diagnosis	ICD-10-CM
Q447	Other congenital malformations of liver	Diagnosis	ICD-10-CM
Q45	Other congenital malformations of digestive system	Diagnosis	ICD-10-CM
Q450	Agenesis, aplasia and hypoplasia of pancreas	Diagnosis	ICD-10-CM
Q451	Annular pancreas	Diagnosis	ICD-10-CM
Q452	Congenital pancreatic cyst	Diagnosis	ICD-10-CM
Q453	Other congenital malformations of pancreas and pancreatic duct	Diagnosis	ICD-10-CM
Q458	Other specified congenital malformations of digestive system	Diagnosis	ICD-10-CM
Q459	Congenital malformation of digestive system, unspecified	Diagnosis	ICD-10-CM
Q50	Congenital malformations of ovaries, fallopian tubes and broad ligaments	Diagnosis	ICD-10-CM
Q500	Congenital absence of ovary	Diagnosis	ICD-10-CM
Q501	Developmental ovarian cyst	Diagnosis	ICD-10-CM
Q502	Congenital torsion of ovary	Diagnosis	ICD-10-CM
Q503	Other congenital malformations of ovary	Diagnosis	ICD-10-CM
Q5031	Accessory ovary	Diagnosis	ICD-10-CM
Q5032	Ovarian streak	Diagnosis	ICD-10-CM
Q5039	Other congenital malformation of ovary	Diagnosis	ICD-10-CM
Q504	Embryonic cyst of fallopian tube	Diagnosis	ICD-10-CM
Q505	Embryonic cyst of broad ligament	Diagnosis	ICD-10-CM
Q506	Other congenital malformations of fallopian tube and broad ligament	Diagnosis	ICD-10-CM
Q51	Congenital malformations of uterus and cervix	Diagnosis	ICD-10-CM
Q510	Agenesis and aplasia of uterus	Diagnosis	ICD-10-CM
Q511	Doubling of uterus with doubling of cervix and vagina	Diagnosis	ICD-10-CM
Q512	Other doubling of uterus	Diagnosis	ICD-10-CM
Q5128	Other and unspecified doubling of uterus	Diagnosis	ICD-10-CM
Q513	Bicornate uterus	Diagnosis	ICD-10-CM
Q514	Unicornate uterus	Diagnosis	ICD-10-CM
Q515	Agenesis and aplasia of cervix	Diagnosis	ICD-10-CM
Q517	Congenital fistulae between uterus and digestive and urinary tracts	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q518	Other congenital malformations of uterus and cervix	Diagnosis	ICD-10-CM
Q5181	Other congenital malformations of uterus	Diagnosis	ICD-10-CM
Q51818	Other congenital malformations of uterus	Diagnosis	ICD-10-CM
Q5182	Other congenital malformations of cervix	Diagnosis	ICD-10-CM
Q51820	Cervical duplication	Diagnosis	ICD-10-CM
Q519	Congenital malformation of uterus and cervix, unspecified	Diagnosis	ICD-10-CM
Q52	Other congenital malformations of female genitalia	Diagnosis	ICD-10-CM
Q520	Congenital absence of vagina	Diagnosis	ICD-10-CM
Q521	Doubling of vagina	Diagnosis	ICD-10-CM
Q5210	Doubling of vagina, unspecified	Diagnosis	ICD-10-CM
Q5211	Transverse vaginal septum	Diagnosis	ICD-10-CM
Q5212	Longitudinal vaginal septum	Diagnosis	ICD-10-CM
Q522	Congenital rectovaginal fistula	Diagnosis	ICD-10-CM
Q526	Congenital malformation of clitoris	Diagnosis	ICD-10-CM
Q527	Other and unspecified congenital malformations of vulva	Diagnosis	ICD-10-CM
Q5270	Unspecified congenital malformations of vulva	Diagnosis	ICD-10-CM
Q5271	Congenital absence of vulva	Diagnosis	ICD-10-CM
Q5279	Other congenital malformations of vulva	Diagnosis	ICD-10-CM
Q528	Other specified congenital malformations of female genitalia	Diagnosis	ICD-10-CM
Q5311	Abdominal testis, unilateral	Diagnosis	ICD-10-CM
Q53111	Unilateral intraabdominal testis	Diagnosis	ICD-10-CM
Q5321	Abdominal testis, bilateral	Diagnosis	ICD-10-CM
Q53211	Bilateral intraabdominal testes	Diagnosis	ICD-10-CM
Q54	Hypospadias	Diagnosis	ICD-10-CM
Q540	Hypospadias, balanic	Diagnosis	ICD-10-CM
Q541	Hypospadias, penile	Diagnosis	ICD-10-CM
Q542	Hypospadias, penoscrotal	Diagnosis	ICD-10-CM
Q543	Hypospadias, perineal	Diagnosis	ICD-10-CM
Q544	Congenital chordee	Diagnosis	ICD-10-CM
Q548	Other hypospadias	Diagnosis	ICD-10-CM
Q549	Hypospadias, unspecified	Diagnosis	ICD-10-CM
Q55	Other congenital malformations of male genital organs	Diagnosis	ICD-10-CM
Q550	Absence and aplasia of testis	Diagnosis	ICD-10-CM
Q551	Hypoplasia of testis and scrotum	Diagnosis	ICD-10-CM
Q5521	Polyorchism	Diagnosis	ICD-10-CM
Q5523	Scrotal transposition	Diagnosis	ICD-10-CM
Q5529	Other congenital malformations of testis and scrotum	Diagnosis	ICD-10-CM
Q553	Atresia of vas deferens	Diagnosis	ICD-10-CM
Q554	Other congenital malformations of vas deferens, epididymis, seminal vesicles and prostate	Diagnosis	ICD-10-CM
Q555	Congenital absence and aplasia of penis	Diagnosis	ICD-10-CM
Q5562	Hypoplasia of penis	Diagnosis	ICD-10-CM
Q5569	Other congenital malformation of penis	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q559	Congenital malformation of male genital organ, unspecified	Diagnosis	ICD-10-CM
Q56	Indeterminate sex and pseudohermaphroditism	Diagnosis	ICD-10-CM
Q560	Hermaphroditism, not elsewhere classified	Diagnosis	ICD-10-CM
Q561	Male pseudohermaphroditism, not elsewhere classified	Diagnosis	ICD-10-CM
Q562	Female pseudohermaphroditism, not elsewhere classified	Diagnosis	ICD-10-CM
Q563	Pseudohermaphroditism, unspecified	Diagnosis	ICD-10-CM
Q564	Indeterminate sex, unspecified	Diagnosis	ICD-10-CM
Q60	Renal agenesis and other reduction defects of kidney	Diagnosis	ICD-10-CM
Q600	Renal agenesis, unilateral	Diagnosis	ICD-10-CM
Q601	Renal agenesis, bilateral	Diagnosis	ICD-10-CM
Q602	Renal agenesis, unspecified	Diagnosis	ICD-10-CM
Q603	Renal hypoplasia, unilateral	Diagnosis	ICD-10-CM
Q604	Renal hypoplasia, bilateral	Diagnosis	ICD-10-CM
Q605	Renal hypoplasia, unspecified	Diagnosis	ICD-10-CM
Q606	Potter's syndrome	Diagnosis	ICD-10-CM
Q61	Cystic kidney disease	Diagnosis	ICD-10-CM
Q610	Congenital renal cyst	Diagnosis	ICD-10-CM
Q6100	Congenital renal cyst, unspecified	Diagnosis	ICD-10-CM
Q6101	Congenital single renal cyst	Diagnosis	ICD-10-CM
Q6102	Congenital multiple renal cysts	Diagnosis	ICD-10-CM
Q611	Polycystic kidney, infantile type	Diagnosis	ICD-10-CM
Q6111	Cystic dilatation of collecting ducts	Diagnosis	ICD-10-CM
Q6119	Other polycystic kidney, infantile type	Diagnosis	ICD-10-CM
Q612	Polycystic kidney, adult type	Diagnosis	ICD-10-CM
Q613	Polycystic kidney, unspecified	Diagnosis	ICD-10-CM
Q614	Renal dysplasia	Diagnosis	ICD-10-CM
Q615	Medullary cystic kidney	Diagnosis	ICD-10-CM
Q618	Other cystic kidney diseases	Diagnosis	ICD-10-CM
Q619	Cystic kidney disease, unspecified	Diagnosis	ICD-10-CM
Q62	Congenital obstructive defects of renal pelvis and congenital malformations of ureter	Diagnosis	ICD-10-CM
Q621	Congenital occlusion of ureter	Diagnosis	ICD-10-CM
Q6210	Congenital occlusion of ureter, unspecified	Diagnosis	ICD-10-CM
Q6211	Congenital occlusion of ureteropelvic junction	Diagnosis	ICD-10-CM
Q6212	Congenital occlusion of ureterovesical orifice	Diagnosis	ICD-10-CM
Q622	Congenital megaureter	Diagnosis	ICD-10-CM
Q623	Other obstructive defects of renal pelvis and ureter	Diagnosis	ICD-10-CM
Q6231	Congenital ureterocele, orthotopic	Diagnosis	ICD-10-CM
Q6232	Cecoureterocele	Diagnosis	ICD-10-CM
Q624	Agenesis of ureter	Diagnosis	ICD-10-CM
Q625	Duplication of ureter	Diagnosis	ICD-10-CM
Q626	Malposition of ureter	Diagnosis	ICD-10-CM
Q6260	Malposition of ureter, unspecified	Diagnosis	ICD-10-CM
Q6261	Deviation of ureter	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q6262	Displacement of ureter	Diagnosis	ICD-10-CM
Q6263	Anomalous implantation of ureter	Diagnosis	ICD-10-CM
Q6269	Other malposition of ureter	Diagnosis	ICD-10-CM
Q627	Congenital vesico-uretero-renal reflux	Diagnosis	ICD-10-CM
Q63	Other congenital malformations of kidney	Diagnosis	ICD-10-CM
Q630	Accessory kidney	Diagnosis	ICD-10-CM
Q631	Lobulated, fused and horseshoe kidney	Diagnosis	ICD-10-CM
Q632	Ectopic kidney	Diagnosis	ICD-10-CM
Q633	Hyperplastic and giant kidney	Diagnosis	ICD-10-CM
Q64	Other congenital malformations of urinary system	Diagnosis	ICD-10-CM
Q640	Epispadias	Diagnosis	ICD-10-CM
Q641	Exstrophy of urinary bladder	Diagnosis	ICD-10-CM
Q6410	Exstrophy of urinary bladder, unspecified	Diagnosis	ICD-10-CM
Q6411	Supravesical fissure of urinary bladder	Diagnosis	ICD-10-CM
Q6412	Cloacal exstrophy of urinary bladder	Diagnosis	ICD-10-CM
Q6419	Other exstrophy of urinary bladder	Diagnosis	ICD-10-CM
Q642	Congenital posterior urethral valves	Diagnosis	ICD-10-CM
Q643	Other atresia and stenosis of urethra and bladder neck	Diagnosis	ICD-10-CM
Q6431	Congenital bladder neck obstruction	Diagnosis	ICD-10-CM
Q6432	Congenital stricture of urethra	Diagnosis	ICD-10-CM
Q6433	Congenital stricture of urinary meatus	Diagnosis	ICD-10-CM
Q6439	Other atresia and stenosis of urethra and bladder neck	Diagnosis	ICD-10-CM
Q644	Malformation of urachus	Diagnosis	ICD-10-CM
Q645	Congenital absence of bladder and urethra	Diagnosis	ICD-10-CM
Q646	Congenital diverticulum of bladder	Diagnosis	ICD-10-CM
Q647	Other and unspecified congenital malformations of bladder and urethra	Diagnosis	ICD-10-CM
Q6470	Unspecified congenital malformation of bladder and urethra	Diagnosis	ICD-10-CM
Q6471	Congenital prolapse of urethra	Diagnosis	ICD-10-CM
Q6472	Congenital prolapse of urinary meatus	Diagnosis	ICD-10-CM
Q6473	Congenital urethrorectal fistula	Diagnosis	ICD-10-CM
Q6474	Double urethra	Diagnosis	ICD-10-CM
Q6475	Double urinary meatus	Diagnosis	ICD-10-CM
Q6479	Other congenital malformations of bladder and urethra	Diagnosis	ICD-10-CM
Q648	Other specified congenital malformations of urinary system	Diagnosis	ICD-10-CM
Q649	Congenital malformation of urinary system, unspecified	Diagnosis	ICD-10-CM
Q65	Congenital deformities of hip	Diagnosis	ICD-10-CM
Q650	Congenital dislocation of hip, unilateral	Diagnosis	ICD-10-CM
Q6500	Congenital dislocation of hip, unilateral	Diagnosis	ICD-10-CM
Q6501	Congenital dislocation of right hip, unilateral	Diagnosis	ICD-10-CM
Q6502	Congenital dislocation of left hip, unilateral	Diagnosis	ICD-10-CM
Q651	Congenital dislocation of hip, bilateral	Diagnosis	ICD-10-CM
Q652	Congenital dislocation of hip, unspecified	Diagnosis	ICD-10-CM
Q653	Congenital partial dislocation of hip, unilateral	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q654	Congenital partial dislocation of hip, bilateral	Diagnosis	ICD-10-CM
Q655	Congenital partial dislocation of hip, unspecified	Diagnosis	ICD-10-CM
Q658	Other congenital deformities of hip	Diagnosis	ICD-10-CM
Q6581	Congenital coxa valga	Diagnosis	ICD-10-CM
Q6582	Congenital coxa vara	Diagnosis	ICD-10-CM
Q6589	Other specified congenital deformities of hip	Diagnosis	ICD-10-CM
Q66	Congenital deformities of feet	Diagnosis	ICD-10-CM
Q660	Congenital talipes equinovarus	Diagnosis	ICD-10-CM
Q6600	Congenital talipes equinovarus	Diagnosis	ICD-10-CM
Q6601	Congenital talipes equinovarus right foot	Diagnosis	ICD-10-CM
Q6602	Congenital talipes equinovarus left foot	Diagnosis	ICD-10-CM
Q661	Congenital talipes calcaneovarus	Diagnosis	ICD-10-CM
Q6610	Congenital talipes calcaneovarus, unspecified foot	Diagnosis	ICD-10-CM
Q6611	Congenital talipes calcaneovarus, right foot	Diagnosis	ICD-10-CM
Q6612	Congenital talipes calcaneovarus, left foot	Diagnosis	ICD-10-CM
Q663	Other congenital varus deformities of feet	Diagnosis	ICD-10-CM
Q6630	Other congenital varus deformities of feet	Diagnosis	ICD-10-CM
Q6632	Other congenital varus deformities of feet	Diagnosis	ICD-10-CM
Q664	Congenital talipes calcaneovalgus	Diagnosis	ICD-10-CM
Q6640	Congenital talipes calcaneovalgus	Diagnosis	ICD-10-CM
Q6641	Congenital talipes calcaneovalgus, right foot	Diagnosis	ICD-10-CM
Q6642	Congenital talipes calcaneovalgus, left foot	Diagnosis	ICD-10-CM
Q666	Other congenital valgus deformities of feet	Diagnosis	ICD-10-CM
Q667	Congenital pes cavus	Diagnosis	ICD-10-CM
Q668	Other congenital deformities of feet	Diagnosis	ICD-10-CM
Q6680	Congenital vertical talus deformity, unspecified foot	Diagnosis	ICD-10-CM
Q6681	Congenital vertical talus deformity, right foot	Diagnosis	ICD-10-CM
Q6682	Congenital vertical talus deformity, left foot	Diagnosis	ICD-10-CM
Q6689	Other specified congenital deformities of feet	Diagnosis	ICD-10-CM
Q67	Congenital musculoskeletal deformities of head, face, spine and chest	Diagnosis	ICD-10-CM
Q670	Congenital facial asymmetry	Diagnosis	ICD-10-CM
Q671	Congenital compression facies	Diagnosis	ICD-10-CM
Q674	Other congenital deformities of skull, face and jaw	Diagnosis	ICD-10-CM
Q675	Congenital deformity of spine	Diagnosis	ICD-10-CM
Q676	Pectus excavatum	Diagnosis	ICD-10-CM
Q677	Pectus carinatum	Diagnosis	ICD-10-CM
Q678	Other congenital deformities of chest	Diagnosis	ICD-10-CM
Q68	Other congenital musculoskeletal deformities	Diagnosis	ICD-10-CM
Q680	Congenital deformity of sternocleidomastoid muscle	Diagnosis	ICD-10-CM
Q681	Congenital deformity of finger(s) and hand	Diagnosis	ICD-10-CM
Q682	Congenital deformity of knee	Diagnosis	ICD-10-CM
Q683	Congenital bowing of femur	Diagnosis	ICD-10-CM
Q684	Congenital bowing of tibia and fibula	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q685	Congenital bowing of long bones of leg, unspecified	Diagnosis	ICD-10-CM
Q686	Discoid meniscus	Diagnosis	ICD-10-CM
Q688	Other specified congenital musculoskeletal deformities	Diagnosis	ICD-10-CM
Q69	Polydactyly	Diagnosis	ICD-10-CM
Q690	Accessory finger(s)	Diagnosis	ICD-10-CM
Q691	Accessory thumb(s)	Diagnosis	ICD-10-CM
Q692	Accessory toe(s)	Diagnosis	ICD-10-CM
Q699	Polydactyly, unspecified	Diagnosis	ICD-10-CM
Q70	Syndactyly	Diagnosis	ICD-10-CM
Q700	Fused fingers	Diagnosis	ICD-10-CM
Q7001	Fused fingers, right hand	Diagnosis	ICD-10-CM
Q701	Webbed fingers	Diagnosis	ICD-10-CM
Q7011	Webbed fingers	Diagnosis	ICD-10-CM
Q702	Fused toes	Diagnosis	ICD-10-CM
Q7020	Fused toes	Diagnosis	ICD-10-CM
Q703	Webbed toes	Diagnosis	ICD-10-CM
Q7031	Webbed toes	Diagnosis	ICD-10-CM
Q7032	Webbed toes	Diagnosis	ICD-10-CM
Q7033	Webbed toes	Diagnosis	ICD-10-CM
Q704	Polysyndactyly, unspecified	Diagnosis	ICD-10-CM
Q709	Syndactyly, unspecified	Diagnosis	ICD-10-CM
Q71	Reduction defects of upper limb	Diagnosis	ICD-10-CM
Q710	Congenital complete absence of upper limb	Diagnosis	ICD-10-CM
Q7100	Congenital complete absence of unspecified upper limb	Diagnosis	ICD-10-CM
Q7101	Congenital complete absence of right upper limb	Diagnosis	ICD-10-CM
Q7102	Congenital complete absence of left upper limb	Diagnosis	ICD-10-CM
Q7103	Congenital complete absence of upper limb, bilateral	Diagnosis	ICD-10-CM
Q711	Congenital absence of upper arm and forearm with hand present	Diagnosis	ICD-10-CM
Q7110	Congenital absence of unspecified upper arm and forearm with hand present	Diagnosis	ICD-10-CM
Q7111	Congenital absence of right upper arm and forearm with hand present	Diagnosis	ICD-10-CM
Q7112	Congenital absence of left upper arm and forearm with hand present	Diagnosis	ICD-10-CM
Q7113	Congenital absence of upper arm and forearm with hand present, bilateral	Diagnosis	ICD-10-CM
Q712	Congenital absence of both forearm and hand	Diagnosis	ICD-10-CM
Q7120	Congenital absence of both forearm and hand, unspecified upper limb	Diagnosis	ICD-10-CM
Q7121	Congenital absence of both forearm and hand	Diagnosis	ICD-10-CM
Q7122	Congenital absence of both forearm and hand, left upper limb	Diagnosis	ICD-10-CM
Q7123	Congenital absence of both forearm and hand, bilateral	Diagnosis	ICD-10-CM
Q713	Congenital absence of hand and finger	Diagnosis	ICD-10-CM
Q7130	Congenital absence of hand and finger	Diagnosis	ICD-10-CM
Q7131	Congenital absence of hand and finger	Diagnosis	ICD-10-CM
Q7132	Congenital absence of left hand and finger	Diagnosis	ICD-10-CM
Q7133	Congenital absence of hand and finger, thumb	Diagnosis	ICD-10-CM
Q714	Longitudinal reduction defect of radius	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q7140	Longitudinal reduction defect of unspecified radius	Diagnosis	ICD-10-CM
Q7141	Longitudinal reduction defect of right radius	Diagnosis	ICD-10-CM
Q7142	Longitudinal reduction defect of left radius	Diagnosis	ICD-10-CM
Q7143	Longitudinal reduction defect of radius, bilateral	Diagnosis	ICD-10-CM
Q715	Longitudinal reduction defect of ulna	Diagnosis	ICD-10-CM
Q7150	Longitudinal reduction defect of unspecified ulna	Diagnosis	ICD-10-CM
Q7151	Longitudinal reduction defect of right ulna	Diagnosis	ICD-10-CM
Q7152	Longitudinal reduction defect of ulna, left	Diagnosis	ICD-10-CM
Q7153	Longitudinal reduction defect of ulna, bilateral	Diagnosis	ICD-10-CM
Q716	Lobster-claw hand	Diagnosis	ICD-10-CM
Q7160	Lobster-claw hand	Diagnosis	ICD-10-CM
Q7161	Lobster-claw right hand	Diagnosis	ICD-10-CM
Q7162	Lobster-claw left hand	Diagnosis	ICD-10-CM
Q7163	Lobster-claw hand, bilateral	Diagnosis	ICD-10-CM
Q718	Other reduction defects of upper limb	Diagnosis	ICD-10-CM
Q71811	Congenital shortening of right upper limb	Diagnosis	ICD-10-CM
Q71812	Congenital shortening of left upper limb	Diagnosis	ICD-10-CM
Q71813	Congenital shortening of upper limb, bilateral	Diagnosis	ICD-10-CM
Q71819	Congenital shortening of unspecified upper limb	Diagnosis	ICD-10-CM
Q71891	Other reduction defects of right upper limb	Diagnosis	ICD-10-CM
Q71892	Other reduction defects of left upper limb	Diagnosis	ICD-10-CM
Q71893	Other reduction defects of upper limb, bilateral	Diagnosis	ICD-10-CM
Q71899	Other reduction defects of unspecified upper limb	Diagnosis	ICD-10-CM
Q719	Unspecified reduction defect of upper limb	Diagnosis	ICD-10-CM
Q7190	Unspecified reduction defect of unspecified upper limb	Diagnosis	ICD-10-CM
Q7191	Unspecified reduction defect of right upper limb	Diagnosis	ICD-10-CM
Q7192	Unspecified reduction defect of left upper limb	Diagnosis	ICD-10-CM
Q7193	Unspecified reduction defect of upper limb, bilateral	Diagnosis	ICD-10-CM
Q72	Reduction defects of lower limb	Diagnosis	ICD-10-CM
Q720	Congenital complete absence of lower limb	Diagnosis	ICD-10-CM
Q7200	Congenital complete absence of unspecified lower limb	Diagnosis	ICD-10-CM
Q7201	Congenital complete absence of right lower limb	Diagnosis	ICD-10-CM
Q7202	Congenital complete absence of left lower limb	Diagnosis	ICD-10-CM
Q7203	Congenital complete absence of lower limb, bilateral	Diagnosis	ICD-10-CM
Q721	Congenital absence of thigh and lower leg with foot present	Diagnosis	ICD-10-CM
Q7210	Congenital absence of unspecified thigh and lower leg with foot present	Diagnosis	ICD-10-CM
Q7211	Congenital absence of right thigh and lower leg with foot present	Diagnosis	ICD-10-CM
Q7212	Congenital absence of left thigh and lower leg with foot present	Diagnosis	ICD-10-CM
Q7213	Congenital absence of thigh and lower leg with foot present, bilateral	Diagnosis	ICD-10-CM
Q722	Congenital absence of both lower leg and foot	Diagnosis	ICD-10-CM
Q7220	Congenital absence of both lower leg and foot, unspecified lower limb	Diagnosis	ICD-10-CM
Q7221	Congenital absence of both lower leg and foot, right lower limb	Diagnosis	ICD-10-CM
Q7222	Congenital absence of both lower leg and foot, left lower limb	Diagnosis	ICD-10-CM



**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q7223	Congenital absence of both lower leg and foot, bilateral	Diagnosis	ICD-10-CM
Q723	Congenital absence of foot and toe(s)	Diagnosis	ICD-10-CM
Q7230	Congenital absence of foot and toe(s)	Diagnosis	ICD-10-CM
Q7231	Congenital absence of foot and toe(s)	Diagnosis	ICD-10-CM
Q7232	Congenital absence of left foot and toe(s)	Diagnosis	ICD-10-CM
Q7233	Congenital absence of foot and toe(s), bilateral	Diagnosis	ICD-10-CM
Q724	Longitudinal reduction defect of femur	Diagnosis	ICD-10-CM
Q7240	Longitudinal reduction defect of unspecified femur	Diagnosis	ICD-10-CM
Q7241	Longitudinal reduction defect of right femur	Diagnosis	ICD-10-CM
Q7242	Longitudinal reduction defect of left femur	Diagnosis	ICD-10-CM
Q7243	Longitudinal reduction defect of femur	Diagnosis	ICD-10-CM
Q725	Longitudinal reduction defect of tibia	Diagnosis	ICD-10-CM
Q7250	Longitudinal reduction defect of unspecified tibia	Diagnosis	ICD-10-CM
Q7251	Longitudinal reduction defect of right tibia	Diagnosis	ICD-10-CM
Q7252	Longitudinal reduction defect of left tibia	Diagnosis	ICD-10-CM
Q7253	Longitudinal reduction defect of tibia, bilateral	Diagnosis	ICD-10-CM
Q726	Longitudinal reduction defect of fibula	Diagnosis	ICD-10-CM
Q7260	Longitudinal reduction defect of unspecified fibula	Diagnosis	ICD-10-CM
Q7261	Longitudinal reduction defect of right fibula	Diagnosis	ICD-10-CM
Q7262	Longitudinal reduction defect of left fibula	Diagnosis	ICD-10-CM
Q7263	Longitudinal reduction defect of fibula, bilateral	Diagnosis	ICD-10-CM
Q727	Split foot	Diagnosis	ICD-10-CM
Q7270	Split foot	Diagnosis	ICD-10-CM
Q7271	Split foot, right lower limb	Diagnosis	ICD-10-CM
Q7272	Split foot, left lower limb	Diagnosis	ICD-10-CM
Q7273	Split foot, bilateral	Diagnosis	ICD-10-CM
Q728	Other reduction defects of lower limb	Diagnosis	ICD-10-CM
Q72811	Congenital shortening of right lower limb	Diagnosis	ICD-10-CM
Q72812	Congenital shortening of left lower limb	Diagnosis	ICD-10-CM
Q72813	Congenital shortening of lower limb, bilateral	Diagnosis	ICD-10-CM
Q72819	Congenital shortening of unspecified lower limb	Diagnosis	ICD-10-CM
Q72891	Other reduction defects of right lower limb	Diagnosis	ICD-10-CM
Q72892	Other reduction defects of left lower limb	Diagnosis	ICD-10-CM
Q72893	Other reduction defects of lower limb, bilateral	Diagnosis	ICD-10-CM
Q72899	Other reduction defects of unspecified lower limb	Diagnosis	ICD-10-CM
Q729	Unspecified reduction defect of lower limb	Diagnosis	ICD-10-CM
Q7290	Unspecified reduction defect of lower limb	Diagnosis	ICD-10-CM
Q7291	Unspecified reduction defect of right lower limb	Diagnosis	ICD-10-CM
Q7292	Unspecified reduction defect of left lower limb	Diagnosis	ICD-10-CM
Q7293	Unspecified reduction defect of lower limb, bilateral	Diagnosis	ICD-10-CM
Q73	Reduction defects of unspecified limb	Diagnosis	ICD-10-CM
Q730	Congenital absence of unspecified limb(s)	Diagnosis	ICD-10-CM
Q731	Phocomelia, unspecified limb(s)	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q738	Other reduction defects of unspecified limb(s)	Diagnosis	ICD-10-CM
Q74	Other congenital malformations of limb(s)	Diagnosis	ICD-10-CM
Q740	Oth congen malform of upper limb(s), inc shoulder girdle	Diagnosis	ICD-10-CM
Q741	Congenital malformation of knee	Diagnosis	ICD-10-CM
Q742	Oth congen malform of lower limb(s), including pelvic girdle	Diagnosis	ICD-10-CM
Q743	Arthrogryposis multiplex congenita	Diagnosis	ICD-10-CM
Q748	Other specified congenital malformations of limb(s)	Diagnosis	ICD-10-CM
Q75	Other congenital malformations of skull and face bones	Diagnosis	ICD-10-CM
Q750	Craniosynostosis	Diagnosis	ICD-10-CM
Q751	Craniofacial dysostosis	Diagnosis	ICD-10-CM
Q752	Hypertelorism	Diagnosis	ICD-10-CM
Q753	Macrocephaly	Diagnosis	ICD-10-CM
Q754	Mandibulofacial dysostosis	Diagnosis	ICD-10-CM
Q755	Oculomandibular dysostosis	Diagnosis	ICD-10-CM
Q758	Other specified congenital malformations of skull and face bones	Diagnosis	ICD-10-CM
Q76	Congenital malformations of spine and bony thorax	Diagnosis	ICD-10-CM
Q760	Spina bifida occulta	Diagnosis	ICD-10-CM
Q761	Klippel-Feil syndrome	Diagnosis	ICD-10-CM
Q762	Congenital spondylolisthesis	Diagnosis	ICD-10-CM
Q763	Congenital scoliosis due to congenital bony malformation	Diagnosis	ICD-10-CM
Q764	Other congenital malformations of spine, not associated with scoliosis	Diagnosis	ICD-10-CM
Q7641	Congenital kyphosis	Diagnosis	ICD-10-CM
Q7642	Congenital lordosis	Diagnosis	ICD-10-CM
Q7649	Oth congenital malform of spine, not associated w scoliosis	Diagnosis	ICD-10-CM
Q766	Other congenital malformations of ribs	Diagnosis	ICD-10-CM
Q767	Congenital malformation of sternum	Diagnosis	ICD-10-CM
Q768	Other congenital malformations of bony thorax	Diagnosis	ICD-10-CM
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	Diagnosis	ICD-10-CM
Q770	Achondrogenesis	Diagnosis	ICD-10-CM
Q771	Thanatophoric short stature	Diagnosis	ICD-10-CM
Q772	Short rib syndrome	Diagnosis	ICD-10-CM
Q773	Chondrodysplasia punctata	Diagnosis	ICD-10-CM
Q774	Achondroplasia	Diagnosis	ICD-10-CM
Q775	Diastrophic dysplasia	Diagnosis	ICD-10-CM
Q776	Chondroectodermal dysplasia	Diagnosis	ICD-10-CM
Q777	Spondyloepiphyseal dysplasia	Diagnosis	ICD-10-CM
Q778	Other osteochondrodysplasia with defects of growth of tubular bones and spine	Diagnosis	ICD-10-CM
Q779	Osteochondrodysplasia with defects of growth of tubular bones and spine, unspecified	Diagnosis	ICD-10-CM
Q78	Other osteochondrodysplasias	Diagnosis	ICD-10-CM
Q780	Osteogenesis imperfecta	Diagnosis	ICD-10-CM
Q781	Polyostotic fibrous dysplasia	Diagnosis	ICD-10-CM
Q782	Osteopetrosis	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q783	Progressive diaphyseal dysplasia	Diagnosis	ICD-10-CM
Q784	Enchondromatosis	Diagnosis	ICD-10-CM
Q785	Metaphyseal dysplasia	Diagnosis	ICD-10-CM
Q786	Multiple congenital exostoses	Diagnosis	ICD-10-CM
Q788	Other specified osteochondrodysplasias	Diagnosis	ICD-10-CM
Q789	Osteochondrodysplasia, unspecified	Diagnosis	ICD-10-CM
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	Diagnosis	ICD-10-CM
Q790	Congenital diaphragmatic hernia	Diagnosis	ICD-10-CM
Q791	Other congenital malformations of diaphragm	Diagnosis	ICD-10-CM
Q792	Exomphalos	Diagnosis	ICD-10-CM
Q793	Gastroschisis	Diagnosis	ICD-10-CM
Q794	Prune belly syndrome	Diagnosis	ICD-10-CM
Q795	Other congenital malformations of abdominal wall	Diagnosis	ICD-10-CM
Q7951	Congenital hernia of bladder	Diagnosis	ICD-10-CM
Q7959	Other congenital malformations of abdominal wall	Diagnosis	ICD-10-CM
Q796	Ehlers-Danlos syndromes	Diagnosis	ICD-10-CM
Q798	Other congenital malformations of musculoskeletal system	Diagnosis	ICD-10-CM
Q799	Congenital malformation of musculoskeletal system, unsp	Diagnosis	ICD-10-CM
Q80	Congenital ichthyosis	Diagnosis	ICD-10-CM
Q800	Ichthyosis vulgaris	Diagnosis	ICD-10-CM
Q801	X-linked ichthyosis	Diagnosis	ICD-10-CM
Q802	Lamellar ichthyosis	Diagnosis	ICD-10-CM
Q803	Congenital bullous ichthyosiform erythroderma	Diagnosis	ICD-10-CM
Q804	Harlequin fetus	Diagnosis	ICD-10-CM
Q808	Other congenital ichthyosis	Diagnosis	ICD-10-CM
Q809	Congenital ichthyosis, unspecified	Diagnosis	ICD-10-CM
Q81	Epidermolysis bullosa	Diagnosis	ICD-10-CM
Q810	Epidermolysis bullosa simplex	Diagnosis	ICD-10-CM
Q811	Epidermolysis bullosa letalis	Diagnosis	ICD-10-CM
Q812	Epidermolysis bullosa dystrophica	Diagnosis	ICD-10-CM
Q818	Other epidermolysis bullosa	Diagnosis	ICD-10-CM
Q819	Epidermolysis bullosa, unspecified	Diagnosis	ICD-10-CM
Q821	Xeroderma pigmentosum	Diagnosis	ICD-10-CM
Q823	Incontinentia pigmenti	Diagnosis	ICD-10-CM
Q824	Ectodermal dysplasia (anhidrotic)	Diagnosis	ICD-10-CM
Q830	Congenital absence of breast with absent nipple	Diagnosis	ICD-10-CM
Q831	Accessory breast	Diagnosis	ICD-10-CM
Q832	Absent nipple	Diagnosis	ICD-10-CM
Q84	Other congenital malformations of integument	Diagnosis	ICD-10-CM
Q840	Congenital alopecia	Diagnosis	ICD-10-CM
Q841	Congenital morphological disturbances of hair, not elsewhere classified	Diagnosis	ICD-10-CM
Q842	Other congenital malformations of hair	Diagnosis	ICD-10-CM
Q843	Anonychia	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q844	Congenital leukonychia	Diagnosis	ICD-10-CM
Q845	Enlarged and hypertrophic nails	Diagnosis	ICD-10-CM
Q846	Other congenital malformations of nails	Diagnosis	ICD-10-CM
Q85	Phakomatoses, not elsewhere classified	Diagnosis	ICD-10-CM
Q850	Neurofibromatosis (nonmalignant)	Diagnosis	ICD-10-CM
Q8500	Neurofibromatosis, unspecified	Diagnosis	ICD-10-CM
Q8501	Neurofibromatosis, type 1	Diagnosis	ICD-10-CM
Q8502	Neurofibromatosis, type 2	Diagnosis	ICD-10-CM
Q8503	Schwannomatosis	Diagnosis	ICD-10-CM
Q8509	Other neurofibromatosis	Diagnosis	ICD-10-CM
Q851	Tuberous sclerosis	Diagnosis	ICD-10-CM
Q858	Other phakomatoses, not elsewhere classified	Diagnosis	ICD-10-CM
Q859	Phakomatosis, unspecified	Diagnosis	ICD-10-CM
Q86	Congenital malformation syndromes due to known exogenous causes, not elsewhere classified	Diagnosis	ICD-10-CM
Q860	Fetal alcohol syndrome (dysmorphic)	Diagnosis	ICD-10-CM
Q861	Fetal hydantoin syndrome	Diagnosis	ICD-10-CM
Q862	Dysmorphism due to warfarin	Diagnosis	ICD-10-CM
Q868	Other congenital malformation syndromes due to known exogenous causes	Diagnosis	ICD-10-CM
Q87	Other specified congenital malformation syndromes affecting multiple systems	Diagnosis	ICD-10-CM
Q870	Congenital malformation syndromes predominantly affecting facial appearance	Diagnosis	ICD-10-CM
Q871	Congenital malformation syndromes predominantly associated with short stature	Diagnosis	ICD-10-CM
Q8711	Prader-Willi syndrome	Diagnosis	ICD-10-CM
Q8719	Other congenital malformation syndromes predominantly associated with short stature	Diagnosis	ICD-10-CM
Q872	Congenital malformation syndromes predominantly involving limbs	Diagnosis	ICD-10-CM
Q873	Congenital malformation syndromes involving early overgrowth	Diagnosis	ICD-10-CM
Q874	Marfan's syndrome	Diagnosis	ICD-10-CM
Q875	Other congenital malformation syndromes with other skeletal changes	Diagnosis	ICD-10-CM
Q878	Other specified congenital malformation syndromes, not elsewhere classified	Diagnosis	ICD-10-CM
Q8781	Alport syndrome	Diagnosis	ICD-10-CM
Q8782	Arterial tortuosity syndrome	Diagnosis	ICD-10-CM
Q8789	Other specified congenital malformation syndromes, not elsewhere classified	Diagnosis	ICD-10-CM
Q89	Other congenital malformations, not elsewhere classified	Diagnosis	ICD-10-CM
Q890	Congenital absence and malformations of spleen	Diagnosis	ICD-10-CM
Q8901	Asplenia (congenital)	Diagnosis	ICD-10-CM
Q8909	Congenital malformations of spleen	Diagnosis	ICD-10-CM
Q891	Congenital malformations of adrenal gland	Diagnosis	ICD-10-CM
Q892	Congenital malformations of other endocrine glands	Diagnosis	ICD-10-CM
Q893	Situs inversus	Diagnosis	ICD-10-CM
Q894	Conjoined twins	Diagnosis	ICD-10-CM
Q897	Multiple congenital malformations, not elsewhere classified	Diagnosis	ICD-10-CM
Q90	Down syndrome	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q900	Trisomy 21, nonmosaicism (meiotic nondisjunction)	Diagnosis	ICD-10-CM
Q901	Trisomy 21, mosaicism (mitotic nondisjunction)	Diagnosis	ICD-10-CM
Q902	Trisomy 21, translocation	Diagnosis	ICD-10-CM
Q909	Down syndrome, unspecified	Diagnosis	ICD-10-CM
Q91	Trisomy 18 and Trisomy 13	Diagnosis	ICD-10-CM
Q910	Trisomy 18, nonmosaicism (meiotic nondisjunction)	Diagnosis	ICD-10-CM
Q911	Trisomy 18, mosaicism (mitotic nondisjunction)	Diagnosis	ICD-10-CM
Q912	Trisomy 18, translocation	Diagnosis	ICD-10-CM
Q913	Trisomy 18, unspecified	Diagnosis	ICD-10-CM
Q914	Trisomy 13, nonmosaicism (meiotic nondisjunction)	Diagnosis	ICD-10-CM
Q915	Trisomy 13, mosaicism (mitotic nondisjunction)	Diagnosis	ICD-10-CM
Q916	Trisomy 13, translocation	Diagnosis	ICD-10-CM
Q917	Trisomy 13, unspecified	Diagnosis	ICD-10-CM
Q92	Other trisomies and partial trisomies of the autosomes, not elsewhere classified	Diagnosis	ICD-10-CM
Q920	Whole chromosome trisomy, nonmosaicism (meiotic nondisjunction)	Diagnosis	ICD-10-CM
Q921	Whole chromosome trisomy, mosaicism (mitotic nondisjunction)	Diagnosis	ICD-10-CM
Q922	Partial trisomy	Diagnosis	ICD-10-CM
Q925	Duplications with other complex rearrangements	Diagnosis	ICD-10-CM
Q926	Marker chromosomes	Diagnosis	ICD-10-CM
Q927	Triploidy and polyploidy	Diagnosis	ICD-10-CM
Q928	Other specified trisomies and partial trisomies of autosomes	Diagnosis	ICD-10-CM
Q93	Monosomies and deletions from the autosomes, not elsewhere classified	Diagnosis	ICD-10-CM
Q930	Whole chromosome monosomy, nonmosaicism (meiotic nondisjunction)	Diagnosis	ICD-10-CM
Q931	Whole chromosome monosomy, mosaicism (mitotic nondisjunction)	Diagnosis	ICD-10-CM
Q932	Chromosome replaced with ring, dicentric or isochromosome	Diagnosis	ICD-10-CM
Q933	Deletion of short arm of chromosome 4	Diagnosis	ICD-10-CM
Q934	Deletion of short arm of chromosome 5	Diagnosis	ICD-10-CM
Q935	Other deletions of part of a chromosome	Diagnosis	ICD-10-CM
Q9351	Angelman syndrome	Diagnosis	ICD-10-CM
Q9359	Other deletions of part of a chromosome	Diagnosis	ICD-10-CM
Q937	Deletions with other complex rearrangements	Diagnosis	ICD-10-CM
Q938	Other deletions from the autosomes	Diagnosis	ICD-10-CM
Q9381	Velo-cardio-facial syndrome	Diagnosis	ICD-10-CM
Q9382	Williams syndrome	Diagnosis	ICD-10-CM
Q9388	Other microdeletions	Diagnosis	ICD-10-CM
Q9389	Other deletions from the autosomes	Diagnosis	ICD-10-CM
Q939	Deletion from autosomes, unspecified	Diagnosis	ICD-10-CM
Q96	Turner's syndrome	Diagnosis	ICD-10-CM
Q960	Karyotype 45, X	Diagnosis	ICD-10-CM
Q961	Karyotype 46, X iso (Xq)	Diagnosis	ICD-10-CM
Q962	Karyotype 46, X with abnormal sex chromosome, except iso (Xq)	Diagnosis	ICD-10-CM
Q963	Mosaicism, 45, X/46, XX or XY	Diagnosis	ICD-10-CM
Q964	Mosaicism, 45, X/other cell line(s) with abnormal sex chromosome	Diagnosis	ICD-10-CM

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Major Congenital Malformation (MCM) in this Request**

<b>Code</b>	<b>Description</b>	<b>Code Category</b>	<b>Code Type</b>
Q968	Other variants of Turner's syndrome	Diagnosis	ICD-10-CM
Q969	Turner's syndrome, unspecified	Diagnosis	ICD-10-CM
Q97	Other sex chromosome abnormalities, female phenotype, not elsewhere classified	Diagnosis	ICD-10-CM
Q970	Karyotype 47, XXX	Diagnosis	ICD-10-CM
Q971	Female with more than three X chromosomes	Diagnosis	ICD-10-CM
Q972	Mosaicism, lines with various numbers of X chromosomes	Diagnosis	ICD-10-CM
Q973	Female with 46, XY karyotype	Diagnosis	ICD-10-CM
Q978	Other specified sex chromosome abnormalities, female phenotype	Diagnosis	ICD-10-CM
Q979	Sex chromosome abnormality, female phenotype, unspecified	Diagnosis	ICD-10-CM
Q98	Other sex chromosome abnormalities, male phenotype, not elsewhere classified	Diagnosis	ICD-10-CM
Q980	Klinefelter syndrome karyotype 47, XXY	Diagnosis	ICD-10-CM
Q981	Klinefelter syndrome, male with more than two X chromosomes	Diagnosis	ICD-10-CM
Q983	Other male with 46, XX karyotype	Diagnosis	ICD-10-CM
Q984	Klinefelter syndrome, unspecified	Diagnosis	ICD-10-CM
Q985	Karyotype 47, XYY	Diagnosis	ICD-10-CM
Q986	Male with structurally abnormal sex chromosome	Diagnosis	ICD-10-CM
Q987	Male with sex chromosome mosaicism	Diagnosis	ICD-10-CM
Q988	Other specified sex chromosome abnormalities, male phenotype	Diagnosis	ICD-10-CM
Q989	Sex chromosome abnormality, male phenotype, unspecified	Diagnosis	ICD-10-CM
Q99	Other chromosome abnormalities, not elsewhere classified	Diagnosis	ICD-10-CM
Q990	Chimera 46, XX/46, XY	Diagnosis	ICD-10-CM
Q991	46, XX true hermaphrodite	Diagnosis	ICD-10-CM
Q992	Fragile X chromosome	Diagnosis	ICD-10-CM
Q998	Other specified chromosome abnormalities	Diagnosis	ICD-10-CM
Q999	Chromosomal abnormality, unspecified	Diagnosis	ICD-10-CM