

## Disclaimer

The FDA chose a specific outcome algorithm that met its need for a given medical product-outcome assessment. The use of a specific outcome algorithm in a Sentinel assessment should not be interpreted as an endorsement from FDA to use the algorithm for all safety assessments. Investigators should always consider the objective, study design, analytic approach, and data source of a given medical product safety assessment when choosing the outcome algorithm. The suitability of an outcome algorithm may change when applied to different scenarios. For additional information, please refer to the

[Best Practices for Conducting and Reporting Pharmacoepidemiologic Safety Studies Using Electronic Healthcare Data](#) guidance document provided by the FDA.

## Overview

<b>Title</b>	Preeclampsia Algorithm Defined in "Risk of Adverse Maternal Health Outcomes Among Pregnant Patients With and Without COVID-19: A Propensity Score Matched Analysis"
<b>Request ID</b>	cder_mpl2p_wp048
<b>Description</b>	<p>This report lists International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes and algorithms used to define preeclampsia in this request.</p> <p>For additional information about the algorithm and how it was defined relative to the cohort and exposure(s) of interest in the analysis, refer to the analysis webpage here: <a href="https://www.sentinelinitiative.org/studies/drugs/individual-drug-analyses/risk-adverse-maternal-health-outcomes-among-pregnant">https://www.sentinelinitiative.org/studies/drugs/individual-drug-analyses/risk-adverse-maternal-health-outcomes-among-pregnant</a></p>
<b>Outcome</b>	Preeclampsia
<b>Algorithm to Define Outcome</b>	The preeclampsia outcome is defined as one ICD-10-CM diagnosis code for preeclampsia (Code List 1) from 22 weeks 0/7 days (154 days from estimated pregnancy start date) to live birth delivery date.
<b>Query Period</b>	January 1, 2020 - November 30, 2023
<b>Request Send Date</b>	February 8, 2024

## Glossary

**Care Setting** - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or missing (U)

**Outcome** - outcome of interest (either primary or secondary)

**Principal Diagnosis (PDX)** - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

**Query Period** - period in which the modular program looks for exposures and outcomes of interest

**Request Send Date** - date the request was sent to Sentinel Data Partners

**Code List 1. List of International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Preeclampsia in this Request**

Code	Description	Code Category	Code Type
<b>Preeclampsia</b>			
O14	Pre-eclampsia	Diagnosis	ICD-10-CM
O14.0	Mild to moderate pre-eclampsia	Diagnosis	ICD-10-CM
O14.00	Mild to moderate pre-eclampsia, unspecified trimester	Diagnosis	ICD-10-CM
O14.02	Mild to moderate pre-eclampsia, second trimester	Diagnosis	ICD-10-CM
O14.03	Mild to moderate pre-eclampsia, third trimester	Diagnosis	ICD-10-CM
O14.04	Mild to moderate pre-eclampsia, complicating childbirth	Diagnosis	ICD-10-CM
O14.05	Mild to moderate pre-eclampsia, complicating the puerperium	Diagnosis	ICD-10-CM
O14.1	Severe pre-eclampsia	Diagnosis	ICD-10-CM
O14.10	Severe pre-eclampsia, unspecified trimester	Diagnosis	ICD-10-CM
O14.12	Severe pre-eclampsia, second trimester	Diagnosis	ICD-10-CM
O14.13	Severe pre-eclampsia, third trimester	Diagnosis	ICD-10-CM
O14.14	Severe pre-eclampsia complicating childbirth	Diagnosis	ICD-10-CM
O14.15	Severe pre-eclampsia, complicating the puerperium	Diagnosis	ICD-10-CM
O14.2	HELLP syndrome	Diagnosis	ICD-10-CM
O14.20	HELLP syndrome (HELLP), unspecified trimester	Diagnosis	ICD-10-CM
O14.22	HELLP syndrome (HELLP), second trimester	Diagnosis	ICD-10-CM
O14.23	HELLP syndrome (HELLP), third trimester	Diagnosis	ICD-10-CM
O14.24	HELLP syndrome, complicating childbirth	Diagnosis	ICD-10-CM
O14.25	HELLP syndrome, complicating the puerperium	Diagnosis	ICD-10-CM
O14.9	Unspecified pre-eclampsia	Diagnosis	ICD-10-CM
O14.90	Unspecified pre-eclampsia, unspecified trimester	Diagnosis	ICD-10-CM
O14.92	Unspecified pre-eclampsia, second trimester	Diagnosis	ICD-10-CM
O14.93	Unspecified pre-eclampsia, third trimester	Diagnosis	ICD-10-CM
O14.94	Unspecified pre-eclampsia, complicating childbirth	Diagnosis	ICD-10-CM
O14.95	Unspecified pre-eclampsia, complicating the puerperium	Diagnosis	ICD-10-CM
O15	Eclampsia	Diagnosis	ICD-10-CM
O15.0	Eclampsia complicating pregnancy	Diagnosis	ICD-10-CM
O15.00	Eclampsia complicating pregnancy, unspecified trimester	Diagnosis	ICD-10-CM
O15.02	Eclampsia complicating pregnancy, second trimester	Diagnosis	ICD-10-CM
O15.03	Eclampsia complicating pregnancy, third trimester	Diagnosis	ICD-10-CM
O15.1	Eclampsia complicating labor	Diagnosis	ICD-10-CM
O15.2	Eclampsia complicating the puerperium	Diagnosis	ICD-10-CM
O15.9	Eclampsia, unspecified as to time period	Diagnosis	ICD-10-CM