

### **Disclaimer**

The following report(s) provides findings from an FDA-initiated query using Sentinel. While Sentinel queries may be undertaken to assess potential medical product safety risks, they may also be initiated for various other reasons. Some examples include determining a rate or count of an identified health outcome of interest, examining medical product use, exploring the feasibility of future, more detailed analyses within Sentinel, and seeking to better understand Sentinel capabilities.

Data obtained through Sentinel are intended to complement other types of evidence such as preclinical studies, clinical trials, postmarket studies, and adverse event reports, all of which are used by FDA to inform regulatory decisions regarding medical product safety. The information contained in this report is provided as part of FDA's commitment to place knowledge acquired from Sentinel in the public domain as soon as possible. Any public health actions taken by FDA regarding products involved in Sentinel queries will continue to be communicated through existing channels.

FDA wants to emphasize that the fact that FDA has initiated a query involving a medical product and is reporting findings related to that query does not mean that FDA is suggesting health care practitioners should change their prescribing practices for the medical product or that patients taking the medical product should stop using it. Patients who have questions about the use of an identified medical product should contact their health care practitioners.

The following report contains a description of the request, request specifications, and results from the modular program run(s).

If you are using a web page screen reader and are unable to access this document, please contact the Sentinel Operations Center for assistance at info@sentinelsystem.org.



#### Overview

Date Run: November 8, 2019

Request Description: The purpose of this report was to compare the frequency of diagnoses for epilepsy in the emergency department care setting using International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) versus International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) diagnosis codes. ICD-10-CM code definitions were determined by mapping from ICD-9-CM code definitions using the Centers for Medicare and Medicaid Services (CMS) General Equivalence Mappings (GEMs). Forward-backward mapping (FBM) was used to map ICD-9-CM to ICD-10-CM codes.<sup>1</sup>

Sentinel Routine Querying Module: Cohort Identification and Descriptive Analysis (CIDA) module, version 9.0.0

<u>Data Source:</u> This request was run against the IBM® MarketScan® Commercial Claims and Encounters Database and Medicare Supplemental Database, which included 135 million members. Data from October 1, 2010 to September 30, 2018 were included in this report. The report includes five separate time periods: 1) October 1, 2010 to September 30, 2018; 2) October 1, 2013 to September 30, 2014; 3) October 1, 2014 to September 30, 2015; 4) October 1, 2015 to September 30, 2016; and 5) October 1, 2016 to September 30, 2017. See Appendix A for the dates of available data used in this report.

<u>Study Design:</u> We examined the incidence and prevalence of epilepsy diagnoses that occurred in the emergency department care setting across the ICD-9-CM era (October 2010 - September 2015) and ICD-10-CM era (October 2015 - September 2018) in the United States. Incidence was additionally evaluated from October 2013 to September 2014, October 2014 to September 2015, October 2015 to September 2016, and October 2016 to September 2017. See Appendix B for specific codes used to define epilepsy in this request.

Cohort Eligibility Criteria: The following age groups were included in the cohorts: 2-17, 18-44, 45-64, and 65+ years.

<u>Incident Cohorts:</u> Members included in the incident cohorts were required to be continuously enrolled in health plans with medical and drug coverage for at least 183 days prior to the epilepsy diagnosis of interest, during which gaps in coverage of up to 45 days were allowed. Incident epilepsy was defined as no previous diagnoses of epilepsy in the 183 days preceding the index date with respect to ICD-9-CM and ICD-10-CM codes.

<u>Prevalent Cohorts:</u> There was no enrollment time requirement for members in the prevalent cohorts. All qualifying diagnosis codes that occurred between October 1, 2010 and September 30, 2018 were included.

Please see Appendix C for detailed specifications of parameters used in the analyses for this request.

<u>Limitations:</u> Algorithms used to define outcomes are imperfect; thus, it is possible that there may be misclassification. Therefore, data should be interpreted with this limitation in mind.

**Notes:** Please contact the Sentinel Operations Center (info@sentinelsystem.org) for questions and to provide comments/suggestions for future enhancements to this document.

<sup>1</sup>Fung, K. W., et al. (2016). "Preparing for the ICD-10-CM Transition: Automated Methods for Translating ICD Codes in Clinical Phenotype Definitions." EGEMS (Wash DC) 4(1): 1211.



Table of Contents				
Glossary	List of Terms Found in this Report and their Definitions			
<u>Table 1</u>	Comparison of Incident Epilepsy Diagnoses in the Emergency Department Care Setting in the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Eras (October 2013 - September 2014, October 2014 - September 2015, October 2015 - September 2016, and October 2016 - September 2017)			
Figure 1	Incidence of Epilepsy Diagnoses in the Emergency Department Care Setting per 10,000 Eligible Members from October 2010 - September 2018 by Code Type, 183-Day Washout			
<u>Figure 2</u>	Prevalence of Epilepsy Diagnoses in the Emergency Department Care Setting per 10,000 Eligible Members from October 2010 - September 2018 by Code Type, 0-Day Washout			
Appendix A	Dates Available for IBM® MarketScan® Commercial and Medicare Supplemental Databases			
Appendix B	List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Codes Used to Define Epilepsy			
<u>Appendix C</u>	Specifications for Parameters for this Request			



### Glossary of Terms for Analyses Using Cohort Identification and Descriptive Analysis (CIDA) Module\*

Amount Supplied - number of units (pills, tablets, vials) dispensed. Net amount per NDC per dispensing.

**Blackout Period** - number of days at the beginning of a treatment episode that events are to be ignored. If an event occurs during the blackout period, the episode is excluded.

Care Setting - type of medical encounter or facility where the exposure, event, or condition code was recorded. Possible care settings include: Inpatient Hospital Stay (IP), Non-Acute Institutional Stay (IS), Emergency Department (ED), Ambulatory Visit (AV), and Other Ambulatory Visit (OA). For laboratory results, possible care settings include: Emergency Department (E), Home (H), Inpatient (I), Outpatient (O), or Unknown or Missing (U). The Care Setting, along with the Principal Diagnosis Indicator (PDX), forms the Care Setting/PDX parameter.

**Ambulatory Visit (AV)** - includes visits at outpatient clinics, same-day surgeries, urgent care visits, and other same-day ambulatory hospital encounters, but excludes emergency department encounters.

**Emergency Department (ED)** - includes ED encounters that become inpatient stays (in which case inpatient stays would be a separate encounter). Excludes urgent care visits.

**Inpatient Hospital Stay (IP)** - includes all inpatient stays, same-day hospital discharges, hospital transfers, and acute hospital care where the discharge is after the admission date.

**Non-Acute Institutional Stay (IS)** - includes hospice, skilled nursing facility (SNF), rehab center, nursing home, residential, overnight non-hospital dialysis and other non-hospital stays.

**Other Ambulatory Visit (OA)** - includes other non overnight AV encounters such as hospice visits, home health visits, skilled nursing facility visits, other non-hospital visits, as well as telemedicine, telephone and email consultations.

**Charlson/Elixhauser Combined Comorbidity Score** - calculated based on comorbidities observed during a requester-defined window around the exposure episode start date (e.g., in the 183 days prior to index).

**Code Days** - the minimum number of times the diagnosis must be found during the evaluation period in order to fulfill the algorithm to identify the corresponding patient characteristic.

**Cohort Definition (drug/exposure)** - indicates how the cohort will be defined: 01: Cohort includes only the first valid treatment episode during the query period; 02: Cohort includes all valid treatment episodes during the query period; 03: Cohort includes all valid treatment episodes during the query period until an event occurs.

**Computed Start Marketing Date -** represents the first observed dispensing date among all valid users within a GROUP (scenario) within each Data Partner site.

Days Supplied - number of days supplied for all dispensings in qualifying treatment episodes.

**Eligible Members** - number of members eligible for an incident treatment episode (defined by the drug/exposure and event washout periods) with drug and medical coverage during the query period.

**Enrollment Gap** - number of days allowed between two consecutive enrollment periods without breaking a "continuously enrolled" sequence.

**Episodes** - treatment episodes; length of episode is determined by days supplied in one dispensing or consecutive dispensings bridged by the episode gap.

**Episode Gap** - number of days allowed between two (or more) consecutive exposures (dispensings/procedures) to be considered the same treatment episode.

**Event Deduplication -** specifies how events are counted by the Modular Program (MP) algorithm: 0: Counts all occurrences of a health outcome of interest (HOI) during an exposure episode; 1: de-duplicates occurrences of the same HOI code and code type on the same day; 2: de-duplicates occurrences of the same HOI group on the same day (e.g., de-duplicates at the group level).

Exposure Episode Length - number of days after exposure initiation that is considered "exposed time."

**Exposure Extension Period** - number of days post treatment period in which the outcomes/events are counted for a treatment episode. Extensions are added after any episode gaps have been bridged.

**Lookback Period** - number of days wherein a member is required to have evidence of pre-existing condition (diagnosis/procedure/drug dispensing).



**Maximum Episode Duration -** truncates exposure episodes after a requester-specified number of exposed days. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

**Member-Years** - sum of all days of enrollment with medical and drug coverage in the query period preceded by an exposure washout period all divided by 365.25.

Minimum Days Supplied - specifies a minimum number of days in length of the days supplied for the episode to be considered.

**Minimum Episode Duration -** specifies a minimum number of days in length of the episode for it to be considered. Applied after any gaps are bridged and extension days added to the length of the exposure episode.

**Monitoring Period** - used to define time periods of interest for both sequential analysis and simple cohort characterization requests.

**Principal Diagnosis (PDX)** - diagnosis or condition established to be chiefly responsible for admission of the patient to the hospital. 'P' = principal diagnosis, 'S' = secondary diagnosis, 'X' = unspecified diagnosis, '.' = blank. Along with the Care Setting values, forms the Caresetting/PDX parameter.

Query Period - period in which the modular program looks for exposures and outcomes of interest.

**Switch Evaluation Step Value -** value used to differentiate evaluation step. Each switch pattern can support up to 2 evaluation steps (0 = switch pattern evaluation start; 1 = first evaluation; 2 = second evaluation).

**Switch Gap Inclusion Indicator - i**ndicator for whether gaps in treatment episodes that are included in a switch episode will be counted as part of the switch episode duration.

**Switch Pattern Cohort Inclusion Date** - indicates which date to use for inclusion into the switch pattern cohort of interest as well as optionally as the index date of the treatment episode initiating the switch pattern. Valid options are the product approval date, product marketing date, other requester defined date, or computed start marketing date.

**Switch Pattern Cohort Inclusion Strategy** - indicates how the switch pattern cohort inclusion date will be used: 01: used only as a switch cohort entry date. First treatment episode dispensing date is used as index for computing time to first switch; 02: used as switch cohort entry date and as initial switch step index date for computing time to first switch.

**Treatment Episode Truncation Indicator** - indicates whether the exposure episode will be truncated at the occurrence of a requester-specified code.

**Washout Period (drug/exposure)** - number of days a user is required to have no evidence of prior exposure (drug dispensing/procedure) and continuous drug and medical coverage prior to an incident treatment episode.

**Washout Period (event/outcome)** - number of days a user is required to have no evidence of a prior event (procedure/diagnosis) and continuous drug and medical coverage prior to an incident treatment episode.

Years at Risk - number of days supplied plus any episode gaps and exposure extension periods all divided by 365.25.

<sup>\*</sup>all terms may not be used in this report



Table 1. Comparison of Incident\* Epilepsy Diagnoses in the Emergency Department Care Setting in the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Eras (October 2013 - September 2014, October 2014 - September 2015, October 2015 - September 2016, and October 2016 - September 2017)

	Members with Diagnosis	Eligible Members	Members with Diagnosis per 10,000 Eligible Members
Epilepsy			
ICD-9-CM: October 2013 - September 2014			
	21,033	38,087,136	5.52
ICD-9-CM: October 2014 - September 2015			
	18,848	34,990,619	5.39
ICD-10-CM: October 2015 - September 2016			
	20,599	27,298,672	7.55
ICD-10-CM: October 2016 - September 2017			
	17,753	27,710,387	6.41

<sup>\*</sup>Incidence defined by a 183 day washout



Figure 1. Incidence of Epilepsy Diagnoses in the Emergency Department Care Setting per 10,000 Eligible Members from October 2010 - September 2018 by Code Type, 183-Day Washout







Figure 2. Prevalence of Epilepsy Diagnoses in the Emergency Department Care Setting per 10,000 Eligible Members from October 2010 - September 2018 by Code Type, 0-Day Washout





### Appendix A. Dates Available for IBM® MarketScan® Commercial and Medicare Supplemental Databases

Databases	Start Date	End Date
IBM MarketScan Commercial and Medicare Supplemental Databases <sup>1</sup>	1/1/2010	9/30/2018

<sup>&</sup>lt;sup>1</sup> The IBM MarketScan Databases includes a sample of 135 million employees, dependents, and retirees in the United States with primary or Medicare supplemental coverage through privately insured fee-for-service, point-of-service, or capitated health plans. The IBM MarketScan claims databases are based on a large convenience sample. Because the sample is not random, it may contain biases or fail to generalize well to other populations. Data come mostly from large employers; medium and small firms may be underrepresented. For more information on the IBM MarketScan Databases, please review the White Paper here: https://www.ibm.com/downloads/cas/OWZWJ0QO



# Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Epilepsy

Code	Description					
ICD-9-CM						
345	Epilepsy and recurrent seizures	ICD-9-CM				
345.0	Generalized nonconvulsive epilepsy	ICD-9-CM				
345.00	Generalized nonconvulsive epilepsy without mention of intractable epilepsy	ICD-9-CM				
345.01	Generalized nonconvulsive epilepsy with intractable epilepsy	ICD-9-CM				
345.1	Generalized convulsive epilepsy	ICD-9-CM				
345.10	Generalized convulsive epilepsy without mention of intractable epilepsy	ICD-9-CM				
345.11	Generalized convulsive epilepsy with intractable epilepsy	ICD-9-CM				
345.2	Epileptic petit mal status	ICD-9-CM				
345.3	Epileptic grand mal status	ICD-9-CM				
345.4	Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures	ICD-9-CM				
345.40	Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures, without mention of intractable epilepsy	ICD-9-CM				
345.41	Localization-related (focal) (partial) epilepsy and epileptic syndromes with complex partial seizures, with intractable epilepsy	ICD-9-CM				
345.5	Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures	ICD-9-CM				
345.50	Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures, without mention of intractable epilepsy	ICD-9-CM				
345.51	Localization-related (focal) (partial) epilepsy and epileptic syndromes with simple partial seizures, with intractable epilepsy	ICD-9-CM				
345.6	Infantile spasms	ICD-9-CM				
345.60	Infantile spasms without mention of intractable epilepsy	ICD-9-CM				
345.61	Infantile spasms with intractable epilepsy	ICD-9-CM				
345.7	Epilepsia partialis continua	ICD-9-CM				
345.70	Epilepsia partialis continua without mention of intractable epilepsy	ICD-9-CM				
345.71	Epilepsia partialis continua with intractable epilepsy	ICD-9-CM				
345.8	Other forms of epilepsy and recurrent seizures	ICD-9-CM				
345.80	Other forms of epilepsy and recurrent seizures, without mention of intractable epilepsy	ICD-9-CM				
345.81	Other forms of epilepsy and recurrent seizures, with intractable epilepsy	ICD-9-CM				
345.9	Unspecified epilepsy	ICD-9-CM				
345.90	Unspecified epilepsy without mention of intractable epilepsy	ICD-9-CM				
345.91	Unspecified epilepsy with intractable epilepsy	ICD-9-CM				
	ICD-10-CM					
G40.001	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with	ICD-10-CM				
	seizures of localized onset, not intractable, with status epilepticus					
G40.009	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with	ICD-10-CM				
	seizures of localized onset, not intractable, without status epilepticus					
G40.011	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, with status epilepticus	ICD-10-CM				
G40.019	Localization-related (focal) (partial) idiopathic epilepsy and epileptic syndromes with seizures of localized onset, intractable, without status epilepticus	ICD-10-CM				



# Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Epilepsy

Code	Description	Code Type
G40.101	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, with status epilepticus	ICD-10-CM
G40.109	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, not intractable, without status epilepticus	ICD-10-CM
G40.111	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, with status epilepticus	ICD-10-CM
G40.119	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with simple partial seizures, intractable, without status epilepticus	ICD-10-CM
G40.201	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, with status epilepticus	ICD-10-CM
G40.209	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, not intractable, without status epilepticus	ICD-10-CM
G40.211	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, with status epilepticus	ICD-10-CM
G40.219	Localization-related (focal) (partial) symptomatic epilepsy and epileptic syndromes with complex partial seizures, intractable, without status epilepticus	ICD-10-CM
G40.301	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, with status epilepticus	ICD-10-CM
G40.309	Generalized idiopathic epilepsy and epileptic syndromes, not intractable, without status epilepticus	ICD-10-CM
G40.311	Generalized idiopathic epilepsy and epileptic syndromes, intractable, with status epilepticus	ICD-10-CM
G40.319	Generalized idiopathic epilepsy and epileptic syndromes, intractable, without status epilepticus	ICD-10-CM
G40.401	Other generalized epilepsy and epileptic syndromes, not intractable, with status epilepticus	ICD-10-CM
G40.409	Other generalized epilepsy and epileptic syndromes, not intractable, without status epilepticus	ICD-10-CM
G40.411	Other generalized epilepsy and epileptic syndromes, intractable, with status epilepticus	ICD-10-CM
G40.419	Other generalized epilepsy and epileptic syndromes, intractable, without status epilepticus	ICD-10-CM
G40.501	Epileptic seizures related to external causes, not intractable, with status epilepticus	ICD-10-CM
G40.509	Epileptic seizures related to external causes, not intractable, without status epilepticus	ICD-10-CM
G40.801	Other epilepsy, not intractable, with status epilepticus	ICD-10-CM
G40.802	Other epilepsy, not intractable, without status epilepticus	ICD-10-CM
G40.803	Other epilepsy, intractable, with status epilepticus	ICD-10-CM
G40.804	Other epilepsy, intractable, without status epilepticus	ICD-10-CM
G40.811	Lennox-Gastaut syndrome, not intractable, with status epilepticus	ICD-10-CM
G40.812	Lennox-Gastaut syndrome, not intractable, without status epilepticus	ICD-10-CM
G40.813	Lennox-Gastaut syndrome, intractable, with status epilepticus	ICD-10-CM
G40.814	Lennox-Gastaut syndrome, intractable, without status epilepticus	ICD-10-CM
G40.821	Epileptic spasms, not intractable, with status epilepticus	ICD-10-CM
G40.822	Epileptic spasms, not intractable, without status epilepticus	ICD-10-CM
G40.823	Epileptic spasms, intractable, with status epilepticus	ICD-10-CM
G40.824	Epileptic spasms, intractable, without status epilepticus	ICD-10-CM



# Appendix B. List of International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) and International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) Diagnosis Codes Used to Define Epilepsy

Code	Description	Code Type
G40.89	Other seizures	ICD-10-CM
G40.901	Epilepsy, unspecified, not intractable, with status epilepticus	ICD-10-CM
G40.909	Epilepsy, unspecified, not intractable, without status epilepticus	ICD-10-CM
G40.911	Epilepsy, unspecified, intractable, with status epilepticus	ICD-10-CM
G40.919	Epilepsy, unspecified, intractable, without status epilepticus	ICD-10-CM
G40.A01	Absence epileptic syndrome, not intractable, with status epilepticus	ICD-10-CM
G40.A09	Absence epileptic syndrome, not intractable, without status epilepticus	ICD-10-CM
G40.A11	Absence epileptic syndrome, intractable, with status epilepticus	ICD-10-CM
G40.A19	Absence epileptic syndrome, intractable, without status epilepticus	ICD-10-CM
G40.B01	Juvenile myoclonic epilepsy, not intractable, with status epilepticus	ICD-10-CM
G40.B09	Juvenile myoclonic epilepsy, not intractable, without status epilepticus	ICD-10-CM
G40.B11	Juvenile myoclonic epilepsy, intractable, with status epilepticus	ICD-10-CM
G40.B19	Juvenile myoclonic epilepsy, intractable, without status epilepticus	ICD-10-CM



#### Appendix C. Specifications for Parameters for this Request

Sentinel's Cohort Identification and Descriptive Analysis (CIDA) module, version 9.0.0 will be used to compare the frequency of diagnoses for a selection of health outcomes using International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM) versus International Classification of Diseases, Tenth Revision, Clinical Modification (ICD-10-CM) codes.

Enrollment Gap: 45 days

**Age Group:** 2-17, 18-44, 45-64, 65+ years

Enrollment Requirement: 183 days for incidence scenarios; 0 days for prevalence scenarios

Coverage Requirement: Medical and drug coverage
Stratifications: Calendar year by month

#### **Event**

Scenario	Event	Query Period Start	Query Period End	Event Code Type	Incident with Respect To	Washout (days)	Cohort Definition	Care Setting
1	Epilepsy	10/1/2013	9/30/2014	ICD-9-CM	ICD-9-CM	183	All valid events	Emergency Department (ED)
2	Epilepsy	10/1/2014	9/30/2015	ICD-9-CM	ICD-9-CM	183	All valid events	ED
3	Epilepsy	10/1/2015	9/30/2016	ICD-10-CM	ICD-10-CM	183	All valid events	ED
4	Epilepsy	10/1/2016	9/30/2017	ICD-10-CM	ICD-10-CM	183	All valid events	ED
5	Epilepsy	10/1/2010	9/30/2018	ICD-9-CM	ICD-9-CM or ICD-10-CM	183	All valid events	ED
6	Epilepsy	10/1/2010	9/30/2018	ICD-10-CM	ICD-9-CM or ICD-10-CM	183	All valid events	ED
7	Epilepsy	10/1/2010	9/30/2018	ICD-9-CM	N/A	0	All valid events	ED
8	Epilepsy	10/1/2010	9/30/2018	ICD-10-CM	N/A	0	All valid events	ED

ICD-9-CM and ICD-10-CM are provided by Optum360. ICD-10-CM codes were mapped from ICD-9-CM codes using the Centers for Medicare and Medicaid Services General Equivalence Mappings.